

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [ViewSonic](#) /

› [ViewSonic VA2732-MH Monitor User Manual](#)

ViewSonic VA2732-MH

ViewSonic VA2732-MH Monitor User Manual

Model: VA2732-MH

PRODUCT OVERVIEW

The ViewSonic VA2732-MH is a 27-inch Full HD IPS monitor designed for home and office use, offering a blend of visual clarity, fluid performance, and eye comfort features. It supports multi-OS compatibility and provides versatile connectivity options.



Figure 1: Front view of the ViewSonic VA2732-MH monitor, showcasing its display and stand.

Key Features:

- **27-inch Full HD IPS Display:** Features a 1920x1080 resolution with SuperClear IPS panel for stunning clarity, wide viewing angles, and vibrant colors (109% sRGB).
- **100Hz Refresh Rate & 1ms (MPRT) Response Time:** Ensures fluid visuals and reduced stutter, ideal for gaming, video playback, and fast-paced tasks.
- **Eye ProTech:** Combines Flicker-Free technology and a low blue light filter to minimize eye strain during extended use.
- **Flexible Connectivity:** Equipped with HDMI, VGA, 2W x 2 built-in stereo speakers, and a 3.5mm audio out port.
- **Borderless Design:** Sleek 3-side borderless screen for a clean aesthetic and seamless multi-monitor setups.
- **ViewMode Presets:** Offers optimized color, brightness, and contrast settings for various applications like Game, Movie, Web, Text, and Mono.
- **Multi-OS Compatibility:** Certified for Windows 10/11 and tested for macOS.

SETUP GUIDE

1. Unpacking the Monitor

Carefully remove all components from the packaging. Ensure all items listed in the "Box Includes" section are present.

- VA2732-MH Monitor
- 3-pin Plug (IEC C13 / CEE22)
- HDMI Cable (v1.4; Male-Male)
- AC/DC Adapter
- Quick Start Guide

2. Assembling the Stand

Attach the monitor stand to the back of the monitor. Refer to the Quick Start Guide for specific instructions on securing the stand, typically involving a single screw for the base.

3. Connecting the Monitor

Connect the monitor to your computer or other devices using the provided HDMI cable. The monitor also supports VGA connections.

Flexible Connectivity



HDMI



VGA



SPEAKERS



HEADPHONE
JACK



Figure 2: Rear view of the monitor showing HDMI and VGA input ports for versatile connectivity.

- Connect one end of the HDMI cable to the HDMI port on your computer's graphics card.
- Connect the other end of the HDMI cable to the HDMI port on the monitor.
- For audio, connect external speakers to the 3.5mm Audio Out port if not using the built-in speakers.

4. Power Connection

Connect the AC/DC adapter to the monitor's power input, then plug the 3-pin power cable into a wall outlet.

- Insert the AC/DC adapter into the monitor's power jack.
- Plug the power cord into the AC/DC adapter.
- Plug the other end of the power cord into a grounded electrical outlet.

OPERATING INSTRUCTIONS

1. Powering On/Off

Press the power button located on the bottom right of the monitor to turn it on or off. The power indicator light will illuminate when the monitor is active.

2. Adjusting Display Settings (ViewMode)

The monitor features ViewMode presets to optimize display settings for different content types. Access the On-Screen Display (OSD) menu to select your preferred mode.

- **Game Mode:** Enhances visibility in dark scenes and reduces input lag for a better gaming experience.
- **Movie Mode:** Optimizes brightness and contrast for cinematic viewing.
- **Web Mode:** Balances brightness and color for comfortable web browsing.
- **Text Mode:** Reduces blue light and adjusts brightness for comfortable reading.
- **Mono Mode:** Displays content in grayscale, useful for specific tasks or preferences.



Figure 3: The monitor's three-sided frameless design enhances multi-monitor setups and provides an immersive viewing experience.

3. Eye Comfort Features (Eye ProTech)

To reduce eye strain during prolonged use, the monitor incorporates Flicker-Free technology and a Low Blue Light filter.

- **Flicker-Free:** Eliminates screen flickering, which can cause eye fatigue.
- **Low Blue Light Filter:** Reduces harmful blue light emissions by up to 50%, promoting healthier viewing.



Figure 4: Visual representation of Flicker-Free and Low Blue Light technologies, alongside connectivity options.

MAINTENANCE

Cleaning the Monitor

To maintain optimal performance and appearance, regularly clean your monitor. Always power off and unplug the monitor before cleaning.

- Use a soft, lint-free cloth slightly dampened with water or a non-abrasive screen cleaner.
- Gently wipe the screen and monitor casing. Avoid spraying liquid directly onto the screen or into openings.
- Do not use benzene, thinner, ammonia, or abrasive cleaners, as these can damage the monitor's surface.

Storage

When storing the monitor for an extended period, ensure it is kept in a cool, dry place, away from direct sunlight and extreme temperatures. Use the original packaging for best protection.

TROUBLESHOOTING

This section provides solutions to common issues you might encounter with your ViewSonic VA2732-MH monitor.

Problem	Possible Cause	Solution
No image on screen	Power cable disconnected; Video cable disconnected; Incorrect input source.	Ensure power cable is securely connected. Check HDMI/VGA cable connection. Press the input select button on the monitor to cycle through input sources.

Problem	Possible Cause	Solution
Image is blurry or distorted	Incorrect resolution; Loose video cable.	Set the display resolution to 1920 x 1080. Reconnect the video cable securely.
Screen flickering	Interference; Refresh rate setting.	Ensure no strong electromagnetic devices are near the monitor. Verify display refresh rate is set to 100Hz in your computer's display settings. The monitor's Flicker-Free technology should prevent this.
No sound from speakers	Volume too low; Audio cable disconnected; Incorrect audio output selected on computer.	Increase monitor volume via OSD menu. Check if 3.5mm audio cable is connected (if using external speakers). Ensure monitor is selected as audio output device on your computer. Note that built-in speakers are 2W x 2 and may have limited volume.

SPECIFICATIONS

Feature	Detail
Brand	ViewSonic
Model Number	VA2732-MH (Internal: 401G000015720)
Screen Size	27 Inches
Display Type	IPS
Resolution	1920 x 1080 (Full HD)
Refresh Rate	100Hz
Response Time	1ms (MPRT)
Brightness	250 cd/m ²
Contrast Ratio (Typical)	1,000:1
Dynamic Contrast Ratio	50M:1
Color Gamut	109% sRGB
Viewing Angle	178° (H) / 178° (V)
Connectivity	1x HDMI (v1.4), 1x VGA, 1x 3.5mm Audio Out
Speakers	2W x 2 Stereo Speakers
VESA Mount Compatible	100 x 100 mm
Power Consumption (Typical)	28W
Dimensions (Physical)	615 x 459 x 225 mm
Net Weight	4.1 kg
Anti-Glare Surface	Yes, with 3H hard coating

WARRANTY AND SUPPORT

Warranty Information

The ViewSonic VA2732-MH monitor comes with a **3 Years Standard On-site Manufacturer Warranty**. Please retain your proof of purchase for warranty claims.

Customer Support



For technical assistance, troubleshooting beyond this manual, or warranty service, please contact ViewSonic customer support. Refer to the official ViewSonic website or the Quick Start Guide for contact details specific to your region.



Note: The warranty covers manufacturing defects and issues arising from normal use. Damage caused by misuse, accidents, or unauthorized modifications may not be covered.

© 2024 ViewSonic. All rights reserved.

This manual is for informational purposes only. Specifications are subject to change without notice.

Related Documents - VA2732-MH

	<p>ViewSonic VA2732-H-2, VA2732-MH-2 Monitor User Guide</p> <p>This user guide provides comprehensive instructions for setting up, connecting, and using the ViewSonic VA2732-H-2 and VA2732-MH-2 monitors. It includes safety precautions, product overviews, initial setup steps, connection guides, monitor usage tips, and regulatory information.</p>
	<p>ViewSonic VA2732-H-2 / VA2732-MH-2 User Manual</p> <p>User manual for the ViewSonic VA2732-H-2 and VA2732-MH-2 monitors, covering safety, introduction, initial setup, connections, monitor usage, and regulatory information.</p>
	<p>ViewSonic VA2732-H-2 ve VA2732-MH-2 Kullanım Kılavuzu</p> <p>ViewSonic VA2732-H-2 ve VA2732-MH-2 monitörler için kapsamlı kullanım kılavuzu. Bu kılavuz, kurulum, bağlantı, kullanım ve bakım talimatlarını içerir.</p>

	<p><u>ViewSonic VA2732-H-2 & VA2732-MH-2 User Guide</u></p> <p>This user guide provides comprehensive instructions for setting up, connecting, and operating the ViewSonic VA2732-H-2 and VA2732-MH-2 monitors. It includes safety precautions, installation steps, connection guides, and operational details.</p>
	<p><u>ViewSonic VA2732-H-2 & VA2732-MH-2 User Guide</u></p> <p>Comprehensive user guide for the ViewSonic VA2732-H-2 and VA2732-MH-2 monitors, covering safety precautions, setup, connections, usage, and troubleshooting.</p>
	<p><u>ViewSonic VA2732-H-2 & VA2732-MH-2 Display User Guide</u></p> <p>This user guide provides essential information for installing and safely using the ViewSonic VA2732-H-2 and VA2732-MH-2 displays. It covers package contents, product overview, initial setup, connections, monitor usage, settings configuration, safety precautions, and regulatory information.</p>