JDYYICZ 32-1830-03

User Manual

JDYYICZ 32-1830-03 Flexible Crevice Tool

Model: 32-1830-03

1. Introduction

Thank you for purchasing the JDYYICZ 32-1830-03 Flexible Crevice Tool. This manual provides essential information for the proper setup, operation, and maintenance of your new vacuum attachment. Please read this manual thoroughly before use to ensure optimal performance and longevity of the product.

This flexible crevice tool is designed to extend the reach of your vacuum cleaner, allowing access to narrow and hard-to-reach areas. Its flexible design enables it to bend up to 180 degrees, making it ideal for cleaning dryer vents, heating ducts, and spaces alongside appliances.

2. Product Overview

The JDYYICZ 32-1830-03 Flexible Crevice Tool is a 24-inch long attachment made from durable plastic. It is designed to fit vacuum hoses with a 1 1/4 inch (32mm) inner diameter.



Figure 2.1: Full view of the 24-inch flexible crevice tool, showing its elongated, slender design and the connection end.



Figure 2.2: Close-up of the tool's connection end, designed to fit standard 1 1/4 inch (32mm) vacuum hoses.



Figure 2.3: Detailed view of the flexible mid-section, highlighting the material that allows for bending up to 180 degrees.



Figure 2.4: The narrow crevice end of the tool, demonstrating its ability to bend for accessing tight spaces.



Figure 2.5: The crevice end of the tool in its straight form, showing the narrow opening for precise cleaning.

3. Setup

The JDYYICZ Flexible Crevice Tool is designed for quick and easy attachment to compatible vacuum cleaners.

1. **Compatibility Check:** Ensure your vacuum cleaner's hose or extension wand has an inner diameter of 1 1/4 inches (approximately 32mm). This tool is universally designed for this size.
2. **Attachment:** Firmly insert the wider end of the flexible crevice tool into the opening of your vacuum cleaner's hose or extension wand. Push until a snug fit is achieved.
3. **Secure Connection:** Verify that the tool is securely attached and does not wobble. A proper seal is crucial for effective

suction.

4. Operating Instructions

This tool is ideal for reaching areas inaccessible to standard vacuum attachments.

- **General Use:** Attach the tool as described in the Setup section. Turn on your vacuum cleaner.
- **Reaching Tight Spaces:** Guide the flexible end of the tool into narrow gaps, crevices, or behind appliances. The tool can bend up to 180 degrees to navigate around obstacles.
- **Applications:**
  - Cleaning lint from dryer vents.
  - Removing dust and debris from heating and cooling ducts.
  - Vacuuming under and alongside refrigerators and other large appliances.
  - Cleaning car interiors, especially between seats and console.
  - Accessing high shelves or ceiling corners.
- **Maneuvering:** Gently push and pull the tool to dislodge and vacuum up debris. Avoid excessive force, especially when bending, to prevent damage.

5. Maintenance

Regular maintenance ensures the longevity and effectiveness of your flexible crevice tool.

- **Cleaning:** After each use, inspect the tool for any trapped debris. If necessary, detach it from the vacuum and gently tap out any accumulated dust or larger particles. For stubborn dirt, wipe the exterior with a damp cloth. Do not submerge the tool in water.
- **Clearing Blockages:** If suction decreases, check the narrow end and the flexible section for blockages. Use a thin, non-sharp object (like a straightened coat hanger or a long brush) to carefully dislodge any obstructions.
- **Storage:** Store the tool in a clean, dry place away from direct sunlight and extreme temperatures. While flexible, avoid storing it in a tightly folded or severely bent position for extended periods to maintain its shape and flexibility.

6. Troubleshooting

If you encounter issues with your flexible crevice tool, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Reduced Suction	• Tool not securely attached to vacuum hose. • Blockage within the tool. • Vacuum cleaner filter is dirty or bag is full.	• Ensure a snug fit. • Clear any obstructions from the tool. • Check and clean/replace vacuum filter or empty bag.
Tool does not bend as expected	• Material stiffness due to cold temperatures. • Internal damage or deformation.	• Allow tool to warm to room temperature. • Inspect for visible damage; if damaged, replacement may be necessary.
Difficulty inserting into hose	• Incompatible hose size.	• Verify your vacuum hose has a 1 1/4 inch (32mm) inner diameter.

7. Specifications

Feature	Detail
Model Number	32-1830-03
Brand	JDYYICZ
Material	Plastic
Color	Black
Item Length	24 Inches (approx. 61 cm)
Inside Diameter (Connection)	1.25 Inches (approx. 32mm)
Flexibility	Bends up to 180 degrees
Item Weight	5 ounces (approx. 142 grams)
UPC	713810804019

8. Warranty and Support

For information regarding warranty coverage or technical support, please refer to the retailer or the official JDYYICZ website where the product was purchased. Keep your proof of purchase for any warranty claims.
For general inquiries or assistance, you may also contact the seller directly through the platform where you acquired this product.

© 2025 JDYYICZ. All rights reserved.
This manual is for informational purposes only. Product specifications are subject to change without notice.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question