

Arofa HBS02

Arofa Handheld Toilet Bidet Sprayer User Manual

Model: HBS02

Brand: Arofa

1. INTRODUCTION

Thank you for choosing the Arofa Handheld Toilet Bidet Sprayer. This manual provides essential information for the safe and effective installation, operation, and maintenance of your new bidet sprayer. Please read these instructions thoroughly before use and retain them for future reference. This product is designed to enhance personal hygiene and offer versatile cleaning solutions for your bathroom.

2. PRODUCT COMPONENTS

The Arofa Handheld Toilet Bidet Sprayer package includes the following components:

- Handheld Bidet Sprayer Head
- 7/8" T-Valve (for toilet tank connection)
- Stainless Steel Hose (47 inches)
- Hook Holder (for toilet tank or wall mounting)
- Spare Washers
- Long Screws (for wall mounting)



Image: All components of the Arofa Handheld Toilet Bidet Sprayer, including the sprayer head, T-valve, hose, and holder.

WHY CHOOSE AROFA? Trusted by 1 Million Arofa Users



3-Year Product Support



Professional Service



Quick Delivery



Quality Control

Image: A visual representation of all items included in the package: handheld bidet sprayer, 7/8 T-valve, stainless steel hose, hook holder,

spare washers, and long screws.

3. KEY FEATURES

- **Enhanced Personal Hygiene:** Provides a more hygienic and efficient cleaning experience compared to traditional toilet paper.
- **Adjustable Water Pressure Control:** Easily switch between a gentle spray for sensitive areas and a powerful jet spray for tougher cleaning tasks by adjusting the lever.
- **Multi-Purpose Functionality:** Ideal for feminine wash, baby cloth diaper spraying, pet showers, toilet cleaning, and general bathroom tasks.
- **Durable Construction:** Made from high-quality 304 stainless steel with a brushed nickel finish for rust-proof and anti-corrosion performance. Features a robust brass valve for longevity.
- **Easy DIY Installation:** Designed for straightforward installation onto most toilets, with options for toilet tank or wall mounting. No plumber required.


Start washing instead of wiping

Bidet Sprayer



More hygienic and comfortable

Toilet paper



Hard to clean and waste of paper

Image: A comparison illustrating the hygienic benefits of using a bidet sprayer over traditional toilet paper.

Everything is clean&fresh



Image: Demonstrates the versatility of the bidet sprayer for various cleaning tasks, including toilet cleaning, floor mopping, cloth diaper washing, and personal hygiene.

EASY TO USE

Adjust the water pressure with your thumb



Image: Illustrates the adjustable water pressure feature, showing both a soft spray and a powerful jet spray controlled by thumb pressure.

4. INSTALLATION GUIDE

The Arofa Handheld Toilet Bidet Sprayer is designed for easy DIY installation. No special tools are required beyond a wrench. Please follow these steps carefully:

1. **Turn Off Water Supply:** Locate the water supply valve for your toilet (usually on the wall behind the toilet) and turn it clockwise to shut off the water flow. Flush the toilet to drain the tank.
2. **Disconnect Toilet Supply Line:** Unscrew the existing toilet supply line from the bottom of your toilet tank. Have a small towel ready to catch any residual water.
3. **Install the T-Valve:** Connect the 7/8" T-valve to the toilet tank's water inlet. Then, re-connect your toilet supply line to the bottom of the T-valve. Ensure all connections are hand-tight, then use a wrench for a final snug turn (do not overtighten).
4. **Connect Bidet Hose:** Attach one end of the stainless steel bidet hose to the side outlet of the T-valve and the other end to the handheld bidet sprayer head. Ensure washers are properly seated in the connections.

5. **Install the Holder:** Choose your preferred mounting option:

- **Toilet Tank Mounted:** Simply hook the holder onto the side of your toilet tank.
- **Wall Mounted:** Use the provided screws to secure the holder to a suitable wall location near your toilet.

6. **Restore Water Supply:** Slowly turn the main water supply valve counter-clockwise to restore water flow to the toilet tank. Check all connections for leaks. If leaks occur, tighten connections slightly.

Important Note: No Teflon tape is required for installation as it may cause leaks if used improperly with the included washers.



Image: Step-by-step visual guide for easy DIY installation: turning off water, installing the 3-way T-valve, connecting the bidet sprayer, and installing the holder.

2 MOUNT OPTIONS



**TOILET TANK
MOUNTED**



**WALL
MOUNTED**

Image: Depicts the two available mounting options for the bidet sprayer holder: toilet tank mounted and wall mounted.

Fit for 7/8" toilet connector

Premium Plastic T-Valve Connector
Seals Perfectly with Your Toilet



Image: Detailed view of the 7/8" toilet connector T-valve, highlighting its robust brass construction and features designed to prevent leaks, cracks, and rust.

5. OPERATING INSTRUCTIONS

Using your Arofa Handheld Toilet Bidet Sprayer is simple and intuitive:

1. **Ensure T-Valve is Open:** Before use, ensure the handle on the T-valve (connected to your toilet tank) is in the open position to allow water flow to the sprayer.
2. **Aim the Sprayer:** Hold the bidet sprayer head firmly and aim it towards the desired area for cleaning.
3. **Control Water Pressure:** Gently press the lever on the sprayer head to release water. The harder you press, the stronger the water pressure will be. Adjust to your comfort level for a soft rinse or a powerful jet.
4. **Release Lever:** Release the lever to stop the water flow.
5. **Close T-Valve (Recommended):** For safety and to prevent accidental leaks, it is highly recommended to close the T-valve after each use. This isolates the sprayer from the main water pressure.

6. CARE AND MAINTENANCE

To ensure the longevity and optimal performance of your Arofa Handheld Toilet Bidet Sprayer, follow these maintenance guidelines:

- **Regular Cleaning:** Clean the exterior of the sprayer head and hose regularly with a soft cloth and mild soap. Avoid abrasive cleaners or harsh chemicals, as they can damage the finish.
- **Nozzle Cleaning:** If the spray pattern becomes uneven, the nozzle may be clogged. Gently clean the nozzle holes with a soft brush or toothpick.
- **Check for Leaks:** Periodically inspect all connections for any signs of leaks. If a leak is detected, ensure the connections are snug. If the issue persists, check the washers for wear and replace them if necessary using the spare washers provided.
- **Winterization (if applicable):** If your bathroom is exposed to freezing temperatures, ensure the water supply to the bidet is completely shut off and the lines are drained to prevent freezing and bursting.

7. TROUBLESHOOTING

If you encounter any issues with your Arofa Handheld Toilet Bidet Sprayer, please refer to the following common problems and solutions:

Problem	Possible Cause	Solution
No water flow or very low pressure	Water supply valve closed; T-valve closed; Clogged nozzle; Kinked hose.	Ensure main water supply and T-valve are fully open. Check hose for kinks. Clean sprayer nozzle.
Water leaks from connections	Loose connections; Worn or missing washers; Improperly seated washers.	Tighten all connections. Ensure washers are present and correctly seated. Replace worn washers with spares.
Sprayer lever is stiff or stuck	Mineral buildup; Internal mechanism issue.	Flush with warm water. If persistent, contact customer support.
Water temperature is too cold	This model does not have a hot water connection.	The bidet sprayer uses cold water directly from your toilet's supply line. For warm water, a different model with hot/cold mixing capabilities is required.

If the problem persists after attempting these solutions, please contact Arofa customer support for further assistance.

8. PRODUCT SPECIFICATIONS

Attribute	Detail
Model Number	HBS02
Product Dimensions	2.14 x 1 x 4.76 inches (Sprayer Head)
Item Weight	1.3 Pounds
Material	Stainless Steel (304 Grade)

Attribute	Detail
Finish Type	Brushed Nickel
Mounting Type	Wall Mount / Toilet Tank Mount
Number of Handles	1 (Lever)
Hose Length	47 inches
Recommended Use	Bathroom (Personal Hygiene, Diaper Spraying, Toilet Cleaning)

9. WARRANTY AND SUPPORT

Arofa stands behind the quality of its products. The Arofa Handheld Toilet Bidet Sprayer comes with an industry-leading warranty, ensuring your peace of mind.

- **Warranty:** Please refer to the product packaging or the official Arofa website for specific warranty terms and duration.
- **Product Support:** Arofa offers 3-year product support and professional customer service.

For any questions, technical assistance, or warranty claims, please contact Arofa customer support through the contact information provided on the product packaging or the official Arofa website. When contacting support, please have your model number (HBS02) and purchase details ready.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question