

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [Moen](#) /

> [Moen Edwyn 87807SRS Kitchen Faucet with Soap Dispenser User Manual](#)

Moen 87807SRS

Moen Edwyn 87807SRS Kitchen Faucet User Manual

Model: 87807SRS

INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your Moen Edwyn 87807SRS Kitchen Faucet. To ensure proper function and longevity of your product, please read all instructions thoroughly before beginning installation or use. Keep this manual for future reference.

PRODUCT FEATURES



Image: Moen Edwyn 87807SRS Kitchen Faucet, showcasing its high-arc design and pull-down sprayer.

- **Single-Handle Design:** Allows for effortless control of water temperature and flow with one hand.
- **Pull-Down Sprayer:** Features a flexible hose and spray wand for extended reach and versatile cleaning tasks.
- **Power Clean Technology:** Provides 50 percent more spray power compared to Moen faucets without this

technology, ensuring efficient cleaning.

- **High-Arc Spout:** Offers generous clearance for filling and cleaning large pots and pans in the sink.
- **Spot Resist Stainless Finish:** Engineered to resist fingerprints and water spots, maintaining a cleaner look with less effort.
- **Durable Construction:** Made from high-quality stainless steel for long-lasting performance.

SPECIFICATIONS

Brand	Moen
Model Number	87807SRS
Material	Stainless Steel
Finish Type	Spot Resist Stainless
Mounting Type	Single Hole Deck Mount
Number of Handles	1
Maximum Flow Rate	1.5 Gallons Per Minute
Spout Height	21.87 Inches
Spout Reach	10 Inches
Item Weight	7.43 pounds (3.38 kg)
UPC	026508312308

SETUP AND INSTALLATION

Professional installation is recommended. If installing yourself, ensure you have basic plumbing knowledge and tools. Always turn off the main water supply before beginning any plumbing work.

Before You Begin:

- Gather all necessary tools (e.g., adjustable wrench, plumber's putty, flashlight).
- Ensure the sink has a single hole for faucet mounting.
- Turn off the hot and cold water supply valves under the sink or at the main water line.
- Clear the area under the sink for easy access.

Installation Steps:

1. **Prepare the Faucet:** Unpack all components and ensure no parts are missing.
2. **Mount the Faucet:** Insert the faucet body into the single hole on your sink or countertop. Secure it from underneath with the provided mounting hardware (washer and nut). Tighten firmly but do not overtighten.
3. **Connect Water Supply Lines:** Attach the hot and cold water supply lines from the faucet to your home's water supply valves. Use an adjustable wrench to tighten connections, ensuring a watertight seal.
4. **Install Sprayer Hose:** Connect the pull-down sprayer hose to the designated port on the faucet body. Ensure the quick-connect fitting clicks securely into place.
5. **Attach Weight:** Install the hose weight onto the pull-down sprayer hose, typically 6-8 inches from the spray head connection, to ensure smooth retraction.

6. **Test for Leaks:** Slowly turn on the hot and cold water supply valves. Check all connections for leaks. Run the faucet for a few minutes to flush out any debris and check for proper operation of the sprayer.

OPERATING INSTRUCTIONS

Controlling Water Flow and Temperature:

- To turn on the water, lift the single handle.
- Move the handle to the left for hot water.
- Move the handle to the right for cold water.
- Adjust the handle's position between left and right to achieve the desired water temperature.
- Lower the handle to turn off the water.

Using the Pull-Down Sprayer:

- Grasp the spray wand and pull it down from the spout. The flexible hose allows for extended reach.
- To switch between a steady stream and the powerful Power Clean spray, press the button located on the spray head.
- When finished, guide the spray wand back into the spout. The hose weight will assist in smooth retraction.

MAINTENANCE

Regular maintenance will help preserve the finish and functionality of your Moen faucet.

- **Cleaning the Finish:** Clean the faucet regularly with a soft, damp cloth and mild soap. Avoid using abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the Spot Resist Stainless finish.
- **Cleaning the Aerator:** If water flow becomes restricted or uneven, the aerator may be clogged. Unscrew the aerator from the tip of the spray head, rinse any debris, and reattach.
- **Hose Maintenance:** Periodically check the pull-down hose for any signs of wear or damage. Ensure the hose weight is positioned correctly for smooth retraction.

TROUBLESHOOTING

Problem	Possible Cause / Solution
Low Water Flow	<ul style="list-style-type: none">◦ Check if water supply valves are fully open.◦ Clean the aerator for mineral buildup or debris.◦ Inspect water supply lines for kinks or obstructions.
Leaks from Faucet Base or Connections	<ul style="list-style-type: none">◦ Ensure all mounting nuts and water supply line connections are tight.◦ Check for damaged O-rings or washers; replace if necessary.◦ If leaks persist, consult a qualified plumber.
Sprayer Not Retracting Properly	<ul style="list-style-type: none">◦ Ensure the hose weight is correctly positioned on the pull-down hose.◦ Check for obstructions under the sink that might impede hose movement.
Inconsistent Water Temperature	<ul style="list-style-type: none">◦ Verify that both hot and cold water supply valves are fully open.◦ Check the water heater settings.

WARRANTY AND SUPPORT

Limited Warranty:

This Moen Edwyn 87807SRS Kitchen Faucet is backed by a limited warranty. For complete details regarding warranty coverage, terms, and conditions, please refer to the official Moen website or the warranty documentation included with your purchase. Keep your proof of purchase for warranty claims.

Customer Support:

For further assistance, technical support, or to order replacement parts, please visit the official Moen website or contact their customer service department. Contact information can typically be found on the Moen website or in your product packaging.