

- Manuals.plus /
- > [ARIEL](#) /
  - > ARIEL Cambridge 43-Inch Grey Bathroom Vanity with Pure White Quartz Top User Manual

ARIEL ARL-A043SRWQRVOGRY

ARIEL Cambridge 43-Inch Grey Bathroom Vanity User Manual

Model: ARL-A043SRWQRVOGRY | Brand: ARIEL

1. INTRODUCTION

This manual provides comprehensive instructions for the safe and efficient installation, operation, and maintenance of your ARIEL Cambridge 43-inch grey bathroom vanity. Designed with solid wood construction, a durable 1.5-inch Pure White Quartz countertop, a right rectangular undermount sink, 2 soft-closing doors, and 5 full-extension dovetail drawers, this vanity offers both elegance and practical storage solutions for your bathroom.



Figure 1: ARIEL Cambridge 43-inch Grey Bathroom Vanity with Pure White Quartz Top.

## 2. SAFETY INFORMATION

---

### **WARNING:**

- Always use appropriate safety gear, including gloves and eye protection, when handling and installing this product.
- The vanity and countertop are heavy. Ensure proper lifting techniques and seek assistance to prevent injuries.
- Exercise caution with sharp edges on the countertop during handling and installation.
- Ensure proper support and alignment during installation to prevent damage to the product or surrounding structures.
- Keep small parts away from children to avoid choking hazards.

## 3. WHAT'S INCLUDED

---

The ARIEL Cambridge 43-inch bathroom vanity package includes the following components:

- Solid wood base cabinet
- Polished, predrilled, double-sealed Pure White Quartz countertop
- Rectangular porcelain undermount sink
- 4-inch backsplash
- Brushed nickel hardware (pulls and knobs)
- Adjustable soft-close drawer glides
- Hinges



Figure 2: Visual representation of included and not included components. Faucet and mirror are not included.

4. SPECIFICATIONS

| Feature      | Detail              |
|--------------|---------------------|
| Brand        | ARIEL               |
| Model Number | ARL-A043SRWQRVVOGRY |

|                                |                                                                  |
|--------------------------------|------------------------------------------------------------------|
| Color                          | Grey                                                             |
| Product Dimensions (W x D x H) | 43" x 22" x 36" (40" H with backsplash)                          |
| Item Weight                    | 200 Pounds                                                       |
| Weight Limit                   | 159 Pounds                                                       |
| Material                       | Solid Wood (Hardwood framing, moisture-resistant plywood panels) |
| Top Material Type              | Pure White Quartz (1.5-inch thick mitered edge)                  |
| Sink Type                      | Right Rectangular Undermount Porcelain                           |
| Faucet Holes                   | Predrilled for 8" widespread, 3-hole faucet                      |
| Doors                          | 2 Soft-Closing Shaker Style Doors                                |
| Drawers                        | 5 Full-Extension Dovetail Drawers with Soft-Close Glides         |
| Hardware Finish                | Brushed Nickel                                                   |
| Assembly Required              | No (Base cabinet arrives fully assembled)                        |




Figure 3: Detailed dimensions of the ARIEL Cambridge 43-inch vanity.

Video 1: Overview of a Solid Wood Frame Bathroom Vanity with Soft Closing Doors & Dovetail Drawers, showcasing key features.

## 5. SETUP & INSTALLATION

The vanity base cabinet arrives fully assembled. The countertop and sink ship separately for safe transport. Follow these steps for proper installation:

- 1. Prepare the Area:** Ensure the installation area is clean, level, and has appropriate plumbing access. The vanity base cabinet features an open back for easy plumbing access.
- 2. Attach the Sink to the Countertop:**
  - Place the countertop upside down on a soft, protected surface.
  - Position the undermount sink on the bottom of the countertop, aligning it with the pre-cut opening.
  - Use a pencil to mark the exact position of the basin on the countertop.
  - Apply a continuous bead of silicone sealant around the top edge of the basin.
  - Carefully flip the basin and place it onto the marked position on the countertop. Allow 12 to 24 hours for the silicone to dry and cure.

- Attach the provided undermount clips to secure the sink to the countertop, tightening them evenly.
3. **Position the Vanity Base:** Carefully move the assembled vanity base cabinet into its final position. The vanity includes hidden leveling feet to adjust for uneven surfaces.
  4. **Secure the Countertop:** Apply a continuous bead of silicone sealant around the top perimeter of the vanity base cabinet. With assistance, carefully lift and set the countertop (with the attached sink) onto the vanity base, ensuring it is centered and level.
  5. **Install the Backsplash:** Apply silicone sealant to the back edge of the countertop and the back of the backsplash. Carefully place the backsplash against the wall and countertop, pressing firmly to secure it.
  6. **Wipe Away Excess Silicone:** Immediately wipe away any excess silicone sealant with a damp cloth for a clean finish.
  7. **Connect Plumbing:** Once the silicone is fully cured, connect the faucet and drain according to their respective manufacturer's instructions.

## Designed for easy installation




Figure 4: Installation features designed for ease of setup.

Video 2: Step-by-step guide on how to install a bathroom vanity, including sink and countertop placement.

## 6. OPERATION

Your ARIEL Cambridge vanity is designed for straightforward use:

- **Doors:** The two main doors feature soft-closing hinges, preventing slamming and ensuring quiet operation.
- **Drawers:** The five drawers are equipped with full-extension, soft-closing glides, allowing for complete access to contents

and smooth, silent closure.

- **Sink:** The rectangular undermount porcelain sink is integrated into the quartz countertop for a seamless and easy-to-clean surface.



Solid wood



Soft closing doors and drawers



Dovetail joints

CABINET FINISH OPTIONS



White

Grey

Espresso

Midnight Blue

Oak

Figure 5: Vanity with drawers and doors open, highlighting storage capacity.



Figure 6: Close-up of a drawer with dovetail joint construction.

## 7. MAINTENANCE

Proper care will ensure the longevity and appearance of your vanity:

- **Cabinet:** Clean the solid wood cabinet with a soft, damp cloth. Avoid abrasive cleaners or harsh chemicals that may damage the Sherwin-Williams polyurethane paint finish.
- **Quartz Countertop:** The Pure White Quartz countertop is non-porous and resistant to stains, scratches, and moisture. Clean with mild soap and water. No sealing is required after installation. Avoid extreme heat or strong chemical solvents.
- **Sink:** Clean the porcelain undermount sink with non-abrasive cleaners. Rinse thoroughly after cleaning.
- **Hardware:** Wipe brushed nickel hardware with a soft, dry cloth to maintain its finish.
- **Spills:** Wipe up spills immediately to prevent potential damage, especially on the cabinet finish.

## 8. TROUBLESHOOTING

Here are solutions to common issues you might encounter:

| Problem | Possible Cause | Solution |
|---------|----------------|----------|
|---------|----------------|----------|

|                                                |                                                       |                                                                                                                                                                                 |
|------------------------------------------------|-------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Drawers do not close softly or align properly. | Drawer glides need adjustment or are obstructed.      | Check for obstructions in the glides. Adjust the soft-close mechanisms on the glides as per manufacturer instructions.                                                          |
| Cabinet doors are misaligned.                  | Hinges need adjustment.                               | Adjust the screws on the hinges to align the doors. Refer to hinge manufacturer guidelines for specific adjustment points.                                                      |
| Water leaks from sink or faucet.               | Improper plumbing connections or sealant application. | Ensure all plumbing connections are tight and properly sealed with plumber's putty or silicone. Reapply sealant if necessary. Consult a professional plumber if issues persist. |

## 9. WARRANTY & SUPPORT

Your ARIEL Cambridge vanity is backed by a 3-year protection plan, ensuring quality and durability. For any questions, concerns, or technical support, please contact ARIEL customer service. Keep your purchase receipt for warranty claims.

### ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question