

[Manuals.plus](#) /

› [Easytry123](#) /

› Easytry123 Replacement Remote Control User Manual for Fujitsu Air Conditioners

Easytry123 AST7RSCCW, AUYA30LBLU, ASY9FSBCW, ASY12FSBCW, ASY25UI, ASY35UI, ASY40UI, ASY50UI, ASG14RSN-W

Easytry123 Replacement Remote Control User Manual

For Fujitsu AST7RSCCW, AUYA30LBLU, ASY9FSBCW, ASY12FSBCW, ASY25UI, ASY35UI, ASY40UI, ASY50UI, ASG14RSN-W Room Air Conditioners

1. INTRODUCTION

This manual provides instructions for the Easytry123 replacement infrared remote control, designed for use with various Fujitsu Room Air Conditioner models. This remote functions as a direct replacement for your original unit, offering essential control over your air conditioner's operations.

Please review this manual thoroughly to ensure proper setup and operation of your new remote control.

2. COMPATIBILITY

This Easytry123 replacement remote control is compatible with the following Fujitsu Room Air Conditioner models:

- AST7RSCCW
- AUYA30LBLU
- ASY9FSBCW
- ASY12FSBCW
- ASY25UI
- ASY35UI
- ASY40UI
- ASY50UI
- ASG14RSN-W

Important: To ensure full compatibility, compare the appearance of this replacement remote with your original remote control. While this remote is designed to replace the listed models, some advanced or specific functions present on your original remote may not be available on this replacement unit.

3. SETUP: BATTERY INSTALLATION

The remote control requires two (2) AAA batteries for operation. Follow these steps to install the batteries:

1. Locate the battery compartment cover on the back of the remote control.
2. Slide the battery compartment cover downwards or press the release tab (if present) and lift the cover to open.

3. Insert two AAA batteries, ensuring the positive (+) and negative (-) terminals align correctly with the markings inside the compartment.
4. Replace the battery compartment cover by sliding it back into place until it clicks securely.



Image: Rear view of the Easytry123 replacement remote control, illustrating the open battery compartment ready for two AAA batteries. The 'OPEN' indicator is visible on the cover.

Note: Always use new batteries and replace both batteries at the same time. Do not mix old and new batteries or different types of batteries.

4. OPERATING INSTRUCTIONS

To operate your air conditioner using the Easytry123 replacement remote control, point the remote directly at the infrared receiver on your Fujitsu air conditioner unit. Ensure there are no obstructions between the remote and the air conditioner.

Basic Functions:

- **Power On/Off:** Press the **POWER** button to turn the air conditioner on or off.
- **Temperature Adjustment:** Use the **TEMP UP** (▲) and **TEMP DOWN** (▼) buttons to increase or decrease the desired temperature.
- **Mode Selection:** Press the **MODE** button to cycle through available operating modes (e.g., Cool, Heat, Fan, Dry, Auto).
- **Fan Speed:** Use the **FAN** or **FAN SPEED** button to adjust the fan speed (e.g., Low, Medium, High, Auto).
- **Swing/Louvre:** If available, press the **SWING** button to control the air louvre movement.

Refer to your air conditioner's original manual for detailed explanations of specific functions and their corresponding symbols on the remote control.

5. MAINTENANCE

Cleaning the Remote:

Wipe the remote control with a soft, dry cloth. Do not use liquid cleaners, abrasive cleaners, or chemical solvents, as these may damage the remote's surface or internal components.

Battery Replacement:

Replace the batteries when the remote's operating range decreases or if the air conditioner does not respond to commands. Always replace both batteries simultaneously with new AAA batteries.

Storage:

If the remote control will not be used for an extended period, remove the batteries to prevent leakage and potential damage. Store the remote in a cool, dry place away from direct sunlight and extreme temperatures.

6. TROUBLESHOOTING

- **Remote not responding:**
 - Check if the batteries are inserted correctly with the correct polarity.
 - Replace the batteries with new ones.
 - Ensure there is a clear line of sight between the remote control and the air conditioner's receiver.
 - Verify that the air conditioner unit is powered on.
- **Limited functionality compared to original remote:**
 - This is a replacement remote control. While it covers primary functions, it may not replicate every advanced feature or button found on your original Fujitsu remote.
 - Ensure your air conditioner model is listed in the compatibility section.

7. SPECIFICATIONS

- **Brand:** Easytry123
- **Connectivity Technology:** Infrared (IR)
- **Power Source:** 2 x AAA Batteries (not included)
- **Compatible Devices:** Fujitsu Room Air Conditioners (specific models listed in Section 2)
- **Special Feature:** Ergonomic, Replacement Remote

8. SUPPORT

For further assistance, troubleshooting not covered in this manual, or inquiries regarding your Easytry123 replacement remote control, please contact the seller or manufacturer directly through your purchase platform.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question