Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

PKPOWER ANU-

PK Power AC Adapter Charger ANU- User Manual

For Tp-b1 3L 30% Portable Oxygen Concentrator

1. Introduction

This manual provides essential instructions for the safe and effective use of your PK Power AC Adapter Charger, model ANU-. This adapter is designed to provide power to compatible devices, specifically the Tp-b1 3L 30% Portable Oxygen Concentrator. Please read this manual thoroughly before use and retain it for future reference.

2. Safety Information

To prevent injury or damage to your device, observe the following safety precautions:

- **Do not** expose the adapter to water, rain, or excessive moisture.
- **Do not** disassemble or modify the adapter. Unauthorized modifications can lead to electric shock, fire, or damage to the product.
- **Do not** use the adapter if the cord is damaged or frayed.
- Ensure the adapter is connected to a power outlet with the correct voltage (100-240V AC).
- Keep the adapter away from heat sources and direct sunlight.
- Unplug the adapter from the power outlet when not in use for extended periods.
- This product is intended for indoor use only.

3. Package Contents

Verify that all items are present in your package:

- 1 x PK Power AC Adapter Charger (Model ANU-)

4. Setup and Connection

Follow these steps to properly connect your AC adapter:

1. **Identify the Adapter:** Locate the PK Power AC Adapter Charger.
2. **Connect to Device:** Insert the DC output plug of the adapter into the power input port of your Tp-b1 3L 30% Portable

Oxygen Concentrator. Ensure a secure connection.

3. **Connect to Power Outlet:** Plug the AC input prongs of the adapter into a standard wall power outlet (100-240V AC).
4. **Verify Power:** Once connected, your oxygen concentrator should receive power. Refer to your concentrator's manual for specific power indicators.



Image: The PK Power AC Adapter Charger, model ANU-. The label on the adapter indicates an input of 100-240VAC 0.3A, 50/60Hz, and features FC CE markings. The adapter has a standard US two-prong plug and a DC output cable.

5. Operating Instructions

The PK Power AC Adapter Charger operates automatically once connected to a power source and a compatible device. It converts the AC wall power to the appropriate DC power required by your Tp-b1 3L 30% Portable Oxygen Concentrator.

- Ensure the adapter is always used within its specified input and output parameters.
- Avoid placing the adapter in enclosed spaces where heat can build up.
- Disconnect the adapter from the power source and the device when not in use.

6. Maintenance and Care

Proper care will extend the life of your AC adapter:

- **Cleaning:** Disconnect the adapter from all power sources before cleaning. Use a soft, dry cloth to wipe the exterior. Do not use liquid cleaners or aerosols.
- **Storage:** Store the adapter in a cool, dry place when not in use. Avoid wrapping the cable too tightly around the adapter body.
- **Inspection:** Periodically inspect the adapter and cable for any signs of damage, such as cuts, fraying, or bent prongs. If damage is found, discontinue use immediately.

7. Troubleshooting

If you encounter issues with your AC adapter, try the following solutions:

- **No Power to Device:**
  - Ensure the adapter is securely plugged into both the wall outlet and the device.
  - Try a different wall outlet to rule out a faulty power source.
  - Check if the device itself is functioning correctly with its original power source (if available).
- **Adapter Overheating:**
  - Ensure the adapter is in a well-ventilated area and not covered.
  - Disconnect the adapter and allow it to cool down. If overheating persists, discontinue use.
- **Loose Connection:**
  - Verify that the DC plug is fully inserted into the device's power port.
  - Check for any debris in the device's power port that might prevent a proper connection.

If these steps do not resolve the issue, please contact customer support.

8. Specifications

Feature	Detail
Model	ANU-
Input Volt Range	100-240V (Worldwide Compliant)
Input Frequency	50/60Hz
Input Current	0.3A
Output	*(Specific output voltage/current not provided in OCR or product data, refer to device requirements)*
Item Weight	3 ounces
Color	Black
Certifications	CE, FCC, RoHS

9. Compatibility

This PK Power AC Adapter Charger (Model ANU-) is specifically designed for use with the **Tp-b1 3L 30% Portable Oxygen**

Concentrator. For other devices, please ensure that the voltage, current, and connector type match the requirements of your device to avoid damage.

10. Warranty and Support

PK Power products are manufactured to high standards. This adapter is covered by a return policy allowing for refund or replacement within 30 days of purchase. For any questions, technical assistance, or warranty claims, please contact PK Power customer service. Our friendly and reliable customer service team aims to respond within 24 hours.
Contact information can typically be found on the seller's page or your purchase documentation.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B087BRZ7HS

More documents and user manuals: **https://manuals.plus/**