Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

COMASACH CMS516-K

COMASACH 16 Inch King Size Bed Frame Instruction Manual

Model: CMS516-K | Brand: COMASACH

Introduction

Welcome to the instruction manual for your COMASACH 16 Inch King Size Bed Frame, Model CMS516-K. This manual provides detailed guidance for assembly, usage, maintenance, and troubleshooting to ensure optimal performance and longevity of your bed frame.

Important Safety Warning: Do not exceed the weight limit of 3500 lbs (1587.57 kg).

Package Contents

Before beginning assembly, please ensure all components are present and undamaged. The package typically includes:

- Foldable metal frame sections
- Center support legs
- Metal slats
- Assembly hardware (bolts, nuts, Allen wrench)



Image: The bed frame components as they appear when initially unpacked and folded.

Setup and Assembly Instructions

Follow these steps carefully for a secure and stable bed frame assembly. An Allen wrench is typically included for tightening bolts.

Step 1: Unfold the Frame

Carefully remove all components from the packaging. Place the main frame sections on a clean, flat surface. Unfold the main frame sections, ensuring the legs are extended and locked into position.



Image: The main bed frame sections unfolded and ready for further assembly.

Step 2: Attach Side Rails and Center Supports

Connect the long side rails to the corner legs using the provided bolts and nuts. Hand-tighten initially. Attach the center support legs to the designated points on the frame. These typically secure with pre-threaded bolts or specific hardware.

Your browser does not support the video tag.

Video: A demonstration of attaching the side rails and center supports during bed frame assembly.

Step 3: Install Cross Braces/Slats

Insert the metal cross braces (slats) into the designated slots on the side rails. These typically snap or slide into place without additional screws. Ensure all slats are securely seated across the frame for proper mattress support.



Image: The metal slats securely in place, forming the mattress support surface.

Step 4: Final Tightening

Once all components are in place, systematically tighten all bolts using the provided Allen wrench. Do not overtighten, but ensure all connections are firm.




Image: Detail of a securely tightened bolt connection on a bed frame leg.

Headboard Compatibility

This bed frame is compatible with most standard headboards, though a headboard is not included. Three reserved holes are available on the legs for attachment.




Image: The bed frame illustrating the pre-drilled holes for headboard attachment.

Operating Instructions / Usage

The COMASACH bed frame is designed for direct mattress placement, eliminating the need for a box spring. Simply place your King size mattress (L80" x W76") directly onto the installed metal slats.

The 16-inch height of the frame provides ample under-bed storage space, allowing for convenient organization of various items such as storage bins, luggage, or seasonal clothing.



Image: The bed frame with a mattress and examples of items stored in the generous under-bed space.

Maintenance

- **Regular Inspection:** Periodically inspect all bolts and connections to ensure they remain tight. Retighten as necessary to prevent noise and maintain the frame's stability.
- **Cleaning:** Clean the metal frame with a soft, damp cloth. Avoid abrasive cleaners or harsh chemicals that could damage the finish.
- **Slat Integrity:** Periodically check the metal slats for any signs of wear or damage. Replace any compromised slats

to ensure proper mattress support and prevent mattress sagging.

- **Mattress Stability:** To prevent mattress sliding, consider using a non-slip mat or rubber grippers between the mattress and the bed frame.

Troubleshooting

- **Squeaking/Noise:** If the bed frame develops squeaking noises, re-check all bolts and ensure they are securely tightened. Loose connections are a common cause of noise.
- **Mattress Sliding:** If the mattress slides on the frame, place a non-slip mat or rubber grippers between the mattress and the metal slats. Ensure the mattress size matches the frame dimensions (King size: L80" x W76").
- **Instability:** Verify that all legs are firmly on the ground and that the frame is assembled correctly according to the instructions. Ensure no components are bent or damaged.

Specifications

Feature	Detail
Size	King
Product Dimensions	79.5"L x 75.5"W x 16"H
Weight Capacity	Up to 3500 lbs (1587.57 kg)
Material	Heavy Sturdy Metal Steel
Color	Black
Special Features	Sturdy, Noise-Free, Non-Slip, Under Bed Storage
Assembly Required	Yes
Compatible Mattress Size	King Size (L80" x W76")
Model Number	CMS516-K
UPC	682601713000



Image: A diagram illustrating the key dimensions of the bed frame.

Warranty and Support

For warranty information or customer support, please refer to the documentation included with your purchase or contact COMASACH directly through their official channels. Protection plans are available for purchase separately.

You can find more information and contact details by visiting theCOMASACH Store.

© 2025 COMASACH. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B087P6SRJ4

More documents and user manuals: **https://manuals.plus/**