

RURIS 5800fr2019

RURIS 5800R Rear-Tine Tiller User Manual

Model: 5800fr2019

INTRODUCTION

The RURIS 5800R semi-professional tiller is designed for efficient and reliable agricultural work on small to medium-sized areas. Its robust construction and user-friendly design make it an ideal choice for cultivating crops in various environments, including greenhouses and solariums.

This manual provides essential information for the safe operation, maintenance, and troubleshooting of your RURIS 5800R tiller. Please read it thoroughly before operating the machine.

SAFETY WARNINGS

Failure to follow these safety instructions may result in serious injury or death.

- Always wear appropriate personal protective equipment (PPE), including safety glasses, gloves, and sturdy footwear, when operating the tiller.
- Ensure you have stable footing at all times during operation.
- Be aware of projected debris. Keep bystanders, especially children and pets, at a safe distance from the working area.
- Keep hands and feet away from all moving parts, especially the tines, during operation and when the engine is running.
- Handle fuel with extreme care. Refuel in a well-ventilated area with the engine off and cool. Do not smoke or use open flames near fuel.
- Before performing any maintenance or adjustments, ensure the engine is turned off and cool, and disconnect the spark plug wire to prevent accidental starting.
- Do not operate the tiller on excessively steep slopes.
- Inspect the work area for hidden obstacles such as rocks, roots, or wires before starting.

COMPONENTS OVERVIEW

Familiarize yourself with the main components of your RURIS 5800R tiller.



Figure 1: Overall view of the RURIS 5800R Rear-Tine Tiller. This image shows the complete assembly of the tiller, including the engine, handlebars, wheels, and rear tines.

 **600-1000 m²**
surface de travail

 **212 cc 7 CV**
moteur thermique

 **480 mm**
largeur de travail

 **150 mm**
profondeur de travail

 **5.00-6**
roues en caoutchouc



Figure 2: Diagram illustrating key specifications of the RURIS 5800R Tiller. This diagram highlights the 212 cc 7 CV thermal engine, 480 mm working width, 150 mm working depth, 5.00-6 rubber wheels, and a working surface capacity of 600-1000 m².

- **Engine:** 4-stroke, 212 cc, 7 HP thermal engine. Provides power for the tines and wheels.
- **Handlebars:** Ergonomically designed for comfortable operation and control.
- **Wheels:** 5.00-6 rubber wheels provide traction and mobility.
- **Tines (Rotary Blades):** Rear-mounted tines for soil cultivation.
- **Gearbox:** Features 2 speeds (1 forward, 1 reverse) for versatile operation.
- **Fuel Tank:** For gasoline.
- **Oil Sump:** For engine oil.

SETUP AND ASSEMBLY

The RURIS 5800R tiller requires minimal assembly. Follow these steps for initial setup:

1. **Unpacking:** Carefully remove all components from the packaging. Check for any damage during transit.
2. **Handlebar Assembly:** Attach the handlebars to the main body of the tiller using the provided bolts and nuts. Ensure they are securely fastened.

3. **Wheel Installation:** Mount the 5.00-6 rubber wheels onto their axles. Secure them with the pins or fasteners provided.
4. **Fluid Checks:**
 - **Engine Oil:** Fill the engine oil sump with the recommended type and amount of engine oil (refer to specifications). Do not overfill.
 - **Fuel:** Fill the fuel tank with fresh, unleaded gasoline. Do not use old or contaminated fuel.
5. **Tine Attachment (if separate):** Ensure the rear tines are correctly attached and secured. The rotation of the tines is driven by the wheel movement.



Figure 3: Close-up view of the 212 cc 7 CV thermal engine. This image shows the engine block, air filter, and fuel tank cap, indicating points for fluid checks.

OPERATING INSTRUCTIONS

Follow these steps for safe and effective operation of your RURIS 5800R tiller.

Starting the Engine

1. Ensure the tiller is on a level surface.
2. Check fuel and oil levels.
3. Open the fuel valve (if applicable).
4. Set the choke to the "START" position (cold engine).
5. Set the throttle to the "FAST" position.
6. Pull the starter rope firmly until the engine starts.
7. Once the engine starts, gradually move the choke to the "RUN" position as the engine warms up.

Tilling Operation

- Adjust the working depth as needed. The RURIS 5800R has a maximum working depth of 150 mm.
- Engage the desired gear (1 forward or 1 reverse). The tiller's tines rotate with the wheel movement, making it easier to maneuver.
- Guide the tiller slowly and steadily through the soil. Allow the machine to do the work.
- For optimal results, make multiple passes, gradually increasing the depth with each pass.
- The 480 mm working width allows for efficient cultivation of medium to large areas, including narrow strips between crop rows without damaging plants.



Figure 4: Detailed view of the rear tines and the 480 mm working width. This image illustrates the robust construction of the tines designed for effective soil cultivation.

Stopping the Engine

1. Reduce the throttle to the "SLOW" or "IDLE" position.
2. Turn the engine switch to the "OFF" position.
3. Close the fuel valve.

MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your RURIS 5800R tiller. This model is designed for easy maintenance, not requiring advanced technical knowledge.

- **After Each Use:**

- Clean the tiller thoroughly, removing soil, debris, and plant matter from the tines, engine, and wheels.

- Inspect tines for wear or damage.
- **Engine Oil:** Check engine oil level before each use. Change engine oil after the first 5 hours of operation, then every 25-50 hours or annually, whichever comes first.
- **Air Filter:** Clean or replace the air filter regularly, especially when operating in dusty conditions. A clogged air filter can reduce engine performance.
- **Spark Plug:** Inspect and clean the spark plug annually or every 100 hours. Replace if worn or fouled.
- **Fuel System:** Drain the fuel tank and carburetor if storing the tiller for an extended period (over 30 days) to prevent fuel degradation.
- **Lubrication:** Lubricate all moving parts and pivot points as indicated in the service diagram (if available) or as needed to ensure smooth operation.



5.00-6

Roues en caoutchouc



Figure 5: Close-up view of the 5.00-6 rubber wheels. Regular inspection of tire pressure and condition is part of routine maintenance.

This section addresses common issues you might encounter with your RURIS 5800R tiller.

Problem	Possible Cause	Solution
Engine does not start	No fuel; Old or stale fuel; Clogged fuel filter; Spark plug issue; Choke not set correctly.	Fill fuel tank; Use fresh fuel; Clean/replace fuel filter; Clean/replace spark plug; Adjust choke.
Engine runs poorly or lacks power	Dirty air filter; Incorrect fuel mixture; Clogged carburetor; Worn spark plug.	Clean/replace air filter; Use correct fuel/oil ratio; Clean carburetor; Replace spark plug.
Tines do not rotate or rotate weakly	Debris wrapped around tines; Drive belt loose or damaged; Gearbox issue.	Clear debris; Inspect/adjust/replace drive belt; Consult service center for gearbox issues.
Excessive vibration	Loose components; Bent tines; Unbalanced wheels.	Tighten all fasteners; Inspect/replace bent tines; Check wheel balance.

If you encounter issues not listed here or if solutions do not resolve the problem, please contact RURIS customer support.

SPECIFICATIONS

Feature	Detail
Model	RURIS 5800R
Product Reference	5800fr2019
Engine Type	4-stroke Thermal Engine
Engine Displacement	212 cc
Engine Power	7 HP (Horsepower)
Gearbox	2 speeds (1 Forward, 1 Reverse)
Working Width	480 mm
Working Depth	150 mm
Productivity	600-1000 m ² /h
Wheels	5.00-6 Rubber Wheels
Dimensions (L x W x H)	124 x 58 x 52 cm
Weight	70 kg
Material	Alloy Steel
Power Source	Fuel-powered
Color	Orange

WARRANTY AND SUPPORT

For warranty information, technical support, or spare parts, please contact your authorized RURIS dealer or visit the official RURIS website. Keep your purchase receipt and product model number (5800fr2019) handy when contacting support. RURIS is committed to providing reliable products and excellent customer service.

Related Documents - 5800fr2019

 MOTOSĂPĂTOARE PROFESIONALĂ RURIS 751KS 	Manual de Utilizare Motosapatoare Profesionala RURIS 751KS Manual de utilizare pentru motosapatoarea profesionala RURIS 751KS. Contine instructiuni de siguranta, date tehnice, montaj, operare si intretinere.
 RURIS TILLER ACCESSORY NAVIGATOR 99 	RURIS Tiller Accessory Navigator 99 User Manual Comprehensive user manual for the RURIS Tiller Accessory Navigator 99, covering introduction, overview, technical data, assembly, operation modes, maintenance, and declarations of conformity. Includes detailed instructions and safety guidelines.
 RURIS TRAILER 450S, 550S, 750S 	RURIS TRAILER 450S, 550S, 750S User Manual and Technical Specifications Comprehensive user manual and technical specifications for RURIS TRAILER models 450S, 550S, and 750S. Includes assembly instructions, operating guidelines, maintenance schedules, and declarations of conformity for these agricultural trailers.
 Motopompă RURIS MP30 	Motopompă RURIS MP30 - Manual de Utilizare și Ghid de Siguranță Acest manual ofer instrucțiuni detaliate pentru utilizarea, întreținerea și siguranța motopompei RURIS MP30. Descoperiți caracteristicile tehnice, procedurile de pornire și oprire, precum și sfaturi pentru depanare.
Triciclu electric RURIS PILOT3020A PILOT3020G PILOT3020N  1. INTRODUCERE 2. ÎNTRUCUȚIUNI DE UTILIZARE 3. DATE TEHNICE 4. ÎNTRUCUȚIUNI DE MONTAJ ȘI DEZMONTAJ 5. ÎNTRUCUȚIUNI DE OPERARE 6. ÎNTRUCUȚIUNI DE ÎNȚEȚINERE 7. ÎNTRUCUȚIUNI DE DEZBROȘARE	Manual de utilizare RURIS PILOT3020A PILOT3020G PILOT3020N Triciclu Electric Acest manual ofer instrucțiuni esențiale pentru operarea, întreținerea și siguranța triciclului electric RURIS PILOT3020A, PILOT3020G și PILOT3020N. Descoperiți caracteristicile, regulile de conducere și sfaturile de întreținere pentru o experiență de transport eficientă și ecologică.

Triciclu electric Cargo RURIS PILOT3130A PILOT3130G PILOT3130N  1. INTRODUCERE 2. INSTRUCȚIUNI DE MONTAJ 3. DATE TEHNICE 4. PREVENIREA ACCIDENTELOR ȘI REPARAȚII 5. ÎNȚEȚINEREA ȘI REPARAȚII 6. ÎNȚEȚINEREA ȘI REPARAȚII 7. ÎNȚEȚINEREA ȘI REPARAȚII 8. ÎNȚEȚINEREA ȘI REPARAȚII 9. ÎNȚEȚINEREA ȘI REPARAȚII 10. ÎNȚEȚINEREA ȘI REPARAȚII 11. ÎNȚEȚINEREA ȘI REPARAȚII 12. ÎNȚEȚINEREA ȘI REPARAȚII 13. ÎNȚEȚINEREA ȘI REPARAȚII 14. ÎNȚEȚINEREA ȘI REPARAȚII 15. ÎNȚEȚINEREA ȘI REPARAȚII 16. ÎNȚEȚINEREA ȘI REPARAȚII 17. ÎNȚEȚINEREA ȘI REPARAȚII 18. ÎNȚEȚINEREA ȘI REPARAȚII 19. ÎNȚEȚINEREA ȘI REPARAȚII 20. ÎNȚEȚINEREA ȘI REPARAȚII 21. ÎNȚEȚINEREA ȘI REPARAȚII 22. ÎNȚEȚINEREA ȘI REPARAȚII 23. ÎNȚEȚINEREA ȘI REPARAȚII 24. ÎNȚEȚINEREA ȘI REPARAȚII 25. ÎNȚEȚINEREA ȘI REPARAȚII 26. ÎNȚEȚINEREA ȘI REPARAȚII 27. ÎNȚEȚINEREA ȘI REPARAȚII 28. ÎNȚEȚINEREA ȘI REPARAȚII 29. ÎNȚEȚINEREA ȘI REPARAȚII 30. ÎNȚEȚINEREA ȘI REPARAȚII 31. ÎNȚEȚINEREA ȘI REPARAȚII 32. ÎNȚEȚINEREA ȘI REPARAȚII 33. ÎNȚEȚINEREA ȘI REPARAȚII 34. ÎNȚEȚINEREA ȘI REPARAȚII 35. ÎNȚEȚINEREA ȘI REPARAȚII 36. ÎNȚEȚINEREA ȘI REPARAȚII 37. ÎNȚEȚINEREA ȘI REPARAȚII 38. ÎNȚEȚINEREA ȘI REPARAȚII 39. ÎNȚEȚINEREA ȘI REPARAȚII 40. ÎNȚEȚINEREA ȘI REPARAȚII 41. ÎNȚEȚINEREA ȘI REPARAȚII 42. ÎNȚEȚINEREA ȘI REPARAȚII 43. ÎNȚEȚINEREA ȘI REPARAȚII 44. ÎNȚEȚINEREA ȘI REPARAȚII 45. ÎNȚEȚINEREA ȘI REPARAȚII 46. ÎNȚEȚINEREA ȘI REPARAȚII 47. ÎNȚEȚINEREA ȘI REPARAȚII 48. ÎNȚEȚINEREA ȘI REPARAȚII 49. ÎNȚEȚINEREA ȘI REPARAȚII 50. ÎNȚEȚINEREA ȘI REPARAȚII 51. ÎNȚEȚINEREA ȘI REPARAȚII 52. ÎNȚEȚINEREA ȘI REPARAȚII 53. ÎNȚEȚINEREA ȘI REPARAȚII 54. ÎNȚEȚINEREA ȘI REPARAȚII 55. ÎNȚEȚINEREA ȘI REPARAȚII 56. ÎNȚEȚINEREA ȘI REPARAȚII 57. ÎNȚEȚINEREA ȘI REPARAȚII 58. ÎNȚEȚINEREA ȘI REPARAȚII 59. ÎNȚEȚINEREA ȘI REPARAȚII 60. ÎNȚEȚINEREA ȘI REPARAȚII 61. ÎNȚEȚINEREA ȘI REPARAȚII 62. ÎNȚEȚINEREA ȘI REPARAȚII 63. ÎNȚEȚINEREA ȘI REPARAȚII 64. ÎNȚEȚINEREA ȘI REPARAȚII 65. ÎNȚEȚINEREA ȘI REPARAȚII 66. ÎNȚEȚINEREA ȘI REPARAȚII 67. ÎNȚEȚINEREA ȘI REPARAȚII 68. ÎNȚEȚINEREA ȘI REPARAȚII 69. ÎNȚEȚINEREA ȘI REPARAȚII 70. ÎNȚEȚINEREA ȘI REPARAȚII 71. ÎNȚEȚINEREA ȘI REPARAȚII 72. ÎNȚEȚINEREA ȘI REPARAȚII 73. ÎNȚEȚINEREA ȘI REPARAȚII 74. ÎNȚEȚINEREA ȘI REPARAȚII 75. ÎNȚEȚINEREA ȘI REPARAȚII 76. ÎNȚEȚINEREA ȘI REPARAȚII 77. ÎNȚEȚINEREA ȘI REPARAȚII 78. ÎNȚEȚINEREA ȘI REPARAȚII 79. ÎNȚEȚINEREA ȘI REPARAȚII 80. ÎNȚEȚINEREA ȘI REPARAȚII 81. ÎNȚEȚINEREA ȘI REPARAȚII 82. ÎNȚEȚINEREA ȘI REPARAȚII 83. ÎNȚEȚINEREA ȘI REPARAȚII 84. ÎNȚEȚINEREA ȘI REPARAȚII 85. ÎNȚEȚINEREA ȘI REPARAȚII 86. ÎNȚEȚINEREA ȘI REPARAȚII 87. ÎNȚEȚINEREA ȘI REPARAȚII 88. ÎNȚEȚINEREA ȘI REPARAȚII 89. ÎNȚEȚINEREA ȘI REPARAȚII 90. ÎNȚEȚINEREA ȘI REPARAȚII 91. ÎNȚEȚINEREA ȘI REPARAȚII 92. ÎNȚEȚINEREA ȘI REPARAȚII 93. ÎNȚEȚINEREA ȘI REPARAȚII 94. ÎNȚEȚINEREA ȘI REPARAȚII 95. ÎNȚEȚINEREA ȘI REPARAȚII 96. ÎNȚEȚINEREA ȘI REPARAȚII 97. ÎNȚEȚINEREA ȘI REPARAȚII 98. ÎNȚEȚINEREA ȘI REPARAȚII 99. ÎNȚEȚINEREA ȘI REPARAȚII 100. ÎNȚEȚINEREA ȘI REPARAȚII	RURIS PILOT3130: Ghidul Utilizatorului pentru Triciclu Electric Cargo Descoperiți RURIS PILOT3130A, PILOT3130G, PILOT3130N – triciclete electrice cargo ecologice, concepute pentru transport eficient. Acest manual ofer instrucțiuni esențiale de siguranță, date tehnice și ghiduri de întreținere pentru o utilizare optimă.
---	--

Documents - RURIS – 5800fr2019



[\[pdf\]](#)

zlom Ruris 2024 doplnok indd Güde DTP remab sk RURIS RS1800 OBJEDNÁVAJÚCE ČÍSLO 2000RS19 □ Typ pohonu Akumulátorový aj manuálny Objem nádrže 20 l Pracovný tlak 3 1 min 80 PSI 5 bar katalog ruris srsltid AfmBOop1Tt8 ci8zT4IYMIC lbpKbBCgNRSgDwSRSU Hbum9Q76j2IVY user documents upload katalogy tlačivá ||| ZHRADN TECHNIKA KATALG 2021 - 2022 2024 EDITORIL VZEN ZKAZNK akujeme vm za rozhodnutie kpi pro ... eny sa mzu meni pocas platnosti katalogu. 1364 KOSACKY Kultivtor RURIS 5800R OBJEDNVAJCE CSLO: **5800FR2019** Motor: General motors 4-taktn Vkon motora: 7 HP Objem valca: 212 cm3 Rchlosti:... lang:hr **score:16** filesize: 8.86 M page_count: 56 document date: 2024-03-14

[\[pdf\]](#)

zlom Ruris 2024 doplnok indd Güde DTP remab skVysokotlaková umývačka RURIS je vybavená vysokokapa citným čerpadlom ktoré povrchy môže fréza Himalaya 602 brúsiť a rezať zamrznutý snehkatalog ruris 2024remab sk user documents upload katalogy tlačivá katalog srsltid AfmBOorFRi0tjkvta4JX9eRRtRO8RFxsJS2m5DCDBTKjj8lrbBawTKk3 skzlom snehRURIS DL 1000 10T Príslušenstvo transportné kolieska ochranný kryt 654 € OBJEDNÁVAJÚCE ČÍSLO 1600DLV2023 □ Výkon motora 3 kW Prípojka 230V 50Hzkatalog 2024katalog AfmBOorFRi0tjkvta4JX9eRRtRO8RFxsJS2m5DCDBTKjj8lrbBawTKk3remab AfmBOopSGStlUJ1YAMjbaXdlMDSTzrdkBWlvJGGJFUnKeT83tGVSSiwl AfmBOopSGStlUJ1YAMjbaXdlMDSTzrdkBWlvJGGJFUnKeT83tGVSSiwlremab AfmBOopQJ 4bt K m5SrseVZ onsF9YzjRO1h2jhGCJzKefpn2 lxNia 50HzV roku Vám pridávame do ponuky nové sety kultivátorov 7000FR s vlečkami ako aj kultivátor 732ACC najlepšou cenou na slovenskom trhu katalog AfmBOooXlI5wrNBNCcQoPowxpQ8FNb 7Kpe8TuQrQXu2dEp7jNbnqWqm1remab AfmBOopxoliYfl1e9 eS0vGqKJ87RMXtkahgVXi odMHktelzy5aaOQorema AfmBOoqrTdWdfOxvTjY9hr83T uZBbkPIBJ RIBOTUhsz8rBxZPcMsKqrema 50HzKrovinorez RR460 Krovinorez RR460C 460CRR2022 Motor Koncept KHUMMA 2 taktný 8 HP Objem valca 46 5 cm3V AfmBOorBcJK9Yt4aRelvKXVWDd7yb bRrFSYRjh3N4HOovjwmZ5VOOYqrema AfmBOooz0sMvQc8mP0Fi5cTeaMcb1fFJvAvSu7SCcomi2EaT 7cs0iS3rema trhu Zber zadné bočné vyhadzovanie mulčovanie funkcia umývania S pojazdom Ť 8535 C Zber b mulčo pojaz 1209 bočné katalog AfmBOopCrsIHOCKlCuHs PsbzaklCz2jI8863Ra hh IATj765Es2Dfremab lxNiarema AfmBOoqcqx86EILLxj1PTJMf6qFZsy 57 sAOBsUW535IkWSjWfGKzN sAOBsUW535IkWSjWfGKzNrema AfmBOoo8kzeYjMLUNTrDjwc4O4dLkgHuZ7BfgUG9uWSUZICTBBg FNFL FNFLrema AfmBOoq6kEpSAS7MjUNvLCr5Rz qqvfihnb7GL4UntNtGuxX9GI5jM 4 AfmBOor4DGE1uUv9Y9sH13lu6dKgXNirVxVUhtueXncQDNsh5U9Qkaj1rema AfmBOoqnvqQPl8flxTmDWHXjPOL9pL26yUvPrO8bFD5SfGabUfm6 fwrema ||| ||| ZHRADN TECHNIKA KATALG 2021 - 2022 2024 EDITORIL VZEN ZKAZNK akujeme vm za rozhodnutie kpi produkt RURIS a za dveru v nasu spoločnos RURIS je na trhu od roku 1993 a od svojho vzniku sa stala silnou značkou, ktor si vybudovala svoju poves do ||| ZHRADN TECHNIKA KATALG 2021 - 2022 2024



EDITORIL VZEN ZKAZNK akujeme vm za rozhodnutie kpi produkt RURIS a za dveru v nasu spolocnos
RURIS je na trhu od roku 1993 a od svojho vzniku sa stala silnou znackou, ktor si vybudovala svoju povest
do ||| ZHRADN TECHNIKA KATALG 2021 - 2022 2024 EDITORIL VZEN ZKAZNK akujeme vm za
rozhodnutie kpi produkt RURIS a za dveru v nasu spolocnos RURIS je na trhu od roku 1993 a od svojho
vzniku sa stala silnou znackou, ktor si vybudovala svoju povest do ||| ZHRADN TECHNIKA KATALG 2021
- 2022 2024 EDITORIL VZEN ZKAZNK akujeme vm za rozhodnutie kpi produkt RURIS a za dveru v nasu
spolocnos RURIS je na trhu od roku 1993 a od svojho vzniku sa stala silnou znackou, ktor si vybudovala
svoju povest do ||| ZHRADN TECHNIKA KATALG 2021 - 2022 2024 EDITORIL VZEN ZKAZNK akujeme
vm za rozhodnutie kpi produkt RURIS a za dveru v nasu spolocnos RURIS je na trhu od roku 1993 a od
svojho vzniku sa stala silnou znackou, ktor si vybudovala svoju povest do ||| ZHRADN TECHNIKA
KATALG 2021 - 2022 2024 EDITORIL VZEN ZKAZNK akujeme vm za rozhodnutie kpi produkt RURIS a
za dveru v nasu spolocnos RURIS je na trhu od roku 1993 a od svojho vzniku sa stala silnou znackou,
ktor si vybudovala svoju povest do ||| ZHRADN TECHNIKA KATALG 2021 - 2022 2024 EDITORIL VZEN
ZKAZNK akujeme vm za rozhodnutie kpi produkt RURIS a za dveru v nasu spolocnos RURIS je na trhu
od roku 1993 a od svojho vzniku sa stala silnou znackou, ktor si vybudovala svoju povest do ||| ZHRADN
TECHNIKA KATALG 2021 - 2022 2024 EDITORIL VZEN ZKAZNK akujeme vm za rozhodnutie kpi
produkt RURIS a za dveru v nasu spolocnos RURIS je na trhu od roku 1993 a od svojho vzniku sa stala
silnou znackou, ktor si vybudovala svoju povest do ||| ZHRADN TECHNIKA KATALG 2021 - 2022 2024
EDITORIL VZEN ZKAZNK akujeme vm za rozhodnutie kpi produkt RURIS a za dveru v nasu spolocnos
RURIS je na trhu od roku 1993 a od svojho vzniku sa stala silnou znackou, ktor si vybudovala svoju povest
do ||| ZHRADN TECHNIKA KATALG 2021 - 2022 2024 EDITORIL VZEN ZKAZNK akujeme vm za
rozhodnutie kpi produkt RURIS a za dveru v nasu spolocnos RURIS je na trhu od roku 1993 a od svojho
vzniku sa stala silnou znackou, ktor si vybudovala svoju povest do ||| ZHRADN TECHNIKA KATALG 2021
- 2022 2024 EDITORIL VZEN ZKAZNK akujeme vm za rozhodnutie kpi produkt RURIS a za dveru v nasu
spolocnos RURIS je na trhu od roku 1993 a od svojho vzniku sa stala silnou znackou, ktor si vybudovala
svoju povest do ||| ZHRADN TECHNIKA KATALG 2021 - 2022 2024 EDITORIL VZEN ZKAZNK akujeme
vm za rozhodnutie kpi produkt RURIS a za dveru v nasu spolocnos RURIS je na trhu od roku 1993 a od
svojho vzniku sa stala silnou znackou, ktor si vybudovala svoju povest do ||| ZHRADN TECHNIKA
KATALG 2021 - 2022 2024 EDITORIL VZEN ZKAZNK akujeme vm za rozhodnutie kpi produkt RURIS a
za dveru v nasu spolocnos RURIS je na trhu od roku 1993 a od svojho vzniku sa stala silnou znackou,
ktor si vybudovala svoju povest do

ZHRADN TECHNIKA KATALG 2021 - 2022 2024 EDITORIL VZEN ZKAZNK akujeme
vm za rozhodnutie kpi pro ... eny sa mzu meni pocas platnosti katalogu. 1364
KOSACKY Kultivtor RURIS 5800R OBJEDNVAJCE CSLO: **5800FR2019** Motor:
General motors 4-taktn Vkon motora: 7 HP Objem valca: 212 cm³ Rchlosti: ...
lang:hr score:15 filesize: 8.86 M page_count: 56 document date: 2024-03-14