Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Ultimaxx UM-WA4358

Ultimaxx 58MM Complete Lens Filter Accessory Kit User Manual

Model: UM-WA4358

Introduction

Thank you for choosing the Ultimaxx 58MM Complete Lens Filter Accessory Kit. This comprehensive kit is designed to enhance your photography experience by providing a versatile range of lenses and filters. It includes a 2.2X telephoto lens, a 0.43X wide-angle lens with a detachable macro component, a 4-piece close-up filter set, a 3-piece protective filter set (UV, CPL, FLD), a tulip lens hood, a snap-on lens cap, a universal lens cap keeper, a lens cleaning pen, and a microfiber cloth. This manual will guide you through the proper use, care, and maintenance of your new accessories.

Compatibility Information

This kit is compatible with all 58mm lenses. Before attaching any accessory, it is crucial to verify your camera's lens thread size. The lens thread size is typically marked on the lens barrel or printed underneath your lens cap, preceded by a "Ø" (diameter) symbol. For example, Ø58 indicates a 58mm lens thread size.



Figure 1: Always verify your lens's diameter, indicated by the Ø symbol, to ensure compatibility with 58mm accessories.

The kit is designed to work with various DSLR cameras, including but not limited to Canon EOS Rebel series (9000D, 800D, 760D, 750D, 700D, 1300D, 1200D, T100, 4000D, 3000D, 2000D), Nikon DSLR cameras, Sony, Fujifilm, and other brands that utilize a 58mm lens thread.



Figure 2: The Ultimaxx 58MM kit offers universal compatibility with various DSLR camera brands, provided the lens has a 58mm thread.

What's Included

Your Ultimaxx 58MM Complete Lens Filter Accessory Kit contains the following items:

- **2.2X Telephoto Zoom Lens Attachment:** For magnifying distant subjects.
- **0.43X Wide-Angle Lens Attachment with Detachable Macro:** To expand your field of view and capture extreme close-ups.
- **4PC Macro Close-Up Filter Kit (+1, +2, +4, +10 Diopter):** For enhanced macro photography.
- **3PC Protective Filter Kit (UV, CPL, FLD):** Includes Ultraviolet, Circular Polarizer, and Fluorescent filters.
- **Tulip Lens Hood:** To reduce lens flare and ghosting.
- **Snap-On Lens Cap:** Protects your lens when not in use.
- **Universal Lens Cap Keeper:** Prevents loss of your lens cap.
- **Lens Cleaning Pen:** For safe and effective lens cleaning.
- **Microfiber Cloth:** For gentle cleaning of lenses and filters.



Figure 3: All components of the Ultimaxx 58MM Complete Lens Filter Accessory Kit.

Setup and Installation

All lenses and filters in this kit attach directly to the front filter thread of your camera's existing lens. Ensure your camera lens has a 58mm filter thread.

1. **Prepare Your Lens:** Remove the front lens cap from your camera's lens.
2. **Attach Accessory:** Gently screw the desired accessory (telephoto lens, wide-angle lens, or a filter) clockwise onto the front filter thread of your camera lens until it is securely fastened. Do not overtighten.
3. **Stacking Filters:** Filters can be stacked. For example, you can attach a UV filter first, then a CPL filter, or stack close-up filters for increased magnification. Always attach the accessory you want closest to your camera lens first, then screw additional accessories onto its front thread.
4. **Attach Lens Hood:** The tulip lens hood can be screwed onto the front thread of any attached lens or filter.

Operating Instructions

2.2X Telephoto Lens

The 2.2X telephoto lens attachment increases the optical zoom of your existing lens by 2.2 times, allowing you to capture distant subjects with greater detail. It features multi-coated glass to reduce glare and reflections, enhancing image clarity.



Figure 4: The 2.2X Telephoto Lens enhances zoom capabilities for distant subjects.

0.43X Wide-Angle Lens with Detachable Macro

This attachment widens the field of view of your lens by 0.43 times, ideal for landscapes, group shots, and architectural photography. The front element of the wide-angle lens can be detached to reveal a macro lens, enabling extreme close-up photography of small objects.

- **Wide-Angle Use:** Screw the entire unit onto your camera lens.
- **Macro Use:** Unscrew the front element of the wide-angle lens. The remaining rear section is the macro lens. Screw this macro component directly onto your camera lens for close-up shots.



Figure 5: The 0.43X Wide-Angle Lens expands your view, and its detachable macro component allows for detailed close-ups.

4PC Macro Close-Up Filter Kit

This kit includes +1, +2, +4, and +10 diopter filters. These filters act like magnifying glasses, allowing your lens to focus closer to a subject. They can be used individually or stacked in any combination to achieve the desired magnification for macro photography.



Figure 6: The 4-piece close-up filter kit provides various levels of macro magnification.

3PC Protective Filter Kit (UV, CPL, FLD)

- **UV Filter (Ultraviolet):** Absorbs UV rays, resulting in sharper contrast and more vivid pictures. It also serves as a permanent protector for your lens against scratches, dust, and moisture.
- **CPL Filter (Circular Polarizer):** Filters out polarized light, significantly reducing reflections from non-metallic surfaces like water or glass. It also enhances color saturation and contrast in skies.
- **FLD Filter (Fluorescent):** Reduces the greenish cast often created when shooting under fluorescent lighting, helping to restore natural light colors to your subjects.



Figure 7: The 3-piece filter kit offers protection and creative control for various lighting conditions.

Tulip Lens Hood

The tulip lens hood attaches to the front of your lens or filter to block stray light from entering the lens, which can cause lens flare and ghosting. This helps to improve contrast and image quality, especially when shooting towards bright light sources.



Figure 8: The Tulip Lens Hood effectively reduces lens flare for clearer images.

Maintenance and Care

Proper care of your lenses and filters will ensure their longevity and optimal performance.

- **Cleaning Lenses and Filters:** Use the included lens cleaning pen and microfiber cloth. First, use the brush end of the cleaning pen to gently remove any loose dust or debris. Then, use the carbon tip of the pen or the microfiber cloth to wipe away smudges or fingerprints in a circular motion. Avoid using harsh chemicals or abrasive materials.
- **Storage:** When not in use, store lenses and filters in their protective pouches or cases to prevent dust accumulation and scratches. Always use the snap-on lens cap to protect the front element of your camera lens.
- **Handling:** Avoid touching the glass surfaces of lenses and filters directly with your fingers. Hold them by their edges.



Figure 9: Utilize the provided cleaning accessories for proper lens and filter maintenance.

Troubleshooting

- **Vignetting (Dark Corners):** This can occur with wide-angle lenses or when stacking multiple filters, especially on full-frame cameras. To mitigate, try removing one or more stacked filters, or zoom in slightly if your lens allows.
- **Blurry Images:** Ensure all lenses and filters are securely attached and clean. Check your camera's focus settings. When using macro lenses or close-up filters, depth of field is very shallow, requiring precise focusing.
- **Difficulty Attaching:** Double-check that the accessory's thread size matches your camera lens (58mm). Ensure you are screwing it on straight and not cross-threading.
- **Color Cast:** If you notice an unwanted color cast, especially under artificial lighting, ensure you are using the appropriate filter (e.g., FLD for fluorescent lights) or adjust your camera's white balance settings.

Specifications

Feature	Detail
Brand	Ultimaxx
Model Number	UM-WA4358
Material	Glass (Lenses & Filters)
Photo Filter Thread Size	58mm (5.8 centimeters)
Coating Description	Multi Coating
Photo Filter Effect Type	Ultraviolet (UV), Circular Polarizer (CPL), Fluorescent (FLD), Close-Up (+1, +2, +4, +10)
Water Resistance Level	Not Water Resistant
Telephoto Factor	2.2x
Wide-Angle Factor	0.43x
Product Dimensions	2.28"L x 2.28"W (approximate, for 58mm accessories)
Compatible Devices	Canon EOS Rebel series cameras with 58mm lens thread size, Nikon, Sony, Fujifilm, etc.

Warranty and Support

Ultimaxx products are designed for quality and performance. For specific warranty information regarding your Ultimaxx 58MM Complete Lens Filter Accessory Kit, please refer to the packaging or contact Ultimaxx customer support directly. If you encounter any issues or have questions about your product, please visit the official Ultimaxx website or contact their customer service department for assistance.

Online Support: Visit the Ultimaxx Store on Amazon

© 2023 Ultimaxx. All rights reserved. Information in this manual is subject to change without notice.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0883FD5LP

More documents and user manuals: **https://manuals.plus/**