

OUTON BAC5f5CA64

OUTON Floor Lamp Instruction Manual

Model: BAC5f5CA64

1. INTRODUCTION

Thank you for purchasing the OUTON Floor Lamp. This manual provides detailed instructions for the assembly, operation, and maintenance of your new LED floor lamp. Please read this manual thoroughly before use to ensure proper function and safety.

This modern torchiere sky lamp features 30W/3000LM LED lighting, stepless dimming, 4 color temperatures, remote and touch control, a 1-hour timer, and a memory function. It is designed to provide versatile and efficient lighting for living rooms, bedrooms, and offices.

2. SAFETY INFORMATION

- Ensure the lamp is unplugged before assembly, cleaning, or maintenance.
- Do not operate the lamp with a damaged cord or plug.
- Keep the lamp away from water or damp environments. This product is for indoor use only.
- Do not attempt to disassemble or modify the LED light source.
- Place the lamp on a stable, level surface to prevent tipping. The weighted base (5.5 lbs) provides stability.
- Keep the remote control and small parts out of reach of children.

3. PACKAGE CONTENTS

Verify that all components are present in the package:

- Floor Lamp (multiple pole sections)
- Remote Control
- User Manual (this document)

4. PRODUCT OVERVIEW

The OUTON Floor Lamp is designed for ease of use and versatility. It features a sleek, modern design with integrated LED lighting.



Figure 1: OUTON Floor Lamp with its remote and touch control panel.



Figure 2: Lamp dimensions and adjustable head features. The lamp head can rotate 360 degrees and tilt up to 85 degrees.

Key Components:

- **Lamp Head:** Contains the LED light source, adjustable for direction.
- **Lamp Pole:** Consists of multiple sections that screw together.
- **Touch Control Panel:** Located on the lamp pole for direct control.
- **Weighted Base:** Provides stability for the lamp.
- **Remote Control:** Offers convenient wireless control of all functions.

5. SETUP

The OUTON Floor Lamp is designed for easy assembly without the need for additional tools.

Assembly Steps:

1. Carefully unpack all components from the packaging.
2. Begin by screwing the lamp pole sections together. Ensure each section is securely tightened to form a stable pole.
3. Attach the assembled lamp pole to the weighted base by screwing it firmly into place.

4. Connect the power adapter to the lamp and then plug it into a standard electrical outlet.

Your OUTON Floor Lamp is now assembled and ready for operation.

6. OPERATING INSTRUCTIONS

The OUTON Floor Lamp can be controlled using either the integrated touch control panel on the lamp pole or the included remote control.

6.1. Touch Control Operation




Figure 3: Touch control panel on the lamp pole.

- **Power On/Off:** Short press the power button () to turn the lamp on or off.
- **Adjust Brightness:** Use the '+' and '-' buttons to steplessly dim the light from 5% to 100%.
- **Change Color Temperature:** Press the 'M' button to cycle through the 4 available color temperatures: Warm (3000K), Warm White (4000K), Cool White (5000K), and Daylight (6000K).
- **1-Hour Timer:** Long press the power button () to activate the 1-hour timer. The lamp will automatically turn off after one hour.

6.2. Remote Control Operation

Multiple Lighting Modes

Customize your lighting scene in one second on the remote



Figure 4: Remote control for the OUTON Floor Lamp.

The magnetic remote control can be conveniently attached to the lamp pole or any metal surface. It operates within a range of up to 49.2 feet.

- **Power On/Off:** Press the power button ().
- **Brightness Adjustment:** Use the '+' and '-' buttons to increase or decrease brightness.
- **Color Temperature Selection:** Use the sun icon buttons to select desired color temperature (Warm, Warm White, Cool White, Daylight).
- **1-Hour Timer:** Press the '1H' button to activate the 1-hour timer.
- **Pre-set Lighting Modes:** The remote includes buttons for various pre-set lighting modes such as Leisure, Reading, Working, Breastfeeding, and Night Light.

6.3. Memory Function

The lamp features a memory function that remembers your last brightness and color temperature setting. When you turn the lamp back on, it will resume the previously used settings.



Figure 5: Icons representing the 1-hour timer and memory function.

6.4. Compatibility

The lamp is compatible with wall switches and smart plugs, allowing for integration into existing smart home systems.

7. MAINTENANCE

To ensure the longevity and optimal performance of your OUTON Floor Lamp, follow these simple maintenance guidelines:

- **Cleaning:** Dust the lamp regularly with a soft, dry cloth. For more stubborn marks, use a slightly damp cloth and then dry immediately. Do not use abrasive cleaners or solvents.
- **Light Source:** The LED light source is integrated and designed for a long lifespan (50,000+ hours). It is not user-replaceable.
- **Storage:** If storing the lamp for an extended period, disassemble it and store in its original packaging in a dry, cool place.

8. TROUBLESHOOTING

If you encounter any issues with your OUTON Floor Lamp, please refer to the following common troubleshooting steps:

Problem	Possible Cause	Solution
Lamp does not turn on.	No power supply; loose connection; remote control battery low.	Check if the power cord is securely plugged into the outlet. Ensure the outlet has power. Check all lamp pole connections are tight. Replace remote control batteries if needed.
Remote control not working.	Remote not paired; battery low; obstruction.	Ensure the remote control batteries are fresh. Re-pair the remote control according to specific instructions (if provided with the remote). Remove any obstructions between the remote and the lamp.
Brightness or color temperature cannot be adjusted.	Control panel or remote issue.	Try using the alternative control method (touch or remote). Ensure you are pressing the correct buttons.
Lamp wobbles after assembly.	Pole sections not tightened sufficiently.	Unplug the lamp and re-tighten all pole sections and the base connection firmly.

If the problem persists after attempting these solutions, please contact customer support.

9. SPECIFICATIONS

Feature	Detail
Model Number	BAC5f5CA64
Dimensions	9.5"D x 9.5"W x 70.8"H
Item Weight	8.43 pounds (3.83 Kilograms)
Material	Metal
Finish Type	Matte
Light Source Type	LED
Wattage	30 watts
Brightness	3000 Lumens
Color Temperatures	3000K (Warm), 4000K (Warm White), 5000K (Cool White), 6000K (Daylight)
Control Method	Remote Control, Touch Control
Special Features	Dimmable, 1 Hour Timer, Memory Function
Average Life	50,000 Hours

Feature	Detail
Power Source	Corded Electric
Voltage	110 Volts
UPC	706898017068

10. WARRANTY AND SUPPORT

OUTON provides a **2-Year Quality Support** for this product. We are committed to ensuring customer satisfaction with our products and services.

If you have any questions, concerns, or require assistance with your OUTON Floor Lamp, please do not hesitate to contact our customer service team. We offer **24/7 Customer Service** to address your needs promptly.

Please refer to your purchase documentation or the OUTON official website for specific contact information.