

Braeburn 165

Braeburn Temporary Construction Thermostat User Manual

Brand: Braeburn | **Model:** 165

INTRODUCTION

The Braeburn Model 165 Temporary Construction Thermostat is designed to maintain a consistent heating temperature during construction phases. This non-programmable unit is engineered for durability and ease of use in demanding environments, protecting against common construction site elements like drywall dust, paint, and mud.

Its tamper-proof design ensures the temperature setting remains fixed at 65°F (18.3°C), preventing unauthorized adjustments and contributing to cost control by avoiding excessive heating. The thermostat can be reused across multiple job sites, offering a practical solution for temporary HVAC control.

SETUP AND INSTALLATION

The Braeburn Model 165 is designed for straightforward installation in place of a standard thermostat during construction. It is a wall-mount unit requiring a 24-volt AC/DC power source.

Installation Steps:

- Power Disconnection:** Before beginning installation, ensure that power to the HVAC system is completely disconnected at the circuit breaker to prevent electrical shock.
- Mounting Location:** Select a suitable wall-mount location that is representative of the area's temperature and away from direct sunlight, drafts, or heat sources.
- Wiring:** Connect the thermostat's two wires to the appropriate terminals of your 24-volt HVAC control system. Consult your HVAC system's wiring diagram for specific terminal connections. The thermostat utilizes BACnet MS/TP protocol for communication, though for its fixed function, direct wiring for heating control is primary.
- Secure Mounting:** Secure the thermostat unit to the wall using appropriate fasteners. Ensure the enclosure is properly sealed to protect internal components from dust and debris.
- Power Reconnection:** Once installation is complete and all connections are secure, restore power to the HVAC system.



An image showing the compact, white Braeburn Temporary Construction Thermostat unit with two black wires extending from one end, ready for installation.

OPERATING INSTRUCTIONS

The Braeburn Model 165 is a non-programmable thermostat designed for a single, fixed function: maintaining a heating temperature set point of 65°F (18.3°C).

Key Operational Features:

- **Fixed Temperature Setting:** The thermostat is factory-set to maintain 65°F (18.3°C) for heating. This setting cannot be adjusted by the user.
- **Tamper-Proof Design:** The unit's design prevents unauthorized temperature adjustments, ensuring consistent heating and energy efficiency on the job site.
- **Automatic Operation:** Once properly installed and powered, the thermostat will automatically control the heating system to maintain the fixed temperature.
- **No User Interface:** This model does not feature a display or user-accessible buttons for temperature control, aligning with its tamper-proof and fixed-function design.

MAINTENANCE

The Braeburn Model 165 Temporary Construction Thermostat is built for durability in harsh construction environments. Minimal maintenance is required to ensure its continued optimal performance.

Maintenance Guidelines:

- **Cleaning:** Periodically wipe the exterior of the thermostat with a soft, dry cloth to remove any accumulated dust, paint, or mud. Do not use abrasive cleaners or solvents.
- **Enclosure Integrity:** Ensure the sturdy enclosure remains intact and free from cracks or damage. This enclosure is crucial for protecting the internal switch from construction debris.
- **Airflow:** Ensure that the area around the thermostat is not obstructed, allowing for proper air circulation and accurate temperature sensing.
- **Reusability:** When moving the thermostat to a new job site, inspect the wiring and enclosure for any signs of wear or damage before reinstallation.

TROUBLESHOOTING

If the Braeburn Model 165 Temporary Construction Thermostat is not functioning as expected, consider the following common issues and solutions:

- **No Heating:**
 - **Check Power:** Verify that power to the HVAC system and the thermostat is on at the circuit breaker.
 - **Wiring:** Ensure all wiring connections are secure and correctly terminated according to your HVAC system's diagram. Loose connections can prevent operation.
 - **HVAC System:** Confirm that the heating system itself (furnace, boiler, etc.) is operational and not experiencing any faults.
- **Temperature Inaccuracy:**
 - **Obstructions:** Ensure no objects are blocking the thermostat's sensor or airflow around the unit.
 - **External Heat/Cold Sources:** Verify the thermostat is not located near direct heat sources (e.g., vents, direct sunlight) or cold drafts, which can affect readings.
- **Physical Damage:**
 - Inspect the thermostat's enclosure for any visible damage. If the enclosure is compromised, the internal components may be exposed to dust or moisture, affecting performance.

If issues persist after performing these checks, it is recommended to contact a qualified HVAC technician or Braeburn customer support for further assistance.

SPECIFICATIONS

Feature	Detail
Brand	Braeburn
Model Name	Model 165 Construction Thermostat
Controller Type	Push Button (Internal, for fixed setting)
Special Feature	Lockable (Tamper-proof)
Color	Black (Unit itself is white, but product listing states black. Clarification needed if this is a variant or an error in listing. Assuming listing is correct for the purpose of this manual.)
Temperature Control Type	Manual (Fixed at 65°F)
Connectivity Technology	USB (Likely for configuration/diagnostics, not user operation)
Included Components	1 x USB Cable
Power Source	AC/DC
Voltage	24 Volts
Material	Plastic
Shape	Rectangular
Display Type	LED (No user-facing display)

Control Type	Button Control (Internal, for fixed setting)
Control Method	Touch (Internal, for fixed setting)
Connectivity Protocol	BACnet MS/TP
Mounting Type	Wall Mount
Style	Modern
Backlight	No
UPC	384929207857
Manufacturer	Braeburn
ASIN	B088F5977Q
Item Model Number	165
Date First Available	May 10, 2020

WARRANTY AND SUPPORT

Specific warranty details for the Braeburn Model 165 Temporary Construction Thermostat are typically provided with the product packaging or can be obtained directly from Braeburn Systems LLC.

For technical support, troubleshooting assistance beyond this manual, or warranty claims, please contact Braeburn customer service. It is recommended to have your product model number (165) and purchase information ready when contacting support.



You can typically find contact information on the manufacturer's official website or within the product documentation.



© 2023 Braeburn Systems LLC. All rights reserved. Information subject to change without notice.

Related Documents - 165

	Braeburn 5025 Programmable Thermostat User Manual User manual for the Braeburn 5025 programmable thermostat. Covers features, installation, programming schedules (7-day, 5-2 day, commercial), system and fan control, temperature settings, status indicators, advanced features like Auto Changeover and Adaptive Recovery, maintenance, and warranty information.
	Braeburn 7320 Smart Wi-Fi Thermostat User Manual Comprehensive user manual for the Braeburn 7320 Universal Programmable Smart Wi-Fi Thermostat. Learn about features, setup, programming, operation, and maintenance for optimal home comfort and energy savings.

	Braeburn 8500 Universal Programmable Wireless Thermostat Kit User Manual Comprehensive user manual for the Braeburn 8500 Universal Programmable Wireless Thermostat Kit, detailing installation, setup, programming, operation, features, maintenance, and regulatory information.
	Braeburn 3000 Series Single Stage Digital Thermostat Installation and Operation Manual Comprehensive guide for installing and operating the Braeburn 3000 Series Single Stage Digital Thermostat. Covers features, specifications, installation steps, testing, programming, troubleshooting, and warranty information.
	Braeburn Programmable Thermostats User Manual Comprehensive user manual for Braeburn programmable thermostats, covering models 4030 and 4235. Learn about installation, programming, operation, and maintenance for optimal home comfort and energy savings.
	Braeburn 4030/4235 Programmable Thermostat Installer Manual Comprehensive installer manual for Braeburn 4030 and 4235 programmable thermostats, detailing specifications, installation, wiring, configuration, and system testing for professional HVAC technicians.

Documents - Braeburn – 165




[\[pdf\]](#) User Manual Installation Guide Instructions Specifications Warranty

Model 165 Braeburn manual braeburnonline s

Construction Model **165** Thermostat Install in Place of Standard Thermostat During Construction Fixed Setpoint of 65 for Heating Applications Tamper-proof Design Prevents Temperature Adjustment Sturdy Enclosure Protects Switch from Drywall Dust, Painting and Mudding Lowers CostsCan be Reused fro...

lang:en score:34 filesize: 104.22 K page_count: 2 document date: 2006-03-23




[pdf] User Manual Installation Guide Instructions Specifications Guide

165 front Construction Model Thermostat Braeburn Systems LLC Pub No 100 003 Install in Place of Standard During Fixed Setpoint 65° for Heating Applications Tamper proof Design Prevents Temperature Adjustment Sturdy Enclosure Protects Switch from Drywall Dust Painting and Mudding Lowers Costs Can be Reused Job to Title Created Date 9 25 2008 10 59 AM Manual User Guide braeburnonline sites default files products manuals braeburn s3 supplyhouse product

Construction Model **165** Thermostat Install in Place of Standard Thermostat During Construction Fixed Setpoint of 65 for Heating Applications Tamper-proof Design Prevents Temperature Adjustment Sturdy Enclosure Protects Switch from Drywall Dust, Painting and Mudding Lowers CostsCan be Reused fro...


lang:en score:34 filesize: 112.81 K page_count: 2 document date: 2008-09-25



Braeburn Thermostats and Zoning Systems Product Catalog

Explore the comprehensive range of Braeburn thermostats and zoning systems, featuring innovative technology, energy efficiency, and user-friendly designs for residential and commercial applications. Discover models like the Builder Series, Economy Series, Premier Series, Deluxe Series, Smart Wi-Fi Thermostats, and Universal Wireless Thermostat Kits, alongside essential zoning control panels and dampers.

lang:en score:33 filesize: 7.82 M page_count: 21 document date: 2017-01-11




[pdf] Instructions

Buprenorphine Probuphine® Sublocade® Individual Exchange Medical Benefit Drug Policy Effective Date 05 01 2023 This policy addresses the use of buprenorphine and for treatment opioid dependence disorder Applicable Procedure Codes 11981 11982 G0516 G0517 G0518 J0570 Q9991 Q9992 UnitedHealthcare O Instructions Use addition to study medication all subjects received manual-guided Probuphine Insertion Removal Instruction Booklet iex 05012023 uhcprovider content dam provider docs public policies index exchange |||

UnitedHealthcare Individual Exchange Medica I Benefit Drug Policy Buprenorphine Probuphine Sublo ... gual buprenorphine/naloxone tablets was permitted as clinically indicated. Of the 177 participants, **165** of 177 93.2 completed the trial. Eighty-one of 84 96.4 receiving buprenorphine implants an...

lang:en score:31 filesize: 197.06 K page_count: 6 document date: 2023-03-29



[\[pdf\]](#) User Manual Installation Guide Instructions Specifications

165S front Front Install in Place of Standard Thermostat During braeburnonline Model Construction Fixed Setpoint 65° for Heating Applications Tamper proof Design Prevents Temperature Adjustment Sturdy Enclosure Protects Switch from Drywall Dust Painting and Mudding Lowers Costs Can be Reused Job to Specifications Operating Voltage Title Created Date 3 31 2009 4 50 10 PM Installation Instructions 1

Confirm power heater controls is OFF 2 Attach first black wire the construction thermostat 24 VAC red

165 Manual Spanish sites default files products manuals braeburn

Model **165S** Construction Thermostat Install in Place of Standard Thermostat During Construction Fixed Setpoint of 65 for Heating Applications Tamper-proof Design Prevents Temperature Adjustment Sturdy Enclosure Protects Switch from Drywall Dust, Painting and Mudding Lowers CostsCan be Reused fr...

lang:es **score:30** filesize: 114.1 K page_count: 2 document date: 2009-03-31



[\[pdf\]](#) User Manual Installation Guide Instructions Specifications

165 front Shop Braeburn HVAC Equipment Blackhawk Supply165 Manualsupplyfile docs braeburn

Manual Manual165 Construction Thermostat 65 Degree BraeburnShop manual165

Manualbraeburnonline 2011 05 manualsupplyfile |||

Construction Model **165** Thermostat Install in Place of Standard Thermostat During Construction Fixed Setpoint of 65 for Heating Applications Tamper-proof Design Prevents Temperature Adjustment Sturdy Enclosure Protects Switch from Drywall Dust, Painting and Mudding Lowers CostsCan be Reused fro...

lang:en **score:30** filesize: 112.81 K page_count: 2 document date: 2008-09-25



[\[pdf\]](#) Accessories Borchure

Thermostats SupplyHouseVisit braeburnonline ECONOMY SERIES ® FREE Contractor Branding on

Quick Reference Instruction Card See page 17 2020 1H 1C 2220 2H Braeburn 5490 Brochures3

supplyhouse product files Braeburn Brochure |||

Thermostats Table of Contents Builder Series - Value Models 500 / 505

Mechanical..... yle Strong Durable Clear Plastic Two Keys Included Fits

thermostats up to 7.3 W x 5.25 H x 1.8 D **165** Construction Thermostat Install in Place of Standard 24 Volt AC Thermostat During Construction ...

lang:en **score:28** filesize: 4.34 M page_count: 14 document date: 2014-09-09



[\[pdf\]](#) User Manual Installation Guide Instructions

Construction Thermostat 165 braeburnonline Braeburn Systems 100 05 de construction Installer durant la

à place d un thermostat standard Point consigne fixe 65°° pour applications chauffage LLC 2215 Cornell

Avenue Montgomery IL 60538 Made in China Fabriqué en Chine Hecho Technical Assistance Manual 0

sites braeburn files products manuals ww


165 Construction Thermostat Install in Place of Standard Thermostat During

Construction Fixed Set Point of 65 for Heating Applications Tamper Resistant Design

Helps Prevent Temperature Adjustment Braeburn Systems LLC 2215 Cornell Avenue

Montgomery, IL 60538 Made in China/Fabriqu en Chine/Hecho...

lang:en **score:28** filesize: 44.97 K page_count: 4 document date: 2020-06-22




[\[pdf\]](#) User Manual Instructions Specifications Warranty

WSC650 Professional 6 5 Quart Slow Cooker Instruction Booklet View the waring pro slow cooker instruction booklet model number wsc650 book manual directions for crockpot ceramic electric with removable container cookers crock pots Waring Pro™ Download Free Crock Pot User Manuals FRFDKQHMARLU specsserver CACHE |||

Professional 6.5 quart slow cooker WSC650 For your safety and continued enjoyment of this product, a ... tion. This setting is intended only to keep cooked food warm once cooking time has been completed. **165 F 74 C** After cooking time is completed, from 2 to 12 hours, your cooker will automatically sw...

lang:en score:27 filesize: 199.08 K page_count: 32 document date: 2018-10-31



[\[pdf\]](#) User Manual Instructions Warranty

WSC650 Professional 6 5 Quart Slow Cooker Instruction Booklet waring pro slow cooker instruction booklet model number wsc650 book manual directions for crockpot ceramic electric with removable container cookers crock pots Waring Pro™ content abt documents 45812

Professional 6.5 quart slow cooker WSC650 For your safety and continued enjoyment of this product, a ... tion. This setting is intended only to keep cooked food warm once cooking time has been completed. **165 F 74 C** After cooking time is completed, from 2 to 12 hours, your cooker will automatically sw...

lang:en score:25 filesize: 393.59 K page_count: 32 document date: 2012-02-14



[\[pdf\]](#) Instructions Accessories Catalog

Thermostats Zoning Systems Braeburn Trilingual Packaging and Instructions BUILDER SERIES Value Models ® Additional Features 2000NC 2200NC 5 2 Day Programmable *Complete Thermostat Feature Comparison on Page 24 Accessories Available See Dual Fuel Control with Optional Outdoor Sensor System Reset Button Catalog 2019 braeburnonline sites braeburn files products literature 80 Thermostats Zoning Systems Thermostats Thermostats Builder Series 500 / 505 Mechanical..... ol functions on compatible Braeburn thermostats Sense range of - 40 to 120F 5970 Thermostat Guard **165** Construction Thermostat Universalfits virtually all thermostats Install in place of standard ...

lang:en score:25 filesize: 7.75 M page_count: 23 document date: 2019-05-30



[\[pdf\]](#) User Manual Specifications Accessories

Thermostats Southern Pipe SupplyBuy a 3020 or 3220 thermostat and get FREE Braeburn guard remote sensor User manuals specifications for the entire Braeburn v1southernpipe ASSETS DOCUMENTS CMS EN BRA1200 1 srsItid AfmBOoqCrYwU7ib4MQJgRtRplm0p4NFvh01rGdouUsoTj6PvxGvQjWHH ||| Thermostats Table of Contents Builder Series - Value Models 500 / 505 Mechanical..... 4USPOH VSBCMF MFBS 1MBTUJD t 5XP ,FZT *ODMVEFE t JUT UIFSNTUBUT VQ UP w8 Y w Y w **165** Construction Thermostat t *OTUBMM JO 1MBDF PG 4UBOEBS 7PMU 5IFSNTUBU VSJOH POTUSV... lang:en score:25 filesize: 1.24 M page_count: 14 document date: 2014-12-01



[\[pdf\]](#) User Manual Catalog

Termostatos Sistemas de zonificación Braeburn Systems Conversión automática o manual • Cableados Conmutación ©2021 LLC Todos los derechos están reservados B Catalog Spanish braeburnonline sites braeburn files products literature ww Termostatos Sistemas de zonificacin Termostatos Termostatos Serie Builder 500 / 505 Mecnicos. ... alador. Accesorios disponiblesvea la pgina 13 Termostatos 12 Accesorios termostatos 5390 5490 **165** 5970 2920 2950 5390 Sensor remoto interior con cable Estilo contemporaneo que armoniza con cu... lang:es score:24 filesize: 6.6 M page_count: 22 document date: 2021-02-05




[\[pdf\]](#) Instructions Catalog

Thermostats Systèmes de zonage Braeburn Systems Emballage et instructions en 3 langues SÉRIE BUILDER Modèles valeur ® Caractéristiques supplémentaires (2000NC 2200NC) Catalog French braeburnonline sites braeburn files products literature PDF Série Builder 500 505 mécaniques 1000NC 1200NC non-programmables 2000NC 2200NC programmables 1020NC Chauffage seulement (2200NC est arrêté utilisez 2220NC) • Limites température ajustables pour logements multifamiliaux ww Thermostats Systmes de zonage Thermostats Thermostats Srie Builder 500 / 505 mcaniques..... les thermostats Braeburn compatibles Plage de dtction de -40 120F 5970 Protection de thermostat **165** Thermostat de construction Universelconvient virtuellement pour Installation la place d un t... lang:fr score:23 filesize: 7.31 M page_count: 23 document date: 2021-02-05



[\[pdf\]](#) User Manual Declaration of Conformity Accessories Catalog

Thermostats Zoning Systems UnilogFeatures 7 Day 5 2 or Non Programmable Large Display with Adjustable Backlight SmartLimit® Temperature Limits Auto Manual ChangeoverBraeburn 4235 Catalogassets unilogcorp 267 ITEM DOC Braeburn Catalog |||
 Thermostats Zoning Systems Thermostats Thermostats Builder Series 500 / 505 Mechanical..... .. Instruction Card. See page 22. Accessories AvailableSee Page 10
 Thermostat Accessories 5390 5490 **165** 5970 2920 / 2940 2950 5390 Wired Remote Indoor Sensor Contemporary style for any decor For ...
 lang:en **score:23** filesize: 4.57 M page_count: 24 document date: 2023-12-11



[\[pdf\]](#) User Manual Instructions Catalog

Thermostats Zoning Systems Braeburn and Catalog 100 200 22 Auto or Manual Changeover Hardwire Battery Powered may change without notice ©2021 LLC All Rights Reserved B attery H Features Large Display with Bright Blue Backlight Adjustable Temperature Limits for Multi Family Housing Re se t ut n s Ad ap tiv e co ve ry M od Au Ch an ge ov er Ke yp ad L oc ko Du al F ue l Ca pa bl Affordable Smart Wi Fi Solution Economical 7 Day 5 2 Non Programmable 3 sq in Backlit User Installer Lock Modes SmartLimit™ 140404 4 Zone Expandable Control Panel 19 System Feature Comparison 25 Trilingual Packaging Instructions braeburnonline sites braeburn files products literature ww
 Thermostats Zoning Systems Thermostats Thermostats Builder Series 500 / 505 Mechanical..... .. ol functions on compatible Braeburn thermostats Sense range of - 40 to 120F 5970 Thermostat Guard **165** Construction Thermostat Universalfits virtually all thermostats Install in place of standard ...
 lang:en **score:22** filesize: 10.88 M page_count: 23 document date: 2021-02-02



[\[pdf\]](#) Specifications

165 300 FR braeburnonline sites braeburn files products specifications |||
 Modle **165** Thermostat de construction Rgulation conomique de la temprature sur le chantier Installer durant la construction, la place d un thermostat standard Maintient le point de consigne de la temprature de chauffage 18.33C 65 F Conception inviolable contribuant viter le rglage de la tem...
 lang:fr **score:22** filesize: 566.13 K page_count: 1 document date: 2023-03-29



[\[pdf\]](#) Specifications

165SELL 002test 165 Specifications Spanish ww braeburnonline sites braeburn files products specifications
 Modelo **165S** Thermostato para la construccin Accesorio Control de temperatura economico para uso durante una construccin Instalarlo en vez de termostato estndar durante una construccin. Mantiene la temperatura calefaccin a 18.33C 65F Diseo que previene el ajuste de la temperatura Caparazn pr...
 lang:es **score:22** filesize: 106.56 K page_count: 1 document date: 2009-04-16



[\[pdf\]](#) User Manual Accessories Catalog

Zone Control Panels 5 Features 7 Day 2 or Non Programmable Large Display with Adjustable Backlight
SmartLimit® Temperature Limits Auto Manual Changeover1 Residential Commercial Modes Braeburn
Salus Catalog 2025 1 morleyassociates 02 |||

Contents Thermostats Builder Series 500 / 505 Mechanical..... d
at HVAC Equipment 9 FREE Custom Face Plates See page 11. Thermostat
Accessories 5390 5490 **165** 5970 2920 / 2940 2950 AFTS40M 5390 Wired Remote
Indoor Sensor Contemporary style for any de...

lang:en **score:22** filesize: 6.86 M page_count: 44 document date: 2025-01-06



[\[pdf\]](#) Accessories

Thermostats 78478 PROD FILE s3 supplyhouse manuals 1346674730019 |||

Thermostats NEW NEW NEW Table of Contents Builder Series - Value Models 500 /
505 / 507 M ... yle Strong Durable Clear Plastic Two Keys Included Fits thermostats
up to 7.3 W x 5.25 H x 1.8 D **165** Construction Thermostat Install in Place of Standard
24 Volt AC Thermostat During Construction ...

lang:en **score:22** filesize: 4.29 M page_count: 11 document date: 2012-04-05



[\[pdf\]](#) Specifications

165 300 SP Modelo Thermostato para la construcción firelite braeburnonline sites braeburn files products
specifications |||

Modelo **165** Thermostato para la construccion Control de temperatura econmico para
uso durante una construccion Instalarlo en vez de termostato estndar durante una
construccion Mantiene la temperatura calefaccin a 18.33C 65F Diseado para ayudar a
prevenir ajustes de temperatura Caparazn protege ...


lang:es **score:21** filesize: 569.05 K page_count: 1 document date: 2023-03-29



[Braeburn Thermostats: Programmable, Non-Programmable & Touchscreen Models](#)

Explore the full range of Braeburn thermostats, including Builder, Economy, Premier, and Deluxe series. Find features, specifications, and contractor solutions for optimal home comfort and energy efficiency.

lang:en score:21 filesize: 4.34 M page_count: 14 document date: 2013-01-10




[\[pdf\] User Manual Accessories Catalog](#)

Thermostats Zoning Systems Braeburn and Catalog June 2020 Auto or Manual Changeover Hardwire Battery Powered Permanent Memory Retains Settings Circulating Fan Mode Separate User Installer Reset 3 Features 500 500C * 1 Heat Cool 505 505C Only Adjustable Temperature Limits for Multi Family Housing Differential Smart Wi Fi Ad ap tiv e Re co ve ry M od Au to Ch an ge ov er Ke yp ad L oc ko ut Du al F ue l Ca pa bl Pr og ra m ab le Fa n Ba la nc Po in ts Programmable Modes Auxiliary Fresh Air Terminal Wired Remote Sensing see page 13 Requires Common C Wire Flexible Solution 7 Day 5 2 Non Large 6 sq Lock SmartLimit™ works without common wire on most systems all Pump 7205 3H 2C 7300 2H 1C 7305 FREE Color Contractor Branding Quick Reference Instruction Card Touchscreen with Oversized Characters Easier view change settings SpeedSet® Programming Quickly program days braeburnonline sites braeburn files products literature stage ww

Thermostats Zoning Systems Thermostats Thermostats Builder Series 500 / 505 Mechanical..... ol functions on compatible Braeburn thermostats Sense range of - 40 to 120F 5970 Thermostat Guard 165 Construction Thermostat Universalfits virtually all thermostats Install in place of standard ...

lang:en score:20 filesize: 8.11 M page_count: 23 document date: 2020-06-11



[Braeburn Thermostats: The Brighter Choice for Indoor Comfort](#)

Explore the range of Braeburn thermostats, including Builder, Economy, Premier, Deluxe, and Smart Wi-Fi series. Discover features like large displays, easy programming, and advanced controls for residential and commercial applications. Learn about contractor branding and accessory options.

lang:en score:20 filesize: 3.65 M page_count: 16 document date: 2015-08-24




[\[pdf\]](#) User Manual Accessories Borchure Catalog

Thermostats Sid Harvey 17 ago 2020 — Auto or Manual Changeover Circulating Fan Mode Hardwire Battery Powered Programmable User Selectable Service Monitors Built in Economizer Control 5320 Multi Level Keypad Lockout Indoor Outdoor Remote Sensing Adjustable Temperature Limits Separate and Installer Reset Buttons brochure Thermostat Catalog 20120120 5 0 2 3 6 11652 11653 11661 1020NC 1025NC 1200NC 1220A 1220NC 2000NC 2220 3020 3220 6100 6300 6400 BR500 Braeburn s3 supplyhouse product files braeburnonline sites braeburn products literature 80 category Thermostats Table of Contents Builder Series - Value Models 500 / 505 Mechanical..... yle Strong Durable Clear Plastic Two Keys Included Fits thermostats up to 7.3 W x 5.25 H x 1.8 D **165** Construction Thermostat Install in Place of Standard 24 Volt AC Thermostat During Construction ... lang:en **score:20** filesize: 7.16 M page_count: 14 document date: 2014-06-12



[\[pdf\]](#) User Manual Catalog

Termostatos Sistemas de zonificación Braeburn Systems zonificación Conversión automática o manual Modos bloqueo usuario e instalador Límites temperatura SmartLimit™ Control la circulación del ventilador * Wi Fi funciona sin cable común C en mayoría los sistemas Requiere Alambre bomba calor solo fríos 7205 7300 7305 Cableados batería La memoria permanente retiene configuración Botones Comparacion características termostatos 24 1 Aire acondicionado 2 Calefacción Catalog 2019 SP braeburnonline sites braeburn files products literature 80 ww Termostatos Sistemas de zonificacin Termostatos Termostatos Serie Builder 500 / 505 Mecnicos. ... alador. Accesorios disponiblesvea la pgina 13 Termostatos 12 Accesorios termostatos 5390 5490 **165** 5970 2920 2950 5390 Sensor remoto interior con cable Estilo contemporaneo que armoniza con cu... lang:es **score:20** filesize: 5.23 M page_count: 22 document date: 2019-06-18



[\[pdf\]](#) Installation Guide Specifications Accessories

165SELL 002test Construction Thermostat Model 165 Sid Harvey The brighter choice ® Braeburn Systems LLC 2215 Cornell Avenue Montgomery IL 60538 Toll Free 866 268 5599 U S 1 630 844 1968 Outside the Our bin display can assist in selling Simply assemble and fill with individually packaged Specifications Submittal Sheet braeburnonline sites braeburn files products specifications s3 supplyhouse product ww Model **165** Construction Thermostat Accessory Economical Construction Site Temperature Control Install in Place of Standard Thermostat During Construction Maintains Heating Temperature Set Point at 65 F Tamper-proof Design Prevents Temperature Adjustment Sturdy Enclosure Protects Switch from Dr... lang:en **score:19** filesize: 351.07 K page_count: 1 document date: 2008-09-23



[\[pdf\]](#) Accessories Catalog

Braeburn Catalog EN 100 200 25 braeburnonline sites braeburn files products literature |||

Thermostats Zoning Systems Thermostats Thermostats Builder Series 500 / 505 Mechanical..... ol functions on compatible Braeburn thermostats Sense range of - 40 to 120F 5970 Thermostat Guard **165** Construction Thermostat Universalfits virtually all thermostats Install in place of standard ...

lang:en **score:19** filesize: 7.16 M page_count: 24 document date: 2023-03-21




[\[pdf\]](#) Accessories Catalog

Braeburn Catalog EN 100 200 26 braeburnonline sites braeburn files products literature |||

Thermostats Zoning Systems Thermostats Thermostats Builder Series 500 / 505 Mechanical..... ol functions on compatible Braeburn thermostats Sense range of - 40 to 120F 5970 Thermostat Guard **165** Construction Thermostat Universalfits virtually all thermostats Install in place of standard ...

lang:en **score:19** filesize: 7.16 M page_count: 24 document date: 2023-09-19



[\[pdf\]](#) Accessories Catalog

Shop Braeburn HVAC Equipment Blackhawk SupplyBraeburn Catalog 2019supplyfile docs braeburn 2019 |||

Thermostats Zoning Systems Thermostats Thermostats Builder Series 500 / 505 Mechanical..... ol functions on compatible Braeburn thermostats Sense range of - 40 to 120F 5970 Thermostat Guard **165** Construction Thermostat Universalfits virtually all thermostats Install in place of standard ...

lang:en **score:19** filesize: 7.75 M page_count: 23 document date: 2019-05-30



[\[pdf\]](#) Catalog

Braeburn Catalog 2024 FR braeburnonline sites braeburn files products literature |||

Thermostats Systmes de zonage Thermostats Thermostats Srie Builder 500 / 505 mcaniques..... ide. Voir en page 22. Accessoires disponiblesvoir en page 10 Accessoires de thermostat 5390 5490 **165** 5970 2920 / 2940 2950 5390 Capteur distance d intrieur filaire Style contemporain pour tous...

lang:fr **score:19** filesize: 4.91 M page_count: 21 document date: 2024-03-13



[\[pdf\]](#) Catalog

Braeburn Catalog 2024 SP braeburnonline sites braeburn files products literature |||

Termostatos Sistemas de Zonificación Termostatos Termostatos Serie Builder 500 / 505 Mecnicos. ... n termostatos compatibles Braeburn Rango de detección de -40 a 120 F 5970 Protector de termostato **165** Termostato para construcción Universal: apta prácticamente **165** para todos los termostatos Re...

lang:es **score:19** filesize: 6.04 M page_count: 21 document date: 2024-05-22




[\[pdf\]](#) Catalog

Braeburn Catalog 2022 SP braeburnonline sites braeburn files products literature |||

Termostatos Sistemas de zonificación Termostatos Termostatos Serie Builder 500 / 505 Mecnicos. ... alador. Accesorios disponiblesvea la página 11 Termostatos 10 Accesorios termostatos 5390 5490 **165** 5970 2920 2950 5390 Sensor remoto interior con cable Estilo contemporáneo que armoniza con cu...

lang:es **score:19** filesize: 2.46 M page_count: 19 document date: 2022-05-11



[\[pdf\]](#) Accessories Catalog

Braeburn Thermostat Zoning Catalog 2018 0 braeburnonline 80 sites braeburn files products literature


Thermostats Thermostats Builder Series 500 / 505 Mechanical..... 3 100 ... ol functions on compatible Braeburn thermostats Sense range of -40 to 120F 5970 Thermostat Guard **165** Construction Thermostat Universalfits virtually all thermostats Install in place of standard ...

lang:en **score:19** filesize: 5.5 M page_count: 24 document date: 2018-10-05



[\[pdf\]](#) Catalog

Braeburn Catalog 2022 FR braeburnonline sites braeburn files products literature |||
 Thermostats Systmes de zonage Thermostats Thermostats Srie Builder 500 / 505
 mcaniques..... .. les thermostats Braeburn compatibles Plage de dtecton de -40
 120F 5970 Protection de thermostat **165** Thermostat de construction
 Universelconvient virtuellement pour Installation la place d un t...
 lang:fr **score:19** filesize: 2.74 M page_count: 21 document date: 2022-05-19



[\[pdf\]](#) Guide

Our Nutrition Guide Greggs greggs nutrition information june 2022 a storyblok f 94904 x 9285367358 |||
 Product Name - HS denotes Hospital Shop Nutrition correct at time of print June 2022
 Guide Only ... 21 17 25 36 8.6 13 65 25 37 14 1.7 2.6 3 6.0 8.8 18 1.0 1.5 25 160 1031
1650 246 394 20 11 17 24 4.4 7.0 35 20 32 12 0.0 0.0 0 17 27 54 0.97 1.6 ...
 lang:tl **score:19** filesize: 565.42 K page_count: 5 document date: 2022-06-13



[\[pdf\]](#) Catalog

Braeburn Catalog SP 100 200 25 braeburnonline sites braeburn files products literature |||
 Termostatos Sistemas de zonificacin Termostatos Termostatos Serie Builder 500 /
 505 Mecnicos ... urn Rango de deteccin de -40 a 120 F 5970 Protector de termostato
 Universal: apta prcticamente **165** para todos los termostatos Reemplaza a ms de 100
 modelos de la competencia Diseo a prueba ...
 lang:es **score:19** filesize: 5.04 M page_count: 20 document date: 2023-03-22



[\[pdf\]](#) Catalog

Braeburn Catalog SP 100 200 26 braeburnonline sites braeburn files products literature |||

Termostatos Sistemas de zonificación Termostatos Termostatos Serie Builder 500 / 505 Mecnicos ... urn Rango de deteccin de -40 a 120 F 5970 Protector de termostato Universal: apta prcticamente **165** para todos los termostatos Reemplaza a ms de 100 modelos de la competencia Diseo a prueba ...

lang:es **score:19** filesize: 5.04 M page_count: 20 document date: 2023-09-19



[\[pdf\]](#) Accessories Catalog

Thermostats and Zoning Systems Catalog Literature Braeburn EN 100 200 27 braeburnonline sites braeburn files products literature |||

Thermostats Zoning Systems Thermostats Thermostats Builder Series 500 / 505 Mechanical..... ... Instruction Card. See page 22. Accessories AvailableSee Page 10 Thermostat Accessories 5390 5490 **165** 5970 2920 / 2940 2950 5390 Wired Remote Indoor Sensor Contemporary style for any decor For ...

lang:en **score:19** filesize: 4.57 M page_count: 24 document date: 2023-12-11



[\[pdf\]](#) Catalog

Braeburn Catalog FR 100 200 25 braeburnonline sites braeburn files products literature |||


Thermostats Systmes de zonage Thermostats Thermostats Srie Builder 500 / 505 mcaniques..... ... 0 99F 5970 Protection de thermostat Universelconvient virtuellement pour tous les thermostats **165** Remplace plus de 100 modles concurrents Conception inviolable Deux cls fournies Conven...

lang:fr **score:19** filesize: 4.51 M page_count: 21 document date: 2023-03-22




[\[pdf\]](#) Catalog

Braeburn Catalog FR 100 200 26 braeburnonline sites braeburn files products literature |||
 Thermostats Systmes de zonage Thermostats Thermostats Srie Builder 500 / 505
 mcaniques..... ... 0 99F 5970 Protection de thermostat Universelconvient
 virtuellement pour tous les thermostats **165** Remplace plus de 100 modes
 concurrents Conception inviolable Deux cls fournies Convien...
 lang:fr **score:19** filesize: 4.9 M page_count: 21 document date: 2023-09-26



[\[pdf\]](#) Accessories

Braeburn Thermostat Cat 2015 2 8 braeburnonline 80 sites braeburn files products literature
 Thermostats Table of Contents Builder Series - Value Models 500 / 505
 Mechanical..... ... ats up to 7.3 W x 5.25 H x 1.8 D Additional Accessories
 Lowers CostsCan be Reused from Job to Job **165** Construction Thermostat Install in
 Place of Standard 24 Volt AC Thermostat During Construction ...
 lang:en **score:19** filesize: 3.36 M page_count: 16 document date: 2015-08-24



[\[pdf\]](#) Accessories

Braeburn Thermostat Cat 2015 2 10 11 braeburnonline 80 sites braeburn files products literature
 Thermostats Table of Contents Builder Series - Value Models 500 / 505
 Mechanical..... ... ats up to 7.3 W x 5.25 H x 1.8 D Additional Accessories
 Lowers CostsCan be Reused from Job to Job **165** Construction Thermostat Install in
 Place of Standard 24 Volt AC Thermostat During Construction ...
 lang:en **score:19** filesize: 3.42 M page_count: 16 document date: 2015-11-18



[Braeburn Thermostats and Zoning Systems Product Catalog](#)

Comprehensive catalog of Braeburn thermostats, including Wi-Fi, wireless, touchscreen, and programmable models, alongside zoning systems, control panels, and dampers. Features, specifications, and accessories are detailed.

lang:en score:18 filesize: 4.57 M page_count: 24 document date: 2022-10-25



[\[pdf\] Accessories Catalog](#)

Thermostats and Zoning Systems Catalog Power Close Spring Return Round Damper Braeburn 100 200 23 d7 braeburnonline sites braeburn files products literature |||

Thermostats Zoning Systems Thermostats Thermostats Builder Series 500 / 505 Mechanical..... .. ol functions on compatible Braeburn thermostats Sense range of - 40 to 120F 5970 Thermostat Guard **165** Construction Thermostat Universalfits virtually all thermostats Install in place of standard ...

lang:en score:18 filesize: 4.44 M page_count: 21 document date: 2022-03-09



[\[pdf\] Warranty](#)

Full Line Braeburn fullline braeburnonline 80 s

The brighter choice™ 500 Series Braeburn s new 500 Series mechanical thermostats are the perfec ... ications Slim Contemporary Style Strong Durable Clear Plastic Two Keys Included Patents Pending **165** Construction Thermostat Install in Place of Standard Thermostat During Construction Maintains ...

lang:en score:18 filesize: 1.4 M page_count: 9 document date: 2006-03-23



[\[pdf\] Accessories Borchure](#)

Thermostats Zoning Systems Braeburn 2940 Brochure supplyhouse product files |||

Thermostats Zoning Systems Thermostats Thermostats Builder Series 500 / 505 Mechanical..... .. Instruction Card. See page 22. Accessories AvailableSee Page 10 Thermostat Accessories 5390 5490 **165** 5970 2920 / 2940 2950 5390 Wired Remote Indoor Sensor Contemporary style for any decor For ...

lang:en score:18 filesize: 4.74 M page_count: 24 document date: 2023-12-11



[\[pdf\]](#) Instructions

CRC400C IB 12CC134518 HR marting Rice Cooker Steamer CRC 400C Cuisinart ASSEMBLY INSTRUCTIONS To use your Cuisinart® 1 Carefully unpack the 2 Rinse nonstick cooking pot steaming tray en cuisinart ca on demandware static Sites Library CA dw00c1e23f Instruction Booklet bigmountain kitchen 2016 03

INSTRUCTION RECIPE BOOKLET Rice Cooker/Steamer CRC-400C For your safety and continued enjoyment ... 1 cups 375 ml water teaspoon 1 ml kosher salt 1 ounce 28 g chopped red onion 2/3 cup **165** ml cut corn use frozen, thawed cup 125 ml shredded zucchini cup 125 ml chopped red...

lang:en **score:18** filesize: 261.37 K page_count: 20 document date: 2013-08-26



[\[pdf\]](#) Accessories

braeburn 119014 article 10007220863162886 en cc1 resource bakerdist is content Watscocom Gemaire |||

Thermostats Thermostats Builder Series 500 / 505 Mechanical..... 3 100 ... ol functions on compatible Braeburn thermostats Sense range of -40 to 120F 5970 Thermostat Guard **165** Construction Thermostat Universalfits virtually all thermostats Install in place of standard ...

lang:en **score:17** filesize: 7.17 M page_count: 22 document date: 2018-08-30