



Manuals.plus /

› EverNice /

› EverNice Double Fold Clean Finish Swing Hemmer User Manual

EverNice 7/8 inch Hemmer (B088LVDPHR)

EverNice Double Fold Clean Finish Swing Hemmer User Manual

Model: 7/8 inch Hemmer (ASIN: B088LVDPHR)

Brand: EverNice

1. PRODUCT OVERVIEW

The EverNice Double Fold Clean Finish Swing Hemmer is a specialized attachment designed to create neat, double-folded hems on various fabrics. This hemmer is compatible with most flat bed home and industrial sewing machines that feature attachment mounting holes near the needle plate on the machine bed.

Its unique design allows it to be swung away when not in use, eliminating the need for complete removal from the sewing machine. This particular model is designed to produce a 7/8 inch clean finish hem.

Compatible Sewing Machine Brands (including but not limited to):

- Artisan: 186R, 5550N, 8500N
- Brother: B705, B707, B715, B716, B735, B737, B738, B745, B755, B757, B758, B767, B781, PQ1300, PQ1500
- Consew: 30, 31-15, 98, 99, 102, 103, 105, 210, 217, 218, 219, 220, 230, 290, 310, 2230, 7360R-1
- Econosew: DDL-5550, DDL-8500, DDL-8700
- Feiyue: 8500, 8700
- Gemsy: 8700
- Juki: DDL-127, DDL-227, DDL-500, DDL-552, DDL-553, DDL-555, DDL-5550, DDL-5600, DDL-8300, DDL-8500, DDL-8700, DDL-8900, DDL-9000
- Mitsubishi: DB-120, DB-121, DB-122, DB-126, DB-130, DB-170, DB-189, DB-199, LS2-130, LS2-150, LS2-180, LS2-190, LS2-1130
- Necchi: Supernova Julia
- Reliable: MSK-8800, MSK-8550M, MSK-8870M
- Rex: RX8500
- Singer: 31-15, 44, 95, 96, 120U, 121C, 121D, 188K, 191D, 195K, 196K, 241, 251, 281, 366K, 400W, 402W, 451K, 491D, 591D, 600W, 660A, 691D, 770D, 771D, 2191, 2491D

- Sunstar: KM-123A, KM-123B, KM-137A, KM-137B, KM-146BL, KM-250
- Tacsew: 5550, 8500, T8700
- Taiko: TK-505, TK-510
- Toyota: AD156, AD157, AD338, D146, D147, D347, D348
- Yamata: FY8500, FY8700

2. SETUP AND INSTALLATION

Before installing the hemmer, ensure your sewing machine is turned off and unplugged for safety. This hemmer attaches to your sewing machine using the existing attachment mounting holes located next to the needle plate on the machine bed.

1. **Identify Mounting Holes:** Locate the two screw holes on your sewing machine's bed, typically to the right of the needle plate.
2. **Position the Hemmer:** Align the two slots on the hemmer's mounting bracket with the screw holes on your machine.
3. **Secure with Screws:** Use the provided thumb screws to firmly attach the hemmer to your sewing machine. Hand-tighten the screws to ensure a secure fit without over-tightening.
4. **Test Swing Mechanism:** Once attached, gently swing the hemmer away from the needle area and back to ensure it moves freely and locks into position when needed.



Figure 2.1: The EverNice Double Fold Clean Finish Swing Hemmer, showing the main body and the two thumb screws used for attachment to the sewing machine bed.



Figure 2.2: The hemmer showing a "5/8" marking (note: this specific product is 7/8 inch, but the image shows a similar model) and a diagram illustrating the double-fold hemming process.

3. OPERATING INSTRUCTIONS

The Double Fold Clean Finish Swing Hemmer is designed to guide fabric into a perfect double-fold hem, providing a professional and durable finish.

1. **Prepare Fabric:** Ensure the edge of your fabric is cut straight. For best results, a slight initial fold or ironed crease can help guide the fabric into the hemmer.
2. **Insert Fabric:** Gently feed the edge of your fabric into the scroll of the hemmer. The hemmer will automatically fold the fabric twice, creating a clean edge.
3. **Begin Sewing:** Lower your presser foot and needle. Start sewing slowly, guiding the fabric consistently through the hemmer. The hemmer will maintain the correct fold as you sew.
4. **Maintain Tension:** Ensure your sewing machine's tension is appropriate for your fabric type to achieve a smooth, even stitch.

5. **Swing-Away Feature:** When you need to access the needle area or switch to a different sewing operation, simply swing the hemmer away from the needle. It will remain attached to the machine, ready for use again.




Figure 3.1: Red fabric being guided into the hemmer, demonstrating how the attachment folds the material for a clean finish.



Figure 3.2: A detailed close-up of the hemmer's scroll, illustrating the precise double-fold mechanism that creates the clean hem.

4. MAINTENANCE

To ensure the longevity and optimal performance of your EverNice Double Fold Clean Finish Swing Hemmer, follow these simple maintenance guidelines:

- **Cleaning:** Periodically wipe down the hemmer with a soft, dry cloth to remove any lint, dust, or fabric fibers that may accumulate.
- **Lubrication:** No lubrication is required for this attachment.
- **Storage:** Store the hemmer in a dry place when not in use to prevent rust or damage.
- **Inspection:** Regularly inspect the hemmer for any signs of bending, damage, or loose screws. Ensure the swing mechanism operates smoothly.

5. TROUBLESHOOTING

Problem	Possible Cause	Solution
Hemmer does not fit machine.	Machine lacks compatible mounting holes or has a different bed design.	Verify your sewing machine has the standard attachment mounting holes next to the needle plate. This hemmer is designed for flat bed machines with these specific attachment points. Consult your sewing machine's manual for attachment compatibility.
Fabric does not feed smoothly.	Fabric is too thick/thin, not properly aligned, or hemmer is loose.	Ensure the hemmer is securely attached. Adjust fabric alignment before feeding. For very thick or very thin fabrics, practice on scraps to find optimal feeding technique.
Hem is uneven or inconsistent.	Inconsistent fabric feeding, incorrect needle/thread, or machine tension issues.	Maintain a steady, even pace when feeding fabric. Check your sewing machine's needle and thread for suitability with your fabric. Adjust machine tension as needed.

6. SPECIFICATIONS

- **Product Type:** Double Fold Clean Finish Swing Hemmer
- **Hem Size:** 7/8 inch (approx. 22.2 mm)
- **Material:** Metal
- **Compatibility:** Most flat bed home and industrial sewing machines with attachment mounting holes next to the needle plate.
- **ASIN:** B088LVDPHR




Figure 6.1: The hemmer viewed from another angle, showing the general construction and the "5/8" marking (note: this specific product is 7/8 inch, but the image shows a similar model).

7. WARRANTY AND SUPPORT

For any questions regarding the installation, operation, or maintenance of your EverNice Double Fold Clean Finish Swing Hemmer, please contact EverNice customer support. Specific warranty information may vary; please refer to your purchase documentation or contact the seller directly for details.

For further assistance, you may visit the official EverNice store on Amazon: [EverNice Store](#)