

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [PolyGroup](#) /

› [PolyGroup Summer Waves 13ft x 33in Quick Set Inflatable Above Ground Pool Instruction Manual](#)

PolyGroup Summer Waves 13ft x 33in Quick Set Inflatable Above Ground Pool

Summer Waves 13ft x 33in Quick Set Inflatable Above Ground Pool Instruction Manual

Model: 13ft x 33in Quick Set Inflatable Above Ground Pool

INTRODUCTION

This manual provides essential instructions for the safe and efficient setup, operation, and maintenance of your Summer Waves 13ft x 33in Quick Set Inflatable Above Ground Pool. Designed with an inflatable top ring, this pool offers a convenient and enjoyable swimming experience. It is constructed with durable PVC materials for longevity and performance.

Important Safety Information: Always supervise children in and around the pool. Ensure the pool is placed on a level surface free of sharp objects. Read all instructions before assembly and use.



Image: The Summer Waves 13ft x 33in Quick Set Inflatable Above Ground Pool with its blue color and inflatable top ring, ready for use.

SETUP INSTRUCTIONS

The Quick Set pool is designed for straightforward assembly. Follow these steps for proper installation:

- 1. Site Preparation:** Select a firm, level area for your pool. Clear the area of any debris, rocks, or sharp objects. A ground cloth or tarp is recommended to protect the pool liner.
- 2. Unfold the Pool:** Carefully unfold the pool liner in the chosen location, ensuring the drain plug is positioned away from any structures or areas where water drainage could cause damage.
- 3. Inflate Top Ring:** Inflate the top ring of the pool using an air pump (not included). Ensure it is firm but not over-inflated.
- 4. Begin Filling:** Start filling the pool with water. As the water level rises, the pool walls will begin to stand upright. Smooth out any wrinkles on the bottom of the pool as it fills.
- 5. Connect Filter Pump:** Once the pool has approximately 1-2 feet of water, connect the RX600 filter pump. Ensure all hoses are securely attached to the intake and return fittings on the pool wall. Refer to the diagram

below for correct connections.

- Continue Filling:** Continue filling the pool until it reaches the recommended fill line, typically just below the inflatable top ring. This pool holds up to 1,888 gallons when 90% full. Full filling may take approximately 6 hours depending on water pressure.




Image: Diagram illustrating the correct connection of the filter pump to the pool's intake and return ports.



Image: A close-up view of the filter pump connected to the side of the blue inflatable pool, showing the white hoses and fittings.

OPERATING THE FILTER PUMP

The included RX600 filter pump is essential for maintaining water clarity and hygiene. It features GFCI (Ground-Fault Circuit Interrupter) for enhanced safety.

- Ensure the pump is connected to a GFCI-protected electrical outlet.
- Run the filter pump for several hours each day to ensure proper circulation and filtration. The exact duration depends on pool usage and environmental conditions.
- Regularly check the filter cartridge for debris and clean or replace it as needed to maintain optimal pump performance.

MAINTENANCE

Proper maintenance will extend the life of your pool and ensure clean, safe water for swimming.

- **Water Chemistry:** Regularly test your pool water for pH, chlorine, and alkalinity levels. Adjust chemicals as necessary using a pool chlorinator and appropriate pool chemicals.
- **Filter Cartridge:** The RX600 filter pump uses a D filter cartridge. Inspect and rinse the cartridge weekly, or more often with heavy use. Replace the cartridge every 2-4 weeks, or when it becomes visibly dirty and cannot be cleaned effectively.
- **Cleaning:** Skim debris from the water surface daily. Vacuum the pool bottom as needed to remove settled dirt and leaves.
- **Pool Cover:** Use a pool cover when the pool is not in use to prevent debris accumulation and reduce water evaporation.
- **Winterization:** For seasonal use, drain, clean, and thoroughly dry the pool before folding and storing it in a cool, dry place for the off-season.

TROUBLESHOOTING

If you encounter issues with your pool, consider the following common problems and solutions:

- **Cloudy Water:** Check filter cartridge for cleanliness and replace if necessary. Ensure the pump is running for adequate periods. Test and adjust water chemistry.
- **Pump Not Running:** Verify the power connection and GFCI reset button. Check for blockages in the pump or hoses.
- **Water Leakage:** Inspect the pool liner for punctures or tears. Use a vinyl repair kit to patch small holes. Check all hose connections for tightness.
- **Inflatable Ring Deflating:** Check the air valve for a secure seal. Inspect the ring for small punctures and repair as needed.

SPECIFICATIONS

Brand	PolyGroup
Model	Summer Waves 13ft x 33in Quick Set Inflatable Above Ground Pool
Product Dimensions	156"L x 156"W x 33"H (13ft diameter x 33in height)
Shape	Round
Color	Blue
Capacity	1888 Gallons (when 90% full)
Material Type	Polyvinyl Chloride (PVC)

Included Components	Filter Cartridge (Type D), Filter Pump (RX600)
Item Weight	18.8 Kilograms
UPC	192072016802

WARRANTY AND SUPPORT

For warranty information, technical support, or replacement parts, please refer to the documentation included with your product or contact PolyGroup customer service directly. Keep your proof of purchase for warranty claims.