

GreenForest B088TGWGC6

GreenForest Twin Metal Platform Bed Frame with Headboard Instruction Manual

Model: B088TGWGC6

1. INTRODUCTION

This manual provides detailed instructions for the assembly, operation, and maintenance of your GreenForest Twin Metal Platform Bed Frame with Headboard. Please read all instructions carefully before beginning assembly and retain this manual for future reference.

Safety Information

- Ensure all parts are present and undamaged before assembly. Do not use if any parts are missing or broken.
- Assemble the bed frame on a soft, clean surface to prevent scratches.
- Tighten all bolts and screws securely. Periodically check and re-tighten fasteners to ensure stability.
- Do not exceed the maximum weight capacity of 330 lbs.
- Keep small parts away from children during assembly.

2. PACKAGE CONTENTS

Verify that all components listed below are included in your package. If any parts are missing, please contact GreenForest customer support.

- Headboard and Footboard sections
- Side Rails
- Metal Slats (10 reinforced square slats)

- Support Legs (including 2 extra middle support legs)
- Hardware Pack (bolts, screws, washers, nuts)
- Installation Tool (Allen wrench)
- Installation Manual (this document)



Image 2.1: Overview of bed frame components before assembly.

3. SETUP AND ASSEMBLY

Follow these steps carefully for proper assembly. It is recommended to have two people for assembly.

1. **Unpack and Identify Parts:** Lay out all components on a clean, soft surface. Refer to the parts list to ensure everything is present.
2. **Attach Side Rails to Headboard:** Connect the side rails to the headboard using the provided bolts and the installation tool. Do not fully tighten bolts until all major components are connected.
3. **Attach Side Rails to Footboard:** Connect the other end of the side rails to the footboard. Ensure the headboard and footboard are facing the correct direction.
4. **Install Support Legs:** Attach the central support legs to the designated points on the frame. The bed frame includes 2 extra middle support legs for enhanced stability.

5. **Install Metal Slats:** Place the metal slats across the frame. The slats feature a clip design for easy installation and a firm, noiseless fit. Ensure all 10 reinforced square metal slats are evenly distributed and securely clipped into place.
6. **Final Tightening:** Once all components are in place, systematically tighten all bolts and screws using the installation tool. Ensure all connections are secure to prevent wobbling and noise.




Image 3.1: Detail of the T-shape connection and slat clip design for stable assembly.



T SHAPE CONNECTION
Multi screw fixed,
stable bed without shaking



SLATS CLIP DESIGN
Easy to install, firm and noiseless

Image 3.2: Reinforced middle support legs providing strong bearing capacity.

4. OPERATING INSTRUCTIONS

Mattress Placement

This platform bed frame is designed to support your mattress directly, eliminating the need for a box spring. Place your twin-sized latex, memory foam, or spring mattress directly onto the metal slats.

Weight Capacity

The GreenForest Twin Bed Frame has a maximum weight capacity of 330 lbs. Do not exceed this limit to ensure the longevity and safety of the bed frame.

Under-Bed Storage

The 14-inch platform design provides approximately 11.8 inches of clearance underneath the bed frame, offering convenient space for storage boxes or other items.



Image 4.1: The bed frame provides ample under-bed storage space.

5. MAINTENANCE

- **Cleaning:** Wipe the metal frame with a dry cloth to remove dust and debris. Avoid using harsh chemicals or abrasive cleaners.
- **Fastener Check:** Periodically inspect all bolts and screws to ensure they remain tight. Re-tighten as necessary to maintain the bed frame's stability and prevent noise.

6. TROUBLESHOOTING

- **Squeaking Noise:** If the bed frame develops a squeak, check all connections and ensure bolts are securely tightened. The design is intended to be noise-free, so loose connections are the most common cause.
- **Mattress Shifting:** If your mattress tends to shift on the platform, consider placing an anti-slip pad between the mattress and the metal slats.
- **Difficulty During Assembly:** If you encounter difficulty during assembly, re-read the instructions carefully. Ensure all parts are correctly oriented before tightening bolts. Some parts may require firm

alignment before fitting together.

7. SPECIFICATIONS

Feature	Detail
Model	B088TGWGC6
Size	Twin
Product Dimensions (L x W x H)	78.4" x 39.3" x 37.4" (Headboard height)
Under-Bed Clearance	11.8 inches
Material	Metal
Color	Black
Weight Capacity	330 lbs
Assembly Required	Yes
Special Feature	Squeak Resistant, No Box Spring Needed



Image 7.1: Dimensional diagram of the GreenForest Twin Bed Frame.

8. WARRANTY AND SUPPORT

For warranty information, product support, or to report missing/damaged parts, please contact GreenForest customer service. Refer to your purchase documentation for specific contact details or visit the official

GreenForest website.

We are committed to providing quality products and support to our customers.

© 2023 GreenForest. All rights reserved.