

Intel E-2236

Intel Xeon E-2236 Processor User Manual

Model: E-2236

1. INTRODUCTION

This manual provides essential information for the proper installation, operation, and maintenance of your Intel Xeon E-2236 Processor. Please read this manual thoroughly before proceeding with installation or use to ensure optimal performance and longevity of the product.

2. PRODUCT OVERVIEW

The Intel Xeon E-2236 is a high-performance processor designed for server and workstation applications. Key features include:

- **Processor Model:** Intel Xeon E-2236
- **Core Count:** 6 Cores
- **Thread Count:** 12 Threads
- **Base Frequency:** 3.4 GHz
- **Max Turbo Frequency:** 4.8 GHz
- **Socket Type:** LGA 1151v2
- **Packaging:** OEM Tray (Heatsink not included)



Figure 2.1: Intel Xeon Inside Logo. This image displays the official Intel Xeon branding logo, indicating the processor's series.

3. SETUP AND INSTALLATION

Proper installation is critical for the functionality and longevity of your processor. Ensure you have a compatible motherboard with an LGA 1151v2 socket and an appropriate cooling solution (heatsink and fan) before beginning.

3.1 Safety Precautions

- Always wear an anti-static wrist strap to prevent electrostatic discharge (ESD) damage.
- Handle the processor by its edges only. Avoid touching the gold contacts or the top surface.
- Ensure the system is powered off and unplugged before installation.

3.2 Installation Steps

1. **Prepare the Motherboard:** Open the CPU socket retention lever and lift the load plate. Remove any protective cover from the socket.
2. **Align the Processor:** Carefully align the processor with the socket. Match the triangular orientation mark on the processor with the corresponding mark on the socket. Ensure the notches on the processor align with the keys on the socket.



Figure 3.1: Top view of the Intel Xeon E-2236 Processor. This image shows the integrated heat spreader (IHS) with the Intel logo, and the orientation marks for proper socket alignment.

3. **Seat the Processor:** Gently lower the processor straight down into the socket. Do not force it. If it does not seat easily, re-check alignment.
4. **Secure the Processor:** Close the load plate over the processor, then push down the retention lever until it clicks into place.




Figure 3.2: Bottom view of the Intel Xeon E-2236 Processor. This image displays the gold contact pads that interface with the motherboard socket. Handle with care to avoid damage.

5. **Apply Thermal Paste:** Apply a small amount of high-quality thermal paste to the center of the processor's integrated heat spreader (IHS).
6. **Install CPU Cooler:** Mount your compatible CPU cooler (heatsink and fan) according to its manufacturer's instructions. Ensure it makes firm, even contact with the processor's IHS.
7. **Connect Fan:** Connect the CPU cooler's fan cable to the designated CPU_FAN header on the motherboard.

4. OPERATING PRINCIPLES

The Intel Xeon E-2236 processor functions as the central processing unit of your computer system. Once installed and powered on, it executes instructions, performs calculations, and manages the flow of information. Its 6 cores and 12 threads allow for efficient multitasking and demanding computational workloads. The processor dynamically adjusts its frequency up to 4.8 GHz (Max Turbo Frequency) based on workload and thermal conditions to optimize performance.

5. MAINTENANCE

Minimal maintenance is required for the processor itself. However, maintaining the cooling system is crucial for optimal performance and longevity.

- **Dust Removal:** Regularly clean dust from the CPU cooler's heatsink fins and fan blades using compressed air. Dust accumulation can impede airflow and lead to overheating.
- **Thermal Paste:** The thermal paste between the CPU and cooler may degrade over several years. If you observe consistently high temperatures, consider reapplying fresh thermal paste. This typically involves removing the cooler, cleaning off old paste, and applying new paste.
- **Fan Check:** Ensure the CPU cooler fan is spinning freely and quietly. Replace noisy or failing fans promptly.

6. TROUBLESHOOTING

If you encounter issues after installing your Intel Xeon E-2236 processor, consider the following common troubleshooting steps:

- **No Display/System Not Booting:**
 - Verify the processor is correctly seated in the socket.
 - Ensure the CPU power cable from the power supply is securely connected to the motherboard.
 - Check RAM modules for proper seating.
 - Confirm motherboard BIOS/UEFI is updated to support the Xeon E-2236 processor.
- **Overheating/System Shutdowns:**
 - Ensure the CPU cooler is properly installed and making good contact with the processor.
 - Verify thermal paste application.
 - Check if the CPU cooler fan is spinning.
 - Clean any dust from the heatsink.
 - Ensure adequate airflow within the computer case.
- **System Instability/Crashes:**
 - Check for proper CPU cooler installation and temperatures.
 - Run diagnostic tools to check memory (RAM) integrity.
 - Ensure all drivers (chipset, etc.) are up to date.

If issues persist, consult your motherboard's manual or Intel's official support resources.

7. SPECIFICATIONS

Feature	Detail
---------	--------

Feature	Detail
Brand	Intel
Processor Model	Xeon E-2236
Item Model Number	CM8068404174603
CPU Cores	6
CPU Threads	12
Base Clock Speed	3.4 GHz
Max Turbo Frequency	4.8 GHz
CPU Socket	LGA 1151v2
Item Weight	1.06 ounces
Packaging	OEM Tray (Heatsink not included)

8. WARRANTY INFORMATION

This Intel processor is typically covered by Intel's standard limited warranty. Warranty terms and conditions can vary based on region and point of purchase. For detailed warranty information, please refer to the official Intel website or contact your retailer. Keep your proof of purchase for warranty claims.


9. SUPPORT



For further assistance, technical support, or to access updated drivers and documentation, please visit the official Intel support website:

[Intel Processors Support](#)


When contacting support, please have your processor model (Intel Xeon E-2236) and item model number (CM8068404174603) readily available.

Related Documents

	Intel Product Change Notification 853587-00: Boxed Processor Updates Notification regarding updates to Intel Boxed Processor manuals, Single Point of Contact (SPoC) details, and China RoHS compliance tables, affecting various Intel Core and Xeon processors.
---	---

	Intel Xeon CPU Support List for C621-WD12 Motherboard Find detailed specifications for Intel Xeon Platinum, Gold, Silver, and Bronze processors compatible with the C621-WD12 motherboard, including SKYLAKE-S and Cascade Lake series.
	Intel Xeon Scalable Processor OS Support Matrix Check operating system and virtualization platform compatibility for Intel's 4th Gen, Max Series, and 5th Gen Xeon Scalable Processors. Includes Windows Server, Red Hat, SUSE, Ubuntu, and VMware ESXi.
	Intel Xeon E5-2680 v4 Processor: User Manual and Installation Guide Detailed user manual and installation guide for the Intel Xeon E5-2680 v4 processor. Covers specifications, compatible components, installation steps, troubleshooting, and performance optimization for server and workstation environments.

Documents - Intel – E-2236




[\[pdf\]](#) User Manual Specifications Guide

TS hx83XU RP User Guide QNAP NAS storage server hardware user guide Systems Inc Manual
h2483XU Teline 4U Ethernet LAN Musta E 2236 mmo 85939448 1612451942 9551 48070 objects icecat
biz |||

TS-hx83XU-RP TS-h1683XU-RP TS-h2483XU-RP User Guide Document Version: 2
21/01/2021 TS-hx83XU-RP Us ... ter provides basic information about the QNAP
device. About the TS-hx83XU-RP Powered by Intel Xeon **E-2236** processor, the TS-
hx83XU-RP is an enterprise rackmount NAS designed for AI applications, such...


lang:en **score:34** filesize: 2.27 M page_count: 49 document date: 2021-01-21



[\[pdf\]](#) User Manual Specifications Guide

QNAP TS hx83XU RP User Guide NAS storage server hardware user guide Systems Inc h1683XU Rack 3U Ethernet LAN Black E 2236 manual 2 4 MB E2236 128G mmo 85939444 1652874898 5385 20696 objects icecat biz |||

TS-hx83XU-RP TS-h1683XU-RP TS-h2483XU-RP User Guide Document Version: 3 09/03/2022 TS-hx83XU-RP Us ... ter provides basic information about the QNAP device. About the TS-hx83XU-RP Powered by Intel Xeon **E-2236** processor, the TS-hx83XU-RP is an enterprise rackmount NAS designed for AI applications, such...
lang:en **score:30** filesize: 2.41 M page_count: 63 document date: 2022-03-09



[\[pdf\]](#) User Manual Owner's Manual Specifications Datasheet Documentation Guide Borchure

Dell EMC PowerEdge R240 Owner s Manual manual guide documentation DELL server 1 TB Rack 1U Intel Xeon E 2236 3 4 GHz 16 GB DDR4 SDRAM 450 W Product Brochure Datasheet 6 MBDELL 5F4CFmmo 89558236 1614762851 7632 1510objects icecat biz objects mmo 1510 |||

Dell EMC PowerEdge R240 Technical Specifications Guide Regulatory Model: E57S Series Regulatory Type: E57S001 Notes, cautions, and warnings NOTE: A NOTE indicates important information that helps you make better use of your product. CAUTION: A CAUTION indicates either potential damage to hardware ...
lang:en **score:28** filesize: 1.63 M page_count: 20 document date: 2019-12-10



[\[pdf\]](#) User Manual Guide

GM 1000 Benutzerhandbuch QNAP NAS storage server hardware user guide Systems Inc 15 10 2020 Depliant manual german lsy Documentazione Dual 1002 3U 20 Bay 2x 8 2 2xXeon E 2236 No HD 16GB 2x2 5GbE 2x10GbE SFP 4xUSB 3 2xPSU xNode PN leaflet mmo 85756590 1602772720 3319 20039 objects icecat biz |||

GM-1000 GM-1001 GM-1002 Benutzerhandbuch Dokumentversion: 1 24/09/2020 GM-1000 Benutzerhandbuch In ... 70W GM-1002 Node 2 x TNS-h1083XE2234-8G 2 x TNS-h1083XE2236-16G CPU Intel Xeon E-2234 Intel Xeon **E-2236** Arbeitsspeicher 8 GB 16 GB Gehäuse Speicher Komponente Name GM-1001 TEC-2N16-770W GM-1002...


lang:de **score:24** filesize: 3.44 M page_count: 54 document date: 2020-09-24



[\[pdf\]](#) Guide

Intel® Xeon® Platform Processors Selling Guide Intel Corporation Up to 4.50 GHz with Turbo Boost Technology 18 cores and 36 threads Hyper Threading 512 GB DDR4 2666 ECC memory xeon workstation technical selling guide thailand intel content dam www public us en documents sales ||| August 2019 Intel Xeon Processor-Based Professional workstations Professional-Grade Performance ... 4G processor 4.0 Intel Xeon E-2246G processor 3.6 Intel Xeon E-2244G processor 3.8 Intel Xeon **E-2236** processor 3.4 Intel Xeon E-2234 processor 3.6 Intel Xeon E-2226G processor 3.4 Intel Xe...

lang:en score:24 filesize: 2.19 M page_count: 19 document date: 2019-11-04



[\[pdf\]](#) Guide

Lenovo ThinkSystem ST250 Server E 2200 Download Product Guide Press lp1275 lenovopress lenovo ||| Lenovo ThinkSystem ST250 Server E-2200 Product Guide The Lenovo ThinkSystem ST250 is a mainstream ... 5308i 4x 3.5-in HS 1x 1x 550W No Std Opt Opt Not / Open bay DVDRW HS / 2 incl. 7Y45A031SG Xeon **E-2236** 1x 8GB RAID 6C 80W 3.4G 5308i 8x 2.5-in HS 1x 1x 550W No Std Opt Opt Not / Open bay DVDR...

lang:en score:23 filesize: 1.65 M page_count: 69 document date: 2022-09-06



[\[pdf\]](#) Instructions Specifications Guide

Intel® Server Board M10JNP2SB User Guide CTPClassification CTP IC VisualMarkings Aguirre Martinez Pablo C Produto69236IdArquivo25987 aldo br produtos ||| M10JNP2SB Intel Server Board M10JNP2SB User Guide An overview of product features, functions, archi ... cessor socket Supports one of the following processors: o Intel Xeon E-2224 processor o Intel Xeon **E-2236** processor o Intel Xeon E-2278G processor Maximum supported Thermal Design Power TDP of up ...

lang:en score:23 filesize: 3.6 M page_count: 74 document date: 2020-05-05



[pdf] Guide Safety Datasheet

Lenovo ThinkSystem SR250 Server E 2200 Download Produkt Guide 7Y51A07DEA lap4worx de media c5 29 83 |||

Lenovo ThinkSystem SR250 Server E-2200 Product Guide
Lenovo ThinkSystem SR250 is an affordable, si ... 2x PCIe x8 1x 450W E Y Y R2 71W 3.4GHz 1Rx8 RAID HS LFF SATA HDD 1x PCIe x4 HS 7Y51A04RNA 1x **E-2236** 6C 1x 8GB 1x SATA 4 / 4 Open 80W 3.4GHz 1Rx8 AHCI HS LFF bay 2x 1 GbE 2x PCIe x8 1x 450W...
lang:en score:23 filesize: 1.63 M page_count: 60 document date: 2023-03-17

Hardware Specification





TS-h1283XU-RP-E2236-128G	
CPU	Intel® Xeon® E-2236 6-core/12-thread 3.4 GHz processor (burst up to 4.8 GHz)
Floating Point Unit	Yes
Encryption Engine	Yes (AES-NI)
System Memory	128 GB UDIMM DDR4 ECC (4 x 32GB)
Maximum Memory	128 GB (4 x 32 GB)
Memory Slot	4 x Long DIMM DDR4
Flash Memory	5GB (Dual boot OS protection)
Drive Bay	12 x 3.5-inch SATA 6Gb/s, 3Gb/s
Drive Compatibility	3.5-inch SATA hard disk drives 2.5-inch SATA hard disk drives 2.5-inch SATA solid state drives
Hot-swappable	Yes
SSD Cache Acceleration Support	Yes
Gigabit Ethernet Port (RJ45)	4
10 Gigabit Ethernet Port	2 x 10GbE SFP+ SmartNIC port, 2 x 10GbE-T port
Jumpin Frame	Yes
PCIe Slot	4 Slot 1: PCIe Gen 2 x4 (PCIe) Slot 2: PCIe Gen 3 x4 (PCIe) Slot 3: PCIe Gen 3 x4 (PCIe) Slot 4: PCIe Gen 3 x4 (PCIe)
USB 3.2 Gen 2 (10Gbps) Port	2 x Type-C USB 3.2 Gen 2 10/1A, 10Gbps 4 x Type-A USB 3.2 Gen 2 10/1A, 10Gbps
Form Factor	2U Rackmount
LED Indicators	HDD 1-12, Status, LAN, storage expansion port status

[pdf] User Manual Specifications Dimension Guide

TS h1283XU RP E2236 128G US 12 Bay QTS hero NAS Intel Xeon E 2236 6 core 3 4 GHz processor burst up to 8 128 GB UD Enterprise iComTech icomtechinc images product manual |||

Hardware Specification TS-h1283XU-RP-E2236-128G CPU Intel Xeon **E-2236** 6-core/12-thread 3.4 GHz processor burst up to 4.8 GHz CPU Architecture 64-bit x86 Floating Point Unit Yes Encryption Engine Yes AES-NI System Memory 128 GB UDIMM DDR4 ECC 4 x 32GB Maximum Memory 128 GB 4 x 32 ...
lang:en score:23 filesize: 77.01 K page_count: 2 document date: 2020-09-25

Hardware Specification





TS-h1283XU-RP-E2236-32G	
CPU	Intel® Xeon® E-2236 6-core/12-thread 3.4 GHz processor (burst up to 4.8 GHz)
CPU Architecture	64-bit x86
Floating Point Unit	Yes
Encryption Engine	Yes (AES-NI)
System Memory	32 GB UDIMM DDR4 ECC (2 x 16GB)
Maximum Memory	128 GB (4 x 32 GB)
Memory Slot	4 x Long DIMM DDR4
Flash Memory	5GB (Dual boot OS protection)
Drive Bay	12 x 3.5-inch SATA 6Gb/s, 3Gb/s
Drive Compatibility	3.5-inch SATA hard disk drives 2.5-inch SATA hard disk drives 2.5-inch SATA solid state drives
Hot-swappable	Yes
SSD Cache Acceleration Support	Yes
Gigabit Ethernet Port (RJ45)	4
10 Gigabit Ethernet Port	2 x 10GbE SFP+ SmartNIC port, 2 x 10GbE-T port
Jumpin Frame	Yes
PCIe Slot	4 Slot 1: PCIe Gen 2 x4 (PCIe) Slot 2: PCIe Gen 3 x4 (PCIe) Slot 3: PCIe Gen 3 x4 (PCIe) Slot 4: PCIe Gen 3 x4 (PCIe)
USB 3.2 Gen 2 (10Gbps) Port	2 x Type-C USB 3.2 Gen 2 10/1A, 10Gbps 4 x Type-A USB 3.2 Gen 2 10/1A, 10Gbps
Form Factor	2U Rackmount
LED Indicators	HDD 1-12, Status, LAN, storage expansion port status

[pdf] User Manual Specifications Dimension Guide

TS h1283XU RP E2236 32G US 12 Bay QTS hero NAS Intel Xeon E 2236 6 core 3 4 GHz processor burst up to 8 32 GB UDIM Enterprise iComTech icomtechinc images product manual |||

Hardware Specification TS-h1283XU-RP-E2236-32G CPU Intel Xeon **E-2236** 6-core/12-thread 3.4 GHz processor burst up to 4.8 GHz CPU Architecture 64-bit x86 Floating Point Unit Yes Encryption Engine Yes AES-NI System Memory 32 GB UDIMM DDR4 ECC 2 x 16GB Maximum Memory 128 GB 4 x 32 GB...
lang:en score:23 filesize: 77.02 K page_count: 2 document date: 2020-09-25



[pdf] Guide Safety Datasheet

Lenovo ThinkSystem SR250 Server E 2200 Product Guide server 72 TB 3 4 GHz 8 GB Rack 1U Intel

Xeon 450 W DDR4 SDRAM 52383 store teknavi fi img object 5238 |||


Lenovo ThinkSystem SR250 Server E-2200 Product Guide Lenovo ThinkSystem

SR250 is an affordable, si ... x4 Power supply 1x 300W Fixed 1x 450W HS E Y Y R2

E Y Y R2 7Y51A04RNA 7Y51A051NA 7Y51A050NA 1x **E-2236** 6C 80W 3.4GHz 1x

E-2236 6C 80W 3.4GHz 1x E-2288G 8C 95W 3.7GHz 1x 8GB 1Rx8 1x 8GB 1Rx8 1...

lang:en score:22 filesize: 1.63 M page_count: 60 document date: 2021-07-16



[pdf] User Manual Guide Safety Datasheet

Lenovo ThinkSystem SR250 Server E 2200 IT Creations ICES 003 NMB 03 Class A UL62368 1 NOM 019

VCCI AS NZS CISPR 32 CCC GB4943 GB9254 GB17625 CECP CELP Rear 1x VGA port 2x USB 3 Gen

2 ports DB 9 serial and RJ 45 10 100 1000 Mb Ethernet systems management Cooling Four non lenovo

thinksystem sr250 product guide nr itcreations user manuals |||

Lenovo ThinkSystem SR250 Server E-2200 Product Guide Lenovo ThinkSystem

SR250 is an affordable, si ... y 7Y51A04UNA 7Y51A054NA 7Y51A04RNA

7Y51A051NA 1x E-2224 4C 71W 3.4GHz 1x E-2224 4C 71W 3.4GHz 1x **E-2236** 6C

80W 3.4GHz 1x **E-2236** 6C 80W 3.4GHz 1x 8GB 1Rx8 1x 8GB 1Rx8 1x 8GB 1Rx8 1x

8GB 1Rx8...

lang:en score:21 filesize: 1.63 M page_count: 59 document date: 2022-04-06



[pdf] Guide

Lenovo ThinkSystem ST250 Server E 2200 Product Guide The is a mainstream 1 socket tower server

that also be rack mounted as Produktleitfaden lap4worx de media 62 e5 7b |||

Lenovo ThinkSystem ST250 Server E-2200 Product Guide The Lenovo ThinkSystem

ST250 is a mainstream ... 5308i 4x 3.5-in HS 1x 1x 550W No Std Opt Opt Not / Open

bay DVDRW HS / 2 incl. 7Y45A031SG Xeon **E-2236** 1x 8GB RAID 6C 80W 3.4G

5308i 8x 2.5-in HS 1x 1x 550W No Std Opt Opt Not / Open bay DVDR...

lang:en score:21 filesize: 1.63 M page_count: 67 document date: 2022-02-15

Hardwarespec	
	
TS-h2483XU-RP-E2236-128G	
CPU	Intel® Xeon® E-2236/E-2236-6-core / 12-thread processor
CPU architecture	64-bit x86
Floating Point Unit	Yes
Encryptie-engine	Yes AES-NI
Systeemgeheugen	128 GB UDIMM DDR4 ECC (4 x 32GB)
Maximale hardeschijf geheugen	128 GB (4 x 32 GB)
Geheugen sleuf	4 x UDIMM DDR4
Flash-geheugen	5GB (On-board OS-beheerding)
Schijfhouder	24 x 3.5-inch SATA 6Gb/s, 3Gb/s
Schijf compatibiliteit	3.5-inch SATA 3.5-inch SATA hardeschijven 2.5-inch SATA hardeschijven 2.5-inch SATA solid state drives
Hot-swappable	Yes
Oversturing SSD cache verwijdering	Yes
GPU pass-through	Yes
Gigabit Ethernetpoort (RJ45)	4
10 Gigabit Ethernet-poort (RJ45)	2 x 10GbE SFP+ 10GbE-T poort, 2 x 10GbE-T poort
Wired LAN (WOL)	Yes
Just-in-Time	Yes
PCIe sleuf	5 Sleuf 1: PCIe Gen 2 x4 (PCIe) Sleuf 2: PCIe Gen 1 x4 (PCIe) Sleuf 3: PCIe Gen 2 x4 (PCIe) Sleuf 4: PCIe Gen 1 x4 (PCIe) Sleuf 5: PCIe Gen 2 x4 (PCIe)

[pdf] User Manual

Hardwarespec TS h2483XU RP E2236 128G QNAP Download leaflet NAS Rack 4U Ethernet LAN Zwart

E 2236 Computer Connections SKU 128GEAN 4713213518298Downloadbare informatieDownload

manual mmo 85939448 1653051157 6416 24747 objects icecat biz |||

Hardwarespec TS-h2483XU-RP-E2236-128G CPU Intel Xeon E E-2136/**E-2236** 6-

core / 12-thread processor CPU-architectuur 64-bit x86 Floating Point Unit Yes

Encryptie-engine Yes AES-NI Systeemgeheugen 128 GB UDIMM DDR4 ECC 4 x

32GB Maximale hoeveelheid geheugen 128 GB 4 x 32 GB Geheugen...

lang:nl score:21 filesize: 103.51 K page_count: 2 document date: 2022-05-20

Hardwarespec QNAP	
	
TS-h1683XU-RP-E2236-128G	
CPU	Intel® Xeon® E E-2236R 2236 6-core / 12-thread processor
CPU architecture	64-bit x86
Floating Point Unit	Yes
Encryptie-engine	Yes (AES-NI)
Systeemgeheugen	128 GB UDIMM DDR4 ECC (4 x 32GB)
Maximale hoeveelheid geheugen	128 GB (4 x 32 GB)
Geheugen slot	4 x UDIMM DDR4
Flash-geheugen	5GB (Dual boot OS-beveiliging)
Schijfmodule	18 x 2.5-inch SATA 6GB/s, 9GB/s
Schijf compatibiliteit	3.5-inch laptop 3.5-inch SATA harde schijven 2.5-inch SATA harde schijven 2.5-inch SATA solid state drives
Hot-swappable	Yes
Ondersteuning SSD cache versneling	Yes
GPU pass-through	Yes
Gigabit Ethernetpoort (x4)	4
10 Gigabit Ethernet-poort	2 x 10GbE SFP+ SmartNIC-poort, 2 x 10GbE-T poort
Wake-on-LAN (WOL)	Yes
Jumpbox Frame	Yes
PCIe slot	4 Slot 0: PCIe Gen 2 x4 (PCIe) Slot 1: PCIe Gen 3 x4 (CPU) Slot 2: PCIe Gen 3 x4 (CPU) Slot 3: PCIe Gen 3 x4 (CPU)

[pdf] User Manual

Hardwarespec TS h1683XU RP E2236 128G QNAP Download leaflet NAS Rack 3U Ethernet LAN Zwart E 2236 Computer Connections SKU 128GEAN 4713213518311Downloadbare informatieDownload manual mmo 85939444 1652874848 2947 22981 objects icecat biz |||

Hardwarespec TS-h1683XU-RP-E2236-128G CPU Intel Xeon E E-2136/**E-2236** 6-core / 12-thread processor CPU-architectuur 64-bit x86 Floating Point Unit Yes Encryptie-engine Yes AES-NI Systeemgeheugen 128 GB UDIMM DDR4 ECC 4 x 32GB Maximale hoeveelheid geheugen 128 GB 4 x 32 GB Geheugen... lang:nl score:21 filesize: 95.47 K page_count: 2 document date: 2022-05-18



[pdf] Reference Guide Guide

DCG Quick Reference Guide Lenovo Data Center Group Joshua Jankowsky United Computers The best in Computer Repair Services Canada v 1604605821 cdn shopify s files 1 0394 1629 |||

QUICK REFERENCE GUIDE Data Center Group DCG www.lenovopartnernetwork.com/ca/data-center-qrg/ CA ... Is Win 2019 STD Win 2019 STD Win 2019 STD Win 2019 STD Win 2019 STD E-2224G E-2288G E-2288G E-2224 **E-2236** E-2288G E-2124G E-2136 E-2174G E-2124 E-2136 E-2174G 2x 1TB HDD 2x 2TB HDD 2x 480GB SSD 2x 1... lang:en score:21 filesize: 1.69 M page_count: 14 document date: 2020-07-10



SERVER SHOP

СЕРВЕРЫ И ДРУГОЕ
ВЫ КОМПЬЮТЕРНЫМ, КОШЕ



Процессор серверный INTEL Xeon E-2236 (CM8068404174603)

Код для заказа: CM8068404174603



Нет в наличии

12 мес

Гарантия от компании "Сервер Шоп"



Вот да максимальная надежность



Бесплатная доставка по Украине



Скидка постоянным клиентам



Легкий возврат, не надо ждать гарантии

0 (800) 751-880
Бесплатный звонок по Украине

SERVER-SHOP UA

м.п. - м.п. с 09:00 до 18:00
г.Ирпень, ул.Соборная, 11


[pdf]

SERVER SHOP UA Предложение в Процессор серверный INTEL Xeon E 2236 CM8068404174603

Купить server shop ua 13724 protessor servernyj intel xeon e cm8068404174603 |||

HP, DELL, IBM / , , INTEL Xeon **E-2236** CM8068404174603 : CM8068404174603 INTEL Xeon **E-2236** CM8068404174603 : 12 12 0 800 751-880 SERVER-SHOP.UA - : 09:00 18:00 ., ., 11 ...


lang:en score:20 filesize: 90.94 K page_count: 1 document date: 2022-09-09



[\[pdf\]](#) User Manual

ca92344 2855 15 jp fujitsu platform server primergy manual common |||


CA92344-2855-15 PRIMERGY RX1330 M4 / TX1320 M4 / TX1330 M4 PRIMERGY RX1330 M4 / TX1320 M4 / TX1330 ... 1.12.0 iRMC 2.50P BIOS/iRMC Pentium Gold G5420 Core i3-9100 Xeon E-2224 Xeon E-2234 Xeon **E-2236** Xeon E-2224G Xeon E-2226G Xeon E-2244G Xeon E-2246G Xeon E-2274G Xeon E-2276G Xeon E-2... lang:nl **score:19** filesize: 430.51 K page_count: 0 document date: 0000-00-00



[\[pdf\]](#) User Manual


ca92344 2855 16 jp fujitsu platform server primergy manual common |||

CA92344-2855-16 PRIMERGY RX1330 M4 / TX1320 M4 / TX1330 M4 PRIMERGY RX1330 M4 / TX1320 M4 / TX1330 ... 1.12.0 iRMC 2.50P BIOS/iRMC Pentium Gold G5420 Core i3-9100 Xeon E-2224 Xeon E-2234 Xeon **E-2236** Xeon E-2224G Xeon E-2226G Xeon E-2244G Xeon E-2246G Xeon E-2274G Xeon E-2276G Xeon E-2... lang:nl **score:19** filesize: 426.7 K page_count: 0 document date: 0000-00-00



[\[pdf\]](#) Reference Guide Specifications Guide

Dell EMC PowerEdge R240 BIOS and UEFI Reference Guide processor specifications Inc DELL server 1 TB Rack 1U Intel Xeon E 2236 3 4 GHz 16 GB DDR4 SDRAM 450 W 0 2 MB W9RYV mmo 92828119 1636362957 5476 33976 objects icecat biz ||| Dell EMC PowerEdge R240 BIOS and UEFI Reference Guide Part Number: E57S Series Regulatory Type: E57S001 Dec 2020 Rev. A00 Notes, cautions, and warnings NOTE: A NOTE indicates important information that helps you make better use of your product. CAUTION: A CAUTION indicates either potential damage ... lang:en **score:19** filesize: 229.87 K page_count: 23 document date: 2020-12-08




[pdf] User Manual Specifications Datasheet Documentation

338014 Intel® Xeon® E 2100 and 2200 Processor Family Specification Update rev019US Intel

Corporation Xeon 64 IA 32 Architectures Optimization Reference Manual https appropriate product specification or user documentation datasheets manuals so cdrdv2 public intel |||

Intel Xeon E-2100 and E-2200 Processor Family Specification Update September 2023 Reference Number: ... 86G 95 4 E-2278G 80 3.4 E-2276G 80 3.8 E-2274G 83 4 E-2246G 80 3.6 E-2244G 71 3.8 **E-2236** 80 3.4 E-2234 71 3.6 E-2226G 80 3.4 E-2224G 71 3.5 E-2224 71 3.4 8 13 12 1...

lang:en score:18 filesize: 721.03 K page_count: 58 document date: 2023-09-12




[pdf]

Datenblatt %product title% Conrad Electronic Schweiz datenblatt 2841119 dell 338 buit prozessor cpu boxed intel xeon e 2236 6 x sockel pc 1151 80 w asset conrad media10 add 160267 c1 de 860948635DS00 |||

Dell Intel Xeon **E-2236** - 3.4 GHz - 6 Kerne - 12 Threads 12 MB Cache-Speicher Gruppe Hersteller Hersteller Art. Nr. EAN/UPC Prozessoren Dell 338-BUIT 5397184657614 Beschreibung Intel Xeon **E-2236** - 3.4 GHz - 6 Kerne - 12 Threads - 12 MB Cache-Speicher Hauptmerkmale Produktbeschreibung Produkttyp Prozessortyp Art. der Kerne Cache-Speicher Prozessoren Taktfrequenz Max. Turbo-Taktfrequenz

lang:de score:18 filesize: 35.98 K page_count: 1 document date: 2023-04-27



[pdf] Specifications Guide

Dell EMC PowerEdge RAID Controller S140 User s Guide BIOS system DELL R240 server 1 TB Rack 1U

Intel Xeon E 2236 3 4 GHz 16 GB DDR4 SDRAM 450 W 0 7 MB W9RYV mmo 92828119 1636362914 7456 34518 objects icecat biz |||

Dell EMC PowerEdge RAID Controller S140 User s Guide September 2021 Rev. A12 Notes, cautions, and warnings NOTE: A NOTE indicates important information that helps you make better use of your product. CAUTION: A CAUTION indicates either potential damage to hardware or loss of data and tells you how...

lang:en score:18 filesize: 885.83 K page_count: 57 document date: 2021-09-08



[pdf]

Server TERRA 3030 G4 E 2236 Index of files cwconshop de |||


12.05.2020 Datenblatt: TERRA SERVER 3030 G4 E- 2236/16/2x960/C Chipsatz: Intel

C246 / Sockel 1151v2 / Single-ProzessorSystem / 12G Backplane Herstellername:

WORTMANN AG ArtikelNr.: 1100182 Referenznummer: 1100182 2.439,00 SERVER

BringInService 36 Monate inkl. 19 MwSt. Gnstiger Einstieg,...

lang:de score:17 filesize: 488.5 K page_count: 4 document date: 0000-00-00



[pdf]

Server DL20 Gen10 E 2236 1P16G4SFF Svr P17081 B21 Sklep internetowy stylem pl serwer dl20

gen10 e 1p16g4sff svr p17081 b21 113548 upload files product |||

Server DL20 Gen10 **E-2236** 1P16G4SFF Svr P17081-B21 Indeks: 113548


Producent: HEWLETT PACKARD ENTERPRISE Kod producenta: P17081-B21

Cena: 6,184.11 zł Opis Serwer DL20 Gen10 **E-2236** 1P16G4SFF Svr P17081-B21

Producent: Hewlett Packard Enterprise Wlaciwoci Opis Serwer DL20 Gen10 **E-2236**

1P16G4SFF Svr P1708...

lang:pl score:17 filesize: 186.67 K page_count: 3 document date: 2022-08-03



[pdf]

Server DL20 Gen10 E 2236 1P16G4SFF Svr P17081 B21 Sklep internetowy stylem pl serwer dl20

gen10 e 1p16g4sff svr p17081 b21 145343 upload files product |||

Server DL20 Gen10 **E-2236** 1P16G4SFF Svr P17081-B21 Indeks: 145343

Producent: HEWLETT PACKARD ENTERPRISE Kod producenta: P17081-B21

Cena: 6,810.83 zł Opis Serwer DL20 Gen10 **E-2236** 1P16G4SFF Svr P17081-B21

Producent: Hewlett Packard Enterprise Wlaciwoci Opis Serwer DL20 Gen10 **E-2236**

1P16G4SFF Svr P1708...

lang:pl score:17 filesize: 30.61 K page_count: 2 document date: 2022-08-04



Sewer RX1330M4 E-2236 1x16GB NOHDD
CP400i 1x16GB 1x45W IYOS
VF401-RX345X250PL

Wskaz. 120000 Produkt: Rękojmiak produktu. VFY R13345X250PL

Cena: 7,014 38 zł

Opis

Sewer RX1330M4 E-2236 1x16GB NOHDD CP400i 1x16GB 1x45W IYOS VF401-RX345X250PL

Producent: Fujitsu

Właściwości

- Opis: Sewer FUJITSU PRIMERGY REX330 1x6 LFFs wysięk rakowca i energooszczędny server typu single rack, wyposażony w osiem szeregowo obsługiwanych dysków 2.5" i kompaktowy 3.5". Wyposażony w szeregowe połączenie portów dla szeregowo-diskietki i portów wyłączenia zasilania. Najbardziej zaawansowany i wydajny i średnio firmy zapewniający wydajność. Szerokie możliwości dla szeregowo-głównego i szeregowo-tytułowego portu, booting, aktualizacja, kontrolowanie, wyłączenie i podłączenie
- Płyta główna C9375
- Chipset Intel C9375
- Liczba zainstalowanych procesorów 2 szt.
- Maks. obsługiwane procesory 2 szt.
- Seria procesora serie Intel Xeon E
- Takowosc procesora 2.4
- Liczba instalowanych procesorów 2
- Płyta instalacyjna - procesory Intel Xeon E-2236
- Zainstalowane pamięci 16GB 16
- Maks. wolnych portów 16
- Typ pamięci serie DDR4
- Rodzaj pamięci serie ECC
- Ciężarowniki pamięci serie 36GB Wt
- Liczba dysków twardych 16
- Liczba wolnych gniazd pamięci 2
- Płyta instalacyjna - pamięci 16GB
- Wskaźnik światła 3 x 120000000 Wskaz
- Pamięć dysku SATA
- Pamięć dysku SATA 16
- Pamięć dysku SATA 16
- Pamięć dysku SATA 16
- Pamięć dysku SATA 16
- Pamięć dysku SATA 16

[illegible][illegible]

[\[pdf\]](#)

Server RX1330M4 E 2236 1x16GB NOHDD CP400i 2x1Gb 1x450W 1YOS VFY R1334SX250PL Sklep
internetowy stylem.pl serwer rx1330m4 e 1x16gb nohdd cp400i 2x1gb 1x450w 1yos vfy r1334sx250pl
125880 upload files product |||

Serwer RX1330M4 **E-2236** 1x16GB NOHDD CP400i 2x1Gb 1x450W 1YOS
VFY:R1334SX250PL Indeks: 125880 Producent: Fujitsu Kod producenta:
VFY:R1334SX250PL Cena: 7,014.38 zł Opis Serwer RX1330M4 **E-2236** 1x16GB
NOHDD CP400i 2x1Gb 1x450W 1YOS VFY:R1334SX250PL Producent: Fujitsu
Właciwoci Opis Serwer FUJITSU PRIME...

lang:pl score:16 filesize: 87.51 K page_count: 3 document date: 2022-08-03

[\[pdf\]](#)

Serwer RX1330M4 E 2236 1x16GB NOHDD CP400i 2x1Gb 1x450W 1YOS VFY R1334SX250PL Sklep
 internetowy stylem.pl serwer rx1330m4 e 1x16gb nohdd cp400i 2x1gb 1x450w 1yos vfy r1334sx250pl
 69700 upload files product |||

Serwer RX1330M4 **E-2236** 1x16GB NOHDD CP400i 2x1Gb 1x450W 1YOS
VFY:R1334SX250PL Indeks: 69700 Producent: Fujitsu Kod producenta:
VFY:R1334SX250PL Cena: 7,232.40 zł Opis Serwer RX1330M4 **E-2236** 1x16GB
NOHDD CP400i 2x1Gb 1x450W 1YOS VFY:R1334SX250PL Producent: Fujitsu
Właciwoci Opis Serwer FUJITSU PRIMER...

lang:pl score:16 filesize: 43.17 K page_count: 2 document date: 2022-08-04

[\[pdf\]](#)

HPE DL20 Gen10 E 2236 1P 16G Perf3 Svr Sklep internetowy stylem pl hpe dl20 gen10 e 1p 16g perf3
svr 104222 upload files product |||

HPE DL20 Gen10 **E-2236** 1P 16G Perf3 Svr Indeks: 104222 Producent: HEWLETT
PACKARD ENTERPRISE Kod producenta: P17081-B21 Cena: 6,332.99 zł Opis HPE
DL20 Gen10 **E-2236** 1P 16G Perf3 Svr Producent: HEWLETT PACKARD
ENTERPRISE Producent: HEWLETT PACKARD ENTERPRISE; Klasa produktu:
Serwer; Typ obudowy serwe...

lang:pl score:15 filesize: 24 K page_count: 1 document date: 2022-08-03

**Hewlett Packard
Enterprise**

© 2014 HP

HPE ProLiant DL20 Gen10 E-2236 1P 16GB- U S100i 4SFF 500W RPS Server (P17081-B21)

ProLiant DL Servers

Overview

Are you looking for a compact 3U server that supports workloads in a variety of environments?

The HPE ProLiant DL20 Gen10 server delivers a compact and versatile server at an affordable price. Deploy the portable form factor in small remote or branch offices, as a compact yet powerful point of sale platform in transient retail and hospitality environments, or as a flexible configuration for customization in space constrained environments of military and government customers. HPE ProLiant DL20 Gen10 server

What's new

- Increased boot IOPS: 100k IOPS (P17081-B21) Series up to 50k per generation
- HPE 3rd Gen 10nm Power Architecture on mobile with the next Intel Xeon E-2200 Series
- HPE Infinity provides a cloud-based analytics tool that predicts and prevents problems before your business is impacted
- Dedicated HPE iLO Management Port in

Hardware Specification	
	
TS-1283-XU-RP-E2236-128G	
CPU	Intel® Xeon® E-2236 6-core/22-thread 3.4 GHz processor (burst up to 4.8 GHz)
CPU Architecture	64-bit x86_64
Floating Point Unit	Yes
Encryption Engine	Yes (AES-256)
System Memory	128 GB DDR4 ECC (8 x 16GB)
Maximum Memory	128 GB (8 x 16 GB)
Memory Slot	4 Long DIMM DDR4
Flash Memory	5GB (Dual boot OS protection)
Drive Bay	12 x 3.5-inch SATA 6Gb/s, 3Gb/s
Drive Compatibility	3.5-inch SATA hard disk drives 2.5-inch SATA hard disk drives 2.5-inch SATA solid state drives
Hot-swappable	Yes
SSD Cache Acceleration Support	Yes
Gigabit Ethernet Port (RJ45)	4
10 Gigabit Ethernet Port	2 x 10GbE SFP+ SmartNIC port, 2 x 10GbE iPort
Jumbo Frame	Yes
PCIe Slot	4
	Slot 1: PCIe Gen 2 x4 (PCIe) Slot 2: PCIe Gen 3 x4 (PCIe) Slot 3: PCIe Gen 3 x4 (CPU) Slot 4: PCIe Gen 3 x4 (CPU)
USB 3.2 Gen 2 (10Gbps) Port	2 x Type-C USB 3.2 Gen 2 5u/10 10Gbps 4 x Type-A USB 3.2 Gen 2 5u/10 10Gbps
Form Factor	2U Rackmount
LED Indicators	HDD 0-12, Status, LAN, storage expansion port status

Hardware Specs	
	
	
	
TS-1283XU-RP-E2236-32G	
CPU	Intel® Xeon® E-2336 2.30GHz 8-core / 12-thread processor
CPU Architecture	64-bit x86
Threading / Multi Task	Yes
Encryption Engine	Yes (AES-256)
System Memory	32 GB DDR4 ECC (2 x 16GB)
Maximum Memory	128 GB (4 x 32 GB)
Memory Slot	4 x UDIMM DDR4
Flash Memory	5GB (Dual boot BIOS protection)
Drive Bay	12 x 3.5-inch SATA (6x15), 3GB/s
Drive Compatibility	3.5-inch SATA hard disk drives 2.5-inch SATA hard disk drives 2.5-inch SATA solid state drives
Hot-swappable	Yes
SSD Cache Acceleration	Yes
GRB pass-through	Yes
Gigabit Ethernet Port (RJ45)	4
10 Gigabit Ethernet Port	2 x 10GbE SFP+ SmartNIC port, 2 x 10GbE-T port
Wake on LAN (WoL)	Yes
Jumpin Frame	Yes
PCIe Slot	4 Slot 1: PCIe Gen 2 x4 (PCI) Slot 2: PCIe Gen 3 x4 (CPU) Slot 3: PCIe Gen 3 x4 (CPU) Slot 4: PCIe Gen 3 x4 (CPU)
USB 3.2 Gen 2 (10Gbps) Port	2 x Type-C / USB 3.2 Gen 2 10Gbps 4 x Type-A / USB 3.2 Gen 2 10Gbps

[\[pdf\]](#) Datasheet

HPE ProLiant DL20 Gen10 E 2236 1P 16GB U S100i 4SFF 500W RPS Server Data sheet Hewlett
Packard Enterprise PSN1012183491UKEN 1012183491 DL Servers Products Solutions Now psnow ext
hpe 9e9a6edcc140646b8a66d8e4ea9449ea92e9 gzhls at blob ldb b 4 d 7 |||

Data sheet HPE ProLiant DL20 Gen10 **E-2236** 1P 16GBU S100i 4SFF 500W RPS
Server P17081-B21 ProLiant DL Servers What s new Supports latest Intel Xeon E-
2200 Series up to 8 Cores processors. HPE 361i 1Gb 2-Port network adapter on models
with the new Intel Xeon E-2200 Series. HPE InfoSight provides a ...
lang:en score:15 filesize: 262.38 K page_count: 5 document date: 2019-12-12

[\[pdf\]](#) Specifications Dimension Guide Borchure Catalog

Hardware Specification TS h1283XU RP E2236 128G QNAP Product Brochure NAS Rack 2U Ethernet LAN Black Grey E 2236 258884 store cmsdistribution media catalog product attachments brochure ||| Hardware Specification TS-h1283XU-RP-E2236-128G CPU Intel Xeon **E-2236** 6-core/12-thread 3.4 GHz processor burst up to 4.8 GHz CPU Architecture 64-bit x86 Floating Point Unit Yes Encryption Engine Yes AES-NI System Memory 128 GB UDIMM DDR4 ECC 4 x 32GB Maximum Memory 128 GB 4 x 32 ...
lang:en score:14 filesize: 78.16 K page_count: 2 document date: 2020-10-02

[\[pdf\]](#) Specifications Dimension Guide

Hardware Specs TS h1283XU RP E2236 32G QNAP Manufacturer Specifications E 2236 Ethernet LAN
Rack 2U Black Grey NAS mmo 76993599 1652861313 41 32739 objects icecat biz |||
Hardware Specs TS-h1283XU-RP-E2236-32G CPU Intel Xeon E E-2136/**E-2236** 6-
core / 12-thread processor CPU Architecture 64-bit x86 Floating Point Unit Yes
Encryption Engine Yes AES-NI System Memory 32 GB UDIMM DDR4 ECC 2 x 16GB
Maximum Memory 128 GB 4 x 32 GB Memory Slot 4 x UDIMM D...
lang:en **score:14** filesize: 72.68 K page count: 2 document date: 2022-05-18

Hardware Specs	
	
TS-h1683XU-RP-E2236-128G	
CPU	Intel® Xeon® E-2136/E-2236 6-core / 12-thread processor
CPU Architecture	64-bit x86
Floating Point Unit	Yes
Encryption Engine	Yes (AES-NI)
System Memory	128 GB UDIMM DDR4 ECC (8 x 32GB)
Maximum Memory	128 GB (4 x 32 GB)
Memory Slot	4 x UDIMM DDR4
Flash Memory	5GB (Dual boot OS protection)
Drive Bay	16 x 3.5-inch SATA 6Gb/s, 5GB/s
Drive Compatibility	3.5-inch bays: 3.5-inch SATA hard disk drives 2.5-inch SATA hard disk drives 2.5-inch SATA solid state drives
Hot-swappable	Yes
SSD Cache Acceleration Support	Yes
GPU pass-through	Yes
Gigabit Ethernet Port (RJ45)	4
10 Gigabit Ethernet Port	2 x 10GbE SFP+ SmartNIC port, 2 x 10GbBase-T port
Wake on LAN (WoL)	Yes
Jumbo Frame	Yes
PCIe Slot	4 Slot 1: PCIe Gen 2 x4 (PCIe) Slot 2: PCIe Gen 3 x4 (CPU) Slot 3: PCIe Gen 3 x4 (CPU) Slot 4: PCIe Gen 3 x4 (CPU)

[pdf] Specifications Datasheet Dimension Guide Borchure

Hardware Specs TS h1683XU RP E2236 128G QNAP NAS Rack 3U Ethernet LAN Black E 2236 Product Brochure Datasheet 0 1 MB mmo 85939444 1652874810 1346 20666 objects icecat biz |||

Hardware Specs TS-h1683XU-RP-E2236-128G CPU Intel Xeon E E-2136/**E-2236** 6-core / 12-thread processor CPU Architecture 64-bit x86 Floating Point Unit Yes Encryption Engine Yes AES-NI System Memory 128 GB UDIMM DDR4 ECC 4 x 32GB Maximum Memory 128 GB 4 x 32 GB Memory Slot 4 x UDIMM...

lang:en **score:14** filesize: 94.98 K page_count: 2 document date: 2022-05-18

Hardware Specification	
	
TS-h1283XU-RP-E2236-32G	
CPU	Intel® Xeon® E-2236 6-core/12-thread 3.4 GHz processor, up to 4.8 GHz
CPU Architecture	64-bit x86
Floating Point Unit	Yes
Encryption Engine	Yes (AES-NI)
System Memory	32 GB UDIMM DDR4 ECC (2 x 16GB)
Maximum Memory	128 GB (4 x 32 GB)
Memory Slot	4 x UDIMM DDR4
Flash Memory	5GB (Dual boot OS protection)
Drive Bay	12 x 3.5-inch SATA 6Gb/s, 5GB/s
Drive Compatibility	3.5-inch SATA hard disk drives 2.5-inch SATA hard disk drives 2.5-inch SATA solid state drives
Hot-swappable	Yes
SSD Cache Acceleration Support	Yes
Gigabit Ethernet Port (RJ45)	4
10 Gigabit Ethernet Port	2 x 10GbE SFP+ SmartNIC port, 2 x 10GbBase-T port
Wake on LAN (WoL)	Yes
Jumbo Frame	Yes
PCIe Slot	4 Slot 1: PCIe Gen 2 x4 (PCIe) Slot 2: PCIe Gen 3 x4 (CPU) Slot 3: PCIe Gen 3 x4 (CPU) Slot 4: PCIe Gen 3 x4 (CPU)
USB 3.2 Gen 2 (10Gbps) Port	2 x Type-A USB 3.2 Gen 2 10Gbps 4 x Type-A USB 3.2 Gen 2 10Gbps
Form Factor	2U Rackmount

[pdf] Specifications Datasheet Dimension Guide Borchure

Hardware Specification TS h1283XU RP E2236 32G QNAP NAS Rack 2U Ethernet LAN Black E 2236 Product Brochure Datasheet 0 1 MB H1283XU US mmo 79656989 1635149798 8461 10825 objects icecat biz |||

Hardware Specification TS-h1283XU-RP-E2236-32G CPU Intel Xeon **E-2236** 6-core/12-thread 3.4 GHz processor, up to 4.8 GHz CPU Architecture 64-bit x86 Floating Point Unit Yes Encryption Engine Yes AES-NI System Memory 32 GB UDIMM DDR4 ECC 2 x 16GB Maximum Memory 128 GB 4 x 32 GB Memo...

lang:en **score:14** filesize: 78.46 K page_count: 2 document date: 2021-10-25

Hardwarespec	
	
TS-h1283XU-RP-E2236-32G	
CPU	Intel® Xeon® E-2136/E-2236 6-core / 12-thread processor
CPU-architectuur	64-bit x86
Floating Point Unit	Yes
Encryptie-engine	Yes (AES-NI)
Systeemgeheugen	32 GB UDIMM DDR4 ECC (2 x 16GB)
Maximale hoeveelheid geheugen	128 GB (4 x 32 GB)
Geheugen sleuf	4 x UDIMM DDR4
Flash-geheugen	5GB (Dual boot OS-beveiliging)
Schijfhouder	12 x 3.5-inch SATA 6Gb/s, 5GB/s
Schijf compatibiliteit	3.5-inch SATA harde schijven 2.5-inch SATA harde schijven 2.5-inch SATA solid state drives
Hot-swappable	Yes
Ondersteuning SSD cache versnelling	Yes
GPU pass-through	Yes
Gigabit Ethernetpoort (RJ45)	4
10 Gigabit Ethernet-poort	2 x 10GbE SFP+ SmartNIC-poort, 2 x 10GbBase-T poort
Wake on LAN (WoL)	Yes
Jumbo Frame	Yes
PCIe sleuf	4 Sleuf 1: PCIe Gen 2 x4 (PCIe) Sleuf 2: PCIe Gen 3 x4 (CPU) Sleuf 3: PCIe Gen 3 x4 (CPU) Sleuf 4: PCIe Gen 3 x4 (CPU)

[pdf]

Hardwarespec TS h1283XU RP E2236 32G QNAP Download leaflet NAS Rack 2U Ethernet LAN Zwart Grijs E 2236 Computer Connections SKU H1283XU 32GEAN 4713213516591Downloadbare informatie mmo 76993599 1652861323 1232 31262 objects icecat biz |||

Hardwarespec TS-h1283XU-RP-E2236-32G CPU Intel Xeon E E-2136/**E-2236** 6-core / 12-thread processor CPU-architectuur 64-bit x86 Floating Point Unit Yes Encryptie-engine Yes AES-NI Systeemgeheugen 32 GB UDIMM DDR4 ECC 2 x 16GB Maximale hoeveelheid geheugen 128 GB 4 x 32 GB Geheugen s...

lang:nl **score:14** filesize: 73.17 K page_count: 2 document date: 2022-05-18




[pdf]

Serveur HPE ProLiant DL20 Gen10 E 2236 1 Processeur 16 Go U S100i 4 lecteurs de faible encombrement module d'alimentation redondante 500 W Fiche technique Hewlett Packard Enterprise PSN1012183491FRFR 1012183491 DL Servers Products Solutions Now psnow ext hpe Le serveur offre un compact et polyvalent à prix abordable Déployez le facteur forme portable sur des sites petite mmo 76508280 1576137566 0791 18764 icecat content ingrammicro objects

Fiche technique Serveur HPE ProLiant DL20 Gen10**E-2236** 1 Processeur 16 Go-U S100i 4 lecteurs de faible encombrement module d'alimentation redondante 500 W P17081-B21 ProLiant DL Servers Nouveauts Prise en charge des derniers processeurs Vue d'ensemble Vous recherchez un serveur 1U compact capa...

lang:fr **score:13** filesize: 271.05 K page_count: 5 document date: 2019-12-12




[pdf] Datasheet

Serveur HPE ProLiant DL20 Gen10 E 2236 1 Processeur 16 Go U S100i 4 lecteurs de faible encombrement module d'alimentation redondante 500 W Fiche technique Hewlett Packard Enterprise PSN1012183491BEFR 1012183491 Serveurs DL Products Solutions Now psnow ext hpe Télécharger 3 40 GHz 6C 1P 16GB 4SFF 500W RPS Server generateDDS digital data sheet oid cc BE lc FR softroll 0 prelaunch false print section prelaunchSection softrollSection deepLink |||

Fiche technique SERVEUR HPE PROLIANT DL20 GEN10**E-2236** 1 PROCESSEUR 16 GO-U S100I 4 LECTEURS DE FAIBLE ENCOMBREMENT MODULE D'ALIMENTATION REDONDANTE 500 W P17081-B21 Serveurs ProLiant DL10 Fiche technique Page 2 NOUVEAUTS Nouvelle alimentation non enfichable chaud 290W, avec efficacit nergti...

lang:fr **score:13** filesize: 333.43 K page_count: 5 document date: 2022-07-28



[pdf] Datasheet

Serveur HPE ProLiant DL20 Gen10 E 2236 1 Processeur 16 Go U S100i 4 lecteurs de faible encombrement module d'alimentation redondante 500 W Fiche technique Hewlett Packard Enterprise PSN1012183491BEFR 1012183491 Serveurs DL Products Solutions Now psnow ext hpe Télécharger 3 40 GHz 6C 1P 16GB 4SFF 500W RPS Server generateDDS digital data sheet oid cc BE lc FR softroll 0 prelaunch false print section prelaunchSection softrollSection deepLink isLinearized contentDisposition attachment |||

Fiche technique SERVEUR HPE PROLIANT DL20 GEN10**E-2236** 1 PROCESSEUR 16 GO-U S100I 4 LECTEURS DE FAIBLE ENCOMBREMENT MODULE D'ALIMENTATION REDONDANTE 500 W P17081-B21 Serveurs ProLiant DL10 Fiche technique Page 2 NOUVEAUTS Nouvelle alimentation non enfichable chaud 290W, avec efficacit nergti...

lang:fr **score:13** filesize: 342.6 K page_count: 5 document date: 2022-07-28




[pdf]

Intel® Xeon® E 2200 Processor Brief Product Describes processor features that deliver essential performance for entry server cloud and workstation solutions Intel Corporation leaflet Xeon 2234 3 6 GHz 8 MB Smart Cache Box Online Hardware mmo 71665889 1597408671 127 3992 onlinehardware net 2022 12 |||

prOduct Brief The New Intel Xeon E Processor prOfessiOnal-Grade perfOrmanCe with the new intel XeOn ... 2244G Processor 4/8 Intel Xeon E-2274G Processor 4/8 Intel Xeon E-2226G Processor 6/6 Intel Xeon **E-2236** Processor 6/12 Intel Xeon E-2246G Processor 6/12 Intel Xeon E-2276G Processor 6/12 Intel X...

lang:en score:12 filesize: 604.12 K page_count: 7 document date: 2023-01-27



[pdf] Confidentiality Request Letter

Fiche produit des processeurs Intel® Xeon® E xeon station de travail entreprise productivité itp revendeur technology provider Intel Corporation e sales brief intel fr content dam www public emea documents briefs |||

L UTILISATION D ORDINATEURS DE BUREAU CLASSIQUES TOUT COMME D APPLICATIONS DE POSTE FICHE PRODUIT ... reading Technologies Intel 45 W 45 W Oui Oui Intel Xeon Intel Xeon E-2224 E-2234 Intel Xeon **E-2236** Intel Xeon E-2224G Intel Xeon E-2226G Intel Xeon Intel Xeon E-2244G E-2246G Intel Xeon ... lang:fr score:12 filesize: 985.85 K page_count: 4 document date: 2019-12-17



[pdf]

Intel® Xeon® E 2200 Processor Delivers Essential Performance Intel Corporation xeon e server processor brief thailand intel content dam www public us en documents product briefs ||| Product brief Intel Xeon E-2200 Processor Essential Performance for Entry Servers Performance and Se ... r Intel Xeon E-2274G Processor Intel Xeon E-2246G Processor Intel Xeon E-2244G Processor Intel Xeon **E-2236** Processor Intel Xeon E-2234 Processor Intel Xeon E-2226G Processor** Intel Xeon E-2224G Proce... lang:en score:12 filesize: 1.54 M page_count: 6 document date: 2019-10-30

[pdf] User Manual

Datenblatt en Lenovo ThinkStation P330 2nd Gen Tower Workstation Intel XEON E 2236 16GB RAM 512GB SSD Win 10 Pro 11854161 1 cdn assets office partner de media 67 f8 d4 ||| P330 DIE LEISTUNG EINER W O R K S T A T I O N ZUM PREIS EINES DESKTOP-COMPUTERS P330 TOWER UND KLEINES GEHUSEFORMAT OPTIONEN UND ZUBEHR Lenovo ThinkVision P27q DIE LEISTUNG EINER WORKSTATION ZUM PREIS EINES DESKTOP-COMPUTERS Erfolgskritische Aufgaben erfordern ein zuverlässiges und leistungsstarke... lang:de score:12 filesize: 374.87 K page_count: 3 document date: 2019-08-26





[pdf]

Intel® Components Systems Points Matrix Q123 Intel 1 cms co il files |||

Intel Components Systems Points Matrix Eligible Countries/Regions: ASMO, EMEA, APJ, Hong Kong and ... 6R Processor Points 20 50 50 50 50 100 15 15 Ordering Code E-2136 E-2146G E-2174G E-2176G E-2186G **E-2236** E-2246G E-2274G E-2276G E-2278G E-2286G E-2288G W-1250 W-1250P W-1270 W-1270P W-1290 W-1290P ...

lang:en **score:11** filesize: 2.44 M page_count: 19 document date: 2023-01-05



[pdf] Guide Safety Datasheet

Lenovo ThinkSystem SR250 Server E 2200 ViewLenovo server Rack 1U Intel Xeon 3 4 GHz 8 GB DDR4

SDRAM 450 W Viewmmo 78303776 1626677335 3608 52383objects icecat biz objects mmo 52383 |||

Lenovo ThinkSystem SR250 Server E-2200 Product Guide Lenovo ThinkSystem SR250 is an affordable, si ... x4 Power supply 1x 300W Fixed 1x 450W HS E Y Y R2 E Y Y R2 7Y51A04RNA 7Y51A051NA 7Y51A050NA 1x **E-2236** 6C 80W 3.4GHz 1x **E-2236** 6C 80W 3.4GHz 1x E-2288G 8C 95W 3.7GHz 1x 8GB 1Rx8 1x 8GB 1Rx8 1...

lang:en **score:11** filesize: 1.63 M page_count: 60 document date: 2021-07-16



[pdf] Guide Safety Datasheet

Lenovo ThinkSystem SR250 Server E 2200 Exchange The server offers a wide range of processors —

from Intel Celeron to Xeon Series With support for community exchange se krefy84679 attachments

industrial edge computing forum 8 1

Lenovo ThinkSystem SR250 Server E-2200 Product Guide Lenovo ThinkSystem SR250 is an affordable, si ... B 2x 1 GbE 2x PCIe x8 1x 450W E Y Y R2 1Rx8 RAID HS LFF SATA HDD 1x PCIe x4 HS 7Y51A04RNA 1x **E-2236** 6C 80W 3.4GHz 1x 8GB 1x SATA 4 / 4 Open 1Rx8 AHCI HS LFF bay 2x 1 GbE 2x PCIe x8 1x 450...

lang:en **score:11** filesize: 1.54 M page_count: 60 document date: 2020-03-17