Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

VASAGLE URCR010W02

VASAGLE URCR010W02 Solid Wood Coat Rack Instruction Manual

Model: URCR010W02

Introduction

Thank you for choosing the VASAGLE URCR010W02 Solid Wood Coat Rack. This free-standing hall coat tree is designed to provide convenient storage for coats, hats, bags, and purses. Constructed from durable rubberwood with a stable square base, it offers 8 hooks and 3 adjustable height options to suit various needs. Please read this manual carefully before assembly and use to ensure proper installation and safe operation.

Safety Information

- Ensure all parts are present and undamaged before assembly. Do not use if any parts are missing or broken.
- Assemble the product on a soft, clean surface to prevent scratches.
- Do not overtighten screws during assembly to avoid damaging the wood.
- Distribute weight evenly across the hooks. Do not exceed the maximum load capacity of 53 lb (6.6 lb per hook).
- Keep small parts away from children to prevent choking hazards.
- Place the coat rack on a flat, stable surface to prevent tipping.

Package Contents

The package includes the following items:


- 1 x Coat Rack (main pole sections, hooks, base)
- 1 x Accessory Kit (screws, washers, wrench if needed)
- 1 x Instructions Manual

Setup and Assembly

Follow these steps to assemble your VASAGLE coat rack:

1. **Unpack Components:** Carefully remove all parts from the packaging and lay them out on a soft, clean surface. Verify that all components listed in the 'Package Contents' section are present.

2. **Assemble the Base:** Attach the lowest pole section to the square base. Ensure it is securely tightened. Some models feature built-in threaded parts for tool-free assembly.
3. **Attach Middle Pole Sections:** Connect the middle pole sections by twisting them together. The design allows for tool-free assembly by simply twisting the sections until they are tight.
4. **Install Hooks:** Insert the cylindrical hooks into the pre-drilled holes on the main pole sections. Twist them clockwise until they are firmly in place.
5. **Adjust Height (Optional):** The coat rack offers 3 height options. You can choose to use fewer pole sections to achieve a shorter height (e.g., 39.4 inches or 53.7 inches) or all sections for the maximum height (68.9 inches). Simply connect the desired number of pole sections.






Image: Easy assembly without tools. Hooks twist directly into the main pole sections.

3 Height Options

Suitable for individuals of varying heights to hang clothes easily



Tool-Free Screw-In Design



Image: The coat rack offers three adjustable height options to suit various user needs.



Image: The stable square base provides solid support for the coat rack.

Your browser does not support the video tag.

Video: Demonstration of the easy assembly process for the coat rack.

Operating Instructions

The VASAGLE coat rack is designed for practical and versatile use:

- **Hanging Items:** Utilize the 8 cylindrical hooks to hang coats, hats, scarves, bags, and purses. Each hook is designed to hold up to 6.6 lb (3 kg).
- **Weight Distribution:** For optimal stability, distribute items evenly around the coat rack. The total load capacity is 53 lb.
- **Adjustable Height:** The modular design allows you to adjust the height by adding or removing pole sections. This feature makes it suitable for different users, including children, or for placement in various spaces.




Image: The 8 sturdy hooks are designed to hold various items, each supporting up to 6.6 lb.

Your browser does not support the video tag.

Video: Overview of the VASAGLE Solid Wood Coat Rack, highlighting its features and use.

Maintenance

To ensure the longevity and appearance of your coat rack:

- **Cleaning:** Wipe the surface with a soft, damp cloth. Avoid using harsh chemicals or abrasive cleaners, as these can damage the finish.
- **Dusting:** Regularly dust the coat rack to prevent buildup.
- **Inspection:** Periodically check all connections to ensure they remain tight. Retighten if necessary.
- **Avoid Moisture:** Keep the coat rack away from excessive moisture or direct sunlight to prevent warping or fading of the wood.

Troubleshooting

Problem	Possible Cause	Solution
Coat rack is wobbly.	Loose connections or uneven surface.	Ensure all pole sections and the base are tightly screwed together. Place the coat rack on a flat, level surface.
Hooks are loose.	Hooks not fully tightened.	Twist hooks clockwise until they are secure.
Items slide off hooks.	Overloading or slippery material.	Do not exceed the weight limit per hook. Ensure items are properly balanced.

Specifications

- **Brand:** VASAGLE
- **Model Number:** URCR010W02
- **Color:** Cloud White
- **Material:** Rubberwood Hooks and Main Pole, MDF (Medium Density Fiberboard) Base
- **Product Dimensions:** 11.8"D x 11.8"W x 68.9"H (30cm D x 30cm W x 175cm H)
- **Item Weight:** 3.8 Kilograms
- **Maximum Weight Recommendation:** 53 Pounds (24 kg) total, 6.6 Pounds (3 kg) per hook
- **Installation Type:** Free Standing
- **Required Assembly:** Yes




Image: The 1.6 inch diameter main rod and solid rubberwood construction ensure lasting strength.

Warranty and Support

For warranty information or customer support, please refer to the contact details provided with your purchase or visit the official VASAGLE website. Keep your purchase receipt for any warranty claims.

© 2026 VASAGLE. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B089PWTTMC

More documents and user manuals: **https://manuals.plus/**