Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

YATTICH YT-201-A

YATTICH YT-201-A Paint Sprayer Accessories Instruction Manual

Model: YT-201-A

Introduction Product Overview Compatibility Setup Operation Maintenance Troubleshooting Specifications Warranty & Support

1. Introduction

This manual provides instructions for the YATTICH Paint Sprayer Accessories, designed as replacement parts for the YATTICH YT-201-A paint sprayer. It covers the components included, their proper installation, usage, and maintenance to ensure optimal performance and longevity of your paint sprayer system.

2. Product Overview and Package Contents

The YATTICH YT-201-A Paint Sprayer Accessories package includes the following components:




Figure 1: Included Accessories for YATTICH YT-201-A Paint Sprayer

- **Front Body (Black)**: The main front section of the sprayer where the nozzle is attached. This component is crucial for directing the paint spray.
- **1000ml Container**: A transparent container designed to hold paint or other sprayable liquids. Its 1000ml capacity allows for extended use before refilling.
- **Pot Lid**: A black lid for the 1000ml container, featuring "CLOSE" and "OPEN" indicators for secure sealing and easy access.
- **5 Copper Nozzles**: A set of five copper nozzles in various sizes for different spray patterns and material viscosities:
    - 1.2mm
    - 1.5mm
    - 1.8mm
    - 2.5mm
    - 3.0mm

- **Nozzle Cleaning Needle**: A thin, pointed tool used to clear blockages from the small orifices of the spray nozzles.
- **Cleaning Brush**: A small brush designed for thorough cleaning of the container, nozzles, and other components.
- **Spanner**: A wrench used for tightening or loosening components, particularly the nozzles or front body, ensuring a secure fit.

3. Compatibility

These accessories are specifically designed as direct replacements for the**YATTICH YT-201-A** paint sprayer. The threads of the container and nozzles are engineered to match this model precisely. Using these accessories with other paint sprayer models may result in improper fit, leakage, or malfunction. Verify your paint sprayer model before installation.

4. Setup and Installation

Before beginning, ensure the main paint sprayer unit is unplugged and free of any residual paint or pressure. Always wear appropriate safety gear, including eye protection and gloves.

1. **Attaching the Front Body**: Align the new Front Body with the main motor unit of the YT-201-A sprayer. Twist clockwise until it is securely fastened. Do not overtighten.
2. **Selecting and Installing a Nozzle**:
    a. Choose the appropriate copper nozzle size (1.2mm, 1.5mm, 1.8mm, 2.5mm, or 3.0mm) based on the paint viscosity and desired spray pattern. Thicker paints generally require larger nozzles.
    b. Insert the selected nozzle into the Front Body.
    c. Secure the nozzle by twisting the retaining ring (part of the Front Body) clockwise. Use the provided spanner if necessary to gently tighten, ensuring a snug fit without damaging the threads.
3. **Attaching the 1000ml Container**:
    a. Fill the 1000ml container with your prepared paint or liquid. Do not overfill.
    b. Place the Pot Lid securely onto the container, twisting it to the "CLOSE" position.
    c. Align the filled container with the bottom attachment point of the Front Body.
    d. Twist the container clockwise until it is firmly attached to the sprayer. Ensure there are no gaps to prevent leaks.

Once all components are assembled, perform a test spray with water to check for leaks and proper function before applying paint.

5. Operation Guidelines

These accessories enhance the functionality of your YATTICH YT-201-A paint sprayer. Proper selection and use of nozzles are critical for achieving desired results.

- **Nozzle Selection**: Refer to your paint manufacturer's recommendations for thinning and nozzle size. Generally:
    - **Smaller Nozzles (e.g., 1.2mm, 1.5mm)**: Ideal for thinner materials like stains, sealers, and lacquers, or for fine detail work.
    - **Medium Nozzles (e.g., 1.8mm, 2.5mm)**: Suitable for general-purpose paints, primers, and latex paints that have been properly thinned.
    - **Larger Nozzles (e.g., 3.0mm)**: Best for thicker materials or when a faster application rate is desired, often requiring more thinning.

- **Container Use**: The 1000ml container provides ample capacity for most painting tasks. Always ensure the Pot Lid is securely closed during operation to prevent spills and maintain consistent pressure.

6. Cleaning and Maintenance

Thorough cleaning after each use is essential to prevent clogging and ensure the longevity of your accessories and sprayer.

1. **Emptying the Container**: Disconnect the container from the sprayer. Empty any remaining paint back into its original can or a waste container.
2. **Initial Rinse**: Fill the 1000ml container with an appropriate cleaning solution (water for latex paints, mineral spirits for oil-based paints). Reattach to the sprayer and spray the cleaning solution through the nozzle until it runs clear.
3. **Disassembly**: Disconnect the container, remove the Pot Lid, and detach the Front Body and nozzle from the main sprayer unit.
4. **Cleaning Components**:
    a. **Container and Pot Lid**: Use the provided Cleaning Brush and cleaning solution to thoroughly scrub the inside and outside of the container and lid. Rinse with clean water.
    b. **Front Body and Nozzles**: Soak these parts in cleaning solution. Use the Cleaning Brush to remove paint residue from the exterior and interior channels of the Front Body. For nozzles, use the Nozzle Cleaning Needle to carefully clear any dried paint from the small orifices. Ensure all holes are clear.
5. **Final Rinse and Drying**: Rinse all cleaned components with clean water. Allow them to air dry completely before reassembling or storing.
6. **Storage**: Store all accessories in a clean, dry place, away from extreme temperatures.

7. Troubleshooting Common Issues

If you encounter issues while using these accessories with your YT-201-A sprayer, consider the following:

- **No Spray or Weak Spray**:
    - Check if the nozzle is clogged. Clean it thoroughly with the Nozzle Cleaning Needle and Cleaning Brush.
    - Ensure the container is securely attached and the Pot Lid is tightly closed.
    - Verify the paint is properly thinned for the selected nozzle size.
- **Leaking from Connections**:
    - Ensure the Front Body, nozzle, and container are all securely tightened. Use the spanner for the nozzle if needed.
    - Check for any damaged O-rings or seals (if applicable, though not explicitly listed as included, they are common wear parts).
- **Inconsistent Spray Pattern**:
    - Clean the nozzle thoroughly, as partial clogs can cause uneven patterns.
    - Ensure the paint is consistently mixed and thinned.

For issues related to the main sprayer unit, refer to its specific instruction manual.

8. Specifications

Component	Detail
Model Compatibility	YATTICH YT-201-A Paint Sprayer
Container Capacity	1000ml
Nozzle Material	Copper
Nozzle Sizes Included	1.2mm, 1.5mm, 1.8mm, 2.5mm, 3.0mm
Main Material (Container, Front Body)	Polypropylene (PP)
Color (Front Body)	Black

9. Warranty and Support

For specific warranty information regarding these YATTICH YT-201-A paint sprayer accessories, please refer to the documentation provided with your original purchase or contact the retailer. Warranty terms may vary depending on the point of purchase and regional regulations.
For technical support or inquiries about replacement parts not included in this package, please contact YATTICH customer service through their official website or the contact information provided with your original product documentation.

© 2026 YATTICH. All rights reserved.
This manual is for informational purposes only. YATTICH is not responsible for any damage or injury caused by improper use of these accessories.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B089W3PM7G

More documents and user manuals: **https://manuals.plus/**