

Pipishell PIMF9

Pipishell Full Motion TV Wall Mount User Manual

Model: PIMF9 | Brand: Pipishell

1. INTRODUCTION

This manual provides detailed instructions for the safe and proper installation, operation, and maintenance of your Pipishell Full Motion TV Wall Mount (Model PIMF9). Please read this manual thoroughly before beginning installation to ensure correct setup and to prevent damage or injury. This mount is designed for most 26-60 inch flat and curved TVs weighing up to 77 lbs, with VESA patterns up to 400x400mm.

2. SAFETY INFORMATION

Your safety is paramount. Please observe the following safety guidelines:

- Ensure the mounting surface can safely support the combined weight of the mount and the TV.
- Do not exceed the maximum weight capacity of 77 lbs (35 kg).
- Verify your TV's VESA pattern is compatible (100x100mm to 400x400mm).
- Always use a stud finder to locate wood studs or ensure concrete/brick walls are suitable for mounting. Do not install on drywall alone.
- Follow all installation steps precisely. If unsure, consult a qualified professional.
- Keep children and pets away during installation.
- Regularly check all connections and fasteners for tightness.
- If you have any questions or concerns, contact Pipishell customer support.

3. PACKAGE CONTENTS

Please check that all parts are included before beginning installation. If any parts are missing or damaged, do not proceed with installation and contact customer support.

- TV Wall Mount Assembly (Wall Plate and Articulating Arm)
- TV Brackets (2 pieces)
- Hardware Kit (various screws, washers, spacers for TV and wall mounting)

- Bubble Level
- Cable Ties (Velcro)
- Instruction Manual



Figure 3.1: Complete package contents of the Pipishell Full Motion TV Wall Mount.

4. SETUP AND INSTALLATION

4.1 Pre-Installation Checks

Before mounting, confirm your TV and wall are compatible with the mount.

- **TV Size & Weight:** Fits most 26-60 inch TVs, up to 77 lbs.
- **VESA Compatibility:** Supports VESA patterns from 100x100mm to 400x400mm. Measure the horizontal and vertical distance between the mounting holes on the back of your TV.
- **Wall Type:** Suitable for wood studs, concrete, and brick walls. **DO NOT install on drywall alone.**

Wide Compatibility




Concrete



Wood Stud



Brick



VESA Patterns

400×400mm	400×300mm
400×200mm	300×300mm
300×200mm	200×200mm
200×100mm	100×100mm

Max Load

77
LBS

Figure 4.1: VESA compatibility and maximum load capacity.

4.2 Attaching TV Brackets to TV

Carefully place your TV face down on a soft, clean surface to prevent scratches. Attach the two vertical TV brackets to the back of your TV using the appropriate screws, washers, and spacers from the hardware kit. Ensure the brackets are

centered and securely fastened.

Your browser does not support the video tag.

Video 4.1: Step-by-step guide on attaching the TV brackets to your television, demonstrating both flat and curved TV applications.

4.3 Mounting Wall Plate

Determine the desired height for your TV. Use a stud finder to locate the center of a wood stud for wood stud installation, or mark drill points for concrete/brick walls. Drill pilot holes and securely attach the wall plate using the provided lag bolts and washers.

Fine-Tune TV Positioning



Figure 4.2: Wall plate installation on a single wood stud.

4.4 Hanging the TV

With assistance, carefully lift the TV with the attached brackets and hook them onto the wall plate. Ensure the TV is securely seated on the mount. Tighten the security screws on the bottom of the TV brackets to prevent accidental

dislodgement.

4.5 Post-Installation Adjustments

The mount allows for various adjustments to achieve optimal viewing angles.

- **Height Adjustment:** The TV brackets offer 3 levels of height adjustment after installation.
- **Tilt:** Adjust the tilt angle from +5° to -15° to reduce glare.
- **Swivel:** Swivel the TV up to +/-90° for flexible viewing from different positions.
- **Extension:** Extend the arm out up to 19.51 inches or retract it back to 3.53 inches from the wall.
- **Leveling:** Post-installation leveling of +/-3° allows for perfect TV placement.




Figure 4.3: Full motion capabilities: Swivel, Extend, and Tilt.

5. OPERATING THE MOUNT

Once installed, the Pipishell Full Motion TV Wall Mount provides versatile positioning for your television. Gently push or

pull the TV to extend or retract the arm. Rotate the TV screen to achieve the desired swivel angle. Use the tilt adjustment knobs or levers (if applicable) to set the vertical viewing angle.

Always move the TV smoothly and avoid sudden jerks to prevent undue stress on the mount or wall.

6. MAINTENANCE

Regular maintenance ensures the longevity and safe operation of your TV mount.

- **Cleaning:** Wipe the mount with a soft, dry cloth. Avoid abrasive cleaners or solvents.
- **Inspection:** Periodically check all screws, bolts, and connections to ensure they are tight and secure. Re-tighten if necessary.
- **Movement:** If the articulating arm becomes stiff, a small amount of silicone-based lubricant can be applied to the pivot points, avoiding contact with the TV or wall.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
TV not level after installation.	Wall plate not perfectly level, or TV slightly off-center.	Use the post-installation leveling feature ($\pm 3^\circ$) to adjust the TV. Recheck wall plate level if necessary.
Mount feels loose or wobbly.	Loose fasteners, incorrect wall anchors, or insufficient wall support.	Immediately remove TV. Re-tighten all screws and lag bolts. Ensure proper wall type and stud location. If wall is damaged, consult a professional.
TV does not fit the mount.	Incorrect VESA pattern or TV weight exceeds capacity.	Verify your TV's VESA pattern and weight against the mount's specifications (100x100mm to 400x400mm, max 77 lbs).
Arm movement is stiff.	Lack of lubrication or dust accumulation.	Apply a small amount of silicone-based lubricant to the articulating joints. Clean any dust or debris.

8. SPECIFICATIONS

Feature	Detail
Brand	Pipishell
Model Number	PIMF9
Item Weight	6.2 pounds
Product Dimensions	17.56 x 10.43 x 3.7 inches
Color	Black
Mounting Type	Wall Mount

Feature	Detail
Movement Type	Articulating, Swivel
Material	Alloy Steel
Maximum Compatible TV Size	60 Inches
Minimum Compatible TV Size	26 Inches
Maximum Load Capacity	77 lbs (35 kg)
VESA Compatibility	100x100mm to 400x400mm
Tilt Angle	+5° / -15°
Swivel Angle	+/-90°
Extension from Wall	3.53" to 19.51"
Post-Installation Leveling	+/-3°

9. WARRANTY AND CUSTOMER SUPPORT

Pipishell is committed to providing high-quality products and excellent customer service. This product comes with a standard manufacturer's warranty. For specific warranty details, please refer to the product packaging or contact Pipishell customer support.







If you encounter any issues during installation or operation, or have any questions, please do not hesitate to contact our friendly US-based customer support team. Contact information can typically be found on the product packaging or the official Pipishell website.

Online Resources:

- [Download User Manual \(PDF\)](#)
- [Download Troubleshooting Guide \(PDF\)](#)
- [Visit the Official Pipishell Store on Amazon](#)



Related Documents - PIMF9

<div data-bbox="124 118 303 353"><p>Full-Motion TV Wall Mount Instruction Manual</p><p>Model: PIMF9</p><p>Thank you for choosing this product. We strive to provide you with the best quality products and services in the industry. Should you have any issues, please don't hesitate to contact us.</p><p>Technical Support: US/CA: 1-800-856-8829 Mon-Fri 9am - 5pm (EST) UK: 44-208-156-3885 Mon-Fri 9am - 5pm (GMT) Other Info: support@pipishell.net Website: www.pipishell.com</p></div>	<p>Pipishell PIMF9 Full-Motion TV Wall Mount Instruction Manual</p> <p>Comprehensive instruction manual for the Pipishell PIMF9 full-motion TV wall mount, detailing installation steps, safety information, and compatibility checks for various TV sizes and wall types.</p>
<div data-bbox="124 468 303 725"><p>FADs</p><p>Question: It's too hard to adjust the swivel angle or extension of the TV Wall Mount.</p><p>Answer: 1. Make sure the TV and Wall Mount are at the installation site before the TV. Only move the TV to the left and right angles. Do not pull on the adjuster of the TV.</p><p>2. If you have tried Option 1 and adjustment is still too hard, by loosening the anti-rattle nuts, you can adjust it.</p><p>600-0168-01-0002</p></div>	<p>Pipishell TV Wall Mount Adjustment Troubleshooting Guide</p> <p>Troubleshoot common issues with your Pipishell full-motion TV wall mount, including how to adjust swivel angle and extension. Learn step-by-step solutions for stiff joints and movement problems.</p>
<div data-bbox="124 781 303 1039"><p>INSTRUCTION MANUAL</p><p>PIMF9</p><p>Full-Motion TV Wall Mount</p><p>1-800-856-8829 US/CA 44-208-156-3885 UK</p><p>support@pipishell.net www.pipishell.com</p></div>	<p>Pipishell PIMF9 Full-Motion TV Wall Mount Instruction Manual</p> <p>Comprehensive instruction manual for the Pipishell PIMF9 Full-Motion TV Wall Mount. Includes safety information, parts list, compatibility checks, and step-by-step installation guides for various TV types and wall constructions.</p>
<div data-bbox="124 1097 303 1355"><p>INSTRUCTION MANUAL</p><p>PIMF7</p><p>Full-Motion TV Wall Mount</p><p>1-800-856-8829 US/CA 44-208-156-3885 UK</p><p>support@pipishell.net www.pipishell.com</p></div>	<p>Pipishell PIMF7 Full-Motion TV Wall Mount Instruction Manual</p> <p>Comprehensive instruction manual for the Pipishell PIMF7 full-motion TV wall mount, covering installation, safety, compatibility, and adjustment for TVs up to 77 lbs.</p>
<div data-bbox="124 1413 303 1671"><p>Full Motion TV Wall Mount Instruction Manual</p><p>Model: PIMFK3</p><p>Thank you for choosing this product. We strive to provide you with the best quality products and services in the industry. Should you have any issues, please don't hesitate to contact us.</p><p>Technical Support: US/CA: 1-800-856-8829 Mon-Fri 9am - 5pm (EST) UK: 44-208-156-3885 Mon-Fri 9am - 5pm (GMT) Other Info: support@pipishell.net Website: www.pipishell.com</p></div>	<p>Pipishell PIMFK3 Full Motion TV Wall Mount Instruction Manual</p> <p>Comprehensive instruction manual for the Pipishell PIMFK3 Full Motion TV Wall Mount. Learn how to safely install and adjust your TV mount for optimal viewing.</p>
<div data-bbox="124 1729 303 1986"><p>Pipishell</p><p>Installation Instructions</p><p>PIMF3</p><p>Thank you for choosing this product. We strive to provide you with the best quality products and services in the industry. Should you have any issues, please don't hesitate to contact us.</p><p>Technical Support: US/CA: 1-800-856-8829 Mon-Fri 9am - 5pm (EST) UK: 44-208-156-3885 Mon-Fri 9am - 5pm (GMT) Other Info: support@pipishell.net Website: www.pipishell.com</p></div>	<p>Pipishell PIMF3 TV Wall Mount Installation Instructions</p> <p>Detailed installation instructions for the Pipishell PIMF3 TV wall mount, covering safety information, tools needed, parts list, and step-by-step mounting procedures for both wood stud and concrete installations. Includes VESA measurement and TV screw compatibility checks.</p>

