

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

> [tectake](#) /

> [tectake Square Shade Sail 3.6 x 3.6 m Instruction Manual](#)

tectake 401810

tectake Square Shade Sail 3.6 x 3.6 m Instruction Manual

Model: 401810

1. PRODUCT OVERVIEW

The tectake Square Shade Sail provides effective sun protection and creates a comfortable shaded area in your garden, on your patio, or balcony. This versatile shade sail is also suitable for use at swimming pools, campsites, or outdoor events. Its durable and breathable fabric offers high UV protection and can also serve as a privacy screen.

Key Features:

- High UV protection of 50+
- Lightweight and tear-resistant material
- Breathable polyethylene fabric for optimal air and moisture exchange
- High-quality stainless steel rings for secure attachment
- Easy to clean with a garden hose
- Water-repellent properties



Image 1.1: The tectake Square Shade Sail providing shade over an outdoor seating area.

2. SAFETY INSTRUCTIONS

Important Safety Warning:

- Do not use the shade sail during heavy winds, thunder, lightning, or storms.
- Ensure the shade sail is securely and stably attached to its anchor points.
- Keep the area beneath and around the shade sail free of obstacles to prevent accidents.

3. PACKAGE CONTENTS

Please check the package to ensure all components are present:

- 1 x tectake Square Shade Sail (3.6 x 3.6 m)
- 1 x Set of Tension Cables
- 1 x Illustrated Assembly Manual



Image 3.1: Components including the durable fabric, stainless steel rings, and tension cables.

4. SETUP AND INSTALLATION

The tectake Square Shade Sail is designed for flexible and easy installation. Follow these general guidelines for setup:

1. **Choose Location:** Select a suitable location in your garden, on your patio, or balcony where you desire shade. Consider the sun's movement throughout the day.
2. **Identify Anchor Points:** The shade sail requires four stable anchor points. These can be trees, fences, poles, or existing structures. Ensure these points are strong enough to withstand tension and potential wind loads.
3. **Attach Tension Cables:** Use the provided tension cables to connect the stainless steel rings on each corner of the shade sail to your chosen anchor points.
4. **Adjust Tension:** Gradually tighten the tension cables to ensure the shade sail is taut and securely fastened. Proper tension prevents sagging and improves stability.
5. **Angle for Drainage:** For optimal performance and to prevent water accumulation, install the shade sail with a slight incline (at least 20-30 degrees) to allow rainwater to run off.

Refer to the included illustrated assembly manual for detailed, step-by-step instructions specific to your shade sail model.

5. OPERATING THE SHADE SAIL

Once installed, your tectake Square Shade Sail is ready to provide shade and comfort. It is primarily used for:

- **Sun Protection:** Enjoy outdoor activities while being protected from harmful UV rays.
- **Temperature Reduction:** The shade sail helps to lower the temperature in the shaded area, making your outdoor space more comfortable on hot days.
- **Privacy Screen:** Position the shade sail to create a private zone, shielding your area from curious glances.
- **Versatile Use:** Ideal for covering sandboxes to protect children, shading pet enclosures, or creating a comfortable spot at campsites.

Remember to follow the safety instructions regarding severe weather conditions.

6. MAINTENANCE

Maintaining your tectake Square Shade Sail is simple and helps prolong its lifespan:

- **Cleaning:** The shade sail can be easily cleaned by spraying it with a garden hose. For stubborn dirt, a mild soap solution and a soft brush can be used, followed by thorough rinsing.
- **Drying:** Ensure the shade sail is completely dry before storing it to prevent mold or mildew growth.
- **Seasonal Storage:** During periods of non-use or anticipated severe weather (heavy winds, snow, ice), it is recommended to take down and store the shade sail in a dry, protected area.
- **Inspection:** Periodically inspect the fabric, stitching, and stainless steel rings for any signs of wear or damage. Address any issues promptly to maintain safety and functionality.

7. TROUBLESHOOTING

This section addresses common issues you might encounter with your shade sail:

- **Sagging Sail:** If the sail sags, check the tension cables and anchor points. Re-tighten the cables as needed to ensure the sail is taut. Ensure anchor points are not shifting.
- **Water Pooling:** If water collects on the sail, it indicates insufficient incline. Adjust the installation angle to allow for proper water runoff. A minimum incline of 20-30 degrees is recommended.
- **Damage from Wind:** If the sail shows signs of damage after windy conditions, it may have been exposed to winds exceeding its recommended usage. Always take down the sail during heavy winds as per safety instructions.
- **Difficulty Cleaning:** For persistent stains, use a gentle fabric cleaner specifically designed for outdoor textiles. Avoid harsh chemicals or abrasive brushes that could damage the material.

8. SPECIFICATIONS

Model Number:	401810
Shape:	Square
Dimensions:	3.6 x 3.6 meters
Color:	Sand Color

Material:	100% Polyethylene (PE), Stainless Steel Rings
UV Protection:	50+
Weight:	Approximately 1.2 kg
Tension Cable Length:	Approximately 140 cm
Special Features:	Tear-resistant, UV-resistant, Water-repellent
Installation Type:	Bind, Pole mounting, Tree mounting




Image 8.1: Dimensional diagram of the 3.6 x 3.6 meter square shade sail.

9. WARRANTY AND SUPPORT

Information regarding specific warranty terms or direct customer support contacts is not provided in the product details. For warranty claims or technical assistance, please refer to your purchase documentation or contact the retailer where you purchased the tectake Square Shade Sail.

You may also visit the official tectake website for general product information and support options.

© 2024 tectake. All rights reserved.

This manual is for informational purposes only. Product specifications are subject to change without notice.