

## FORIOUS FB-0301B

# FORIOUS FB-0301B Black Widespread Bathroom Faucet Instruction Manual

Model: FB-0301B

## 1. INTRODUCTION

Thank you for choosing the FORIOUS FB-0301B Black Widespread Bathroom Faucet. This manual provides essential information for the proper installation, operation, maintenance, and troubleshooting of your new faucet. Please read it thoroughly before installation and retain it for future reference.

## 2. PRODUCT OVERVIEW

The FORIOUS FB-0301B faucet is designed for 3-hole, 6-12 inch center sinks, offering a modern aesthetic with its matte black finish and 360° swivel spout. It features two handles for precise control over water temperature and flow.

### Key Features:

- **High Quality Construction:** Made with lead-free materials, cUPC, NSF/ANSI/CAN 61, CEC, DOE certified for healthy and clean water.
- **Durable Finish:** Elegant matte black finish, passed 24-hour acid salt spray test for rust and peeling resistance.
- **Two-Handle Design:** Provides precise control over water temperature and flow.
- **360° Swivel Spout:** Enhances usability and flexibility.
- **Drip-Free Cartridge:** Copper and ceramic disc mixing cartridge tested for 500,000 cycles for high air tightness and stability.
- **Water-Saving Flow Rate:** 1.2 GPM (4.5 L/min) at Max 60psi.
- **Included Components:** Comes with 24" flexible cUPC hoses (3/8" Thread) and a premium metal pop-up drain.

## 3. DIMENSIONS

Refer to the diagram below for detailed product dimensions to ensure compatibility with your sink setup. The faucet is suitable for 3-hole sinks with a 6-12 inch center, with an optimal installation effect between 6-10 inches. Pre-drilled hole size requirement: 1.26" min - 1.38" max. Maximum counter thickness: 1.38"/35mm.



*Image: Detailed dimensions for the FORIOUS FB-0301B faucet and pop-up drain.*

## 4. INSTALLATION

The FORIOUS FB-0301B faucet is designed for simplified installation, often achievable within 15 minutes with all necessary components included. For a visual guide, please refer to the official installation video provided by FORIOUS-USA.


**Installation Video:**

Your browser does not support the video tag.


*Video: Official FORIOUS Bathroom Faucet Installation Guide. This video demonstrates the step-by-step process of installing the faucet, including inserting components into the countertop, connecting hoses, and testing the water flow.*

## Key Installation Steps:

1. Insert the faucet spout and two handles into the pre-drilled holes on your countertop.
2. Secure the components from beneath the sink using the provided gaskets and nuts.
3. Connect the hot and cold water supply lines to the corresponding faucet handles.
4. Connect the black 'Y' hose between the handles and the main spout.
5. Install the pop-up drain assembly into the sink basin.
6. Test for leaks and proper operation.



Recommend 6"-12" centerset width



Maximum Thickness  
1.38"/35mm

Pre-drilled hole size requirement:  
1.26"min - 1.38"max

*Image: Demonstrates the simple process of installing the faucet spout.*

# INSTALLS IN SECONDS

Installation is as simple as shown in the video.  
Include all necessary parts



*Image: Illustration of the durable PEX hoses included for water connections.*

## 5. OPERATION

Your FORIOUS FB-0301B faucet features two handles for controlling water flow and temperature, and a 360° swivel spout for convenience.

### Water Flow and Temperature Control:

- The left handle controls hot water.
- The right handle controls cold water.
- Adjust both handles to achieve your desired water temperature and flow rate.



*Image: Visual guide for operating the hot and cold water handles.*

## Swivel Spout:

- The main spout can swivel 360 degrees, allowing you to direct water flow as needed for various tasks.

## 6. MAINTENANCE

---

Proper maintenance will ensure the longevity and aesthetic appeal of your FORIOUS faucet.

### Cleaning the Finish:

- Clean the matte black finish regularly with a soft, damp cloth.
- Avoid abrasive cleaners, harsh chemicals, or polishing powders, as these can damage the finish.
- The finish is designed to resist rust and peeling, maintaining its appearance over time.





*Image: The faucet's matte black finish is resistant to corrosion and fingerprints.*

### **Cartridge and Aerator Maintenance:**

- The ceramic disc cartridge is designed for durability and drip-free performance.
- Regularly clean the aerator to maintain optimal water flow and prevent mineral buildup.


# PASSED 500,000+ CYCLE TESTING

Copper + Ceramic Combination Material.

↑ Smooth  
**37%**

↑ Avoid leakage  
**35%**

↑ Stability  
**30%**



*Image: Highlighting the durability and performance of the faucet's internal cartridge.*

## 7. TROUBLESHOOTING

If you encounter any issues with your FORIOUS faucet, please refer to the following general advice. For specific problems, contact customer support.

- **Low Water Flow:** Check if the water supply valves are fully open. Inspect the aerator for clogs and clean if necessary.
- **Leaks:** Ensure all connections are tightened properly. If leaks persist, the internal cartridge may need inspection or replacement.
- **Difficulty Adjusting Temperature:** Verify that both hot and cold water supply lines are correctly connected and functioning.

If these steps do not resolve the issue, please contact FORIOUS customer support for further assistance.

## 8. SPECIFICATIONS

Attribute	Value
Brand	FORIOUS
Model Name	FB-0301B
Color	Matte Black
Material	Stainless Steel
Finish Type	Matt
Mounting Type	Deck Mount
Number of Handles	2
Hole Count	3
Special Feature	360 Swivel, Pop Up Drain
Maximum Flow Rate	1.8 Gallons Per Minute (1.2 GPM stated in feature bullets, using the more specific spec)
Spout Height	6.69 Inches
Spout Reach	5.63 Inches
Hose Length	24 Inches
Product Dimensions	6.69"D x 5.63"W x 8.82"H
Item Weight	3.56 pounds
UPC	778716373229

## 9. WARRANTY & SUPPORT

The FORIOUS FB-0301B Bathroom Faucet comes with a **Lifetime Warranty**, ensuring peace of mind regarding its quality and durability. For any warranty claims, technical support, or inquiries, please contact FORIOUS-USA directly.

**Manufacturer:** FORIOUS

**Seller:** FORIOUS-USA