

[Manuals.plus](#) /

› [Fox Trot](#) /

› Fox Trot Oil Change Kit User Manual

Fox Trot 8-Quart Oil Change Kit

Oil Change Kit User Manual

Model: 8-Quart Oil Change Kit

Brand: Fox Trot

1. PRODUCT OVERVIEW

The Fox Trot Oil Change Kit provides a comprehensive solution for efficient and mess-free oil changes. This kit is designed for ease of use and durability, making vehicle maintenance simpler for both beginners and experienced users. It includes an 8-quart oil drain pan, a longneck oil funnel with a removable filter, and a pack of five absorbent shop towels. The components are made from durable, chemical-resistant materials suitable for various automotive fluids.



Figure 1: Complete Fox Trot Oil Change Kit components.

2. KIT COMPONENTS

- **8-Quart Oil Drain Pan:** A spacious pan designed to collect used oil, featuring an easy-pour spout and ergonomic grip handles for transport.
- **Longneck Oil Funnel:** A wide-mouth funnel with a removable mesh filter to prevent debris from entering the new oil.
- **Funnel Extension:** A 15-inch flexible extension for the funnel, providing versatility for hard-to-reach fill points.
- **5x Shop Towels:** Quick-absorbing cotton towels for cleaning up spills and maintaining a tidy workspace.

An Oil Drain Pan That Goes Beyond The Basics



Easy Pour Spout



Easy Grip Handles



Quick Absorbing Cotton Towel



Wide Mouth Funnel



15 Inch Funnel Extension

Figure 2: Detailed view of key kit components.

3. SETUP

1. **Prepare Workspace:** Ensure your vehicle is on a level surface and the engine is cool. Place cardboard or additional protective sheeting under the vehicle to catch any accidental spills.
2. **Position Oil Pan:** Locate the oil drain plug on your vehicle's oil pan. Position the Fox Trot 8-quart oil drain pan directly underneath the drain plug, ensuring it is centered to catch all draining oil.
3. **Prepare Funnel:** For refilling, attach the flexible extension to the longneck funnel if needed, depending on the vehicle's oil fill location. Ensure the mesh filter is securely in place within the funnel.

4. OPERATING INSTRUCTIONS: PERFORMING AN OIL CHANGE

4.1 Draining Used Oil

1. Using the appropriate wrench, carefully loosen and remove the oil drain plug. Allow the used oil to drain completely

into the Fox Trot oil drain pan.

2. Once the oil flow slows to a drip, remove the old oil filter. Position the oil pan to catch any residual oil from the filter.
3. Replace the oil drain plug and install a new oil filter according to your vehicle manufacturer's specifications.



Figure 3: Oil draining into the pan.

4.2 Refilling with New Oil

1. Locate your vehicle's oil fill cap. Place the assembled longneck oil funnel (with or without extension) into the oil fill opening.
2. Slowly pour the recommended type and amount of new engine oil into the funnel. The wide mouth and mesh filter help ensure a clean and spill-free pour.
3. Once all new oil is added, remove the funnel and replace the oil fill cap securely.



Figure 4: Pouring new oil using the funnel.

5. MAINTENANCE AND STORAGE

- **Cleaning the Oil Pan:** After draining oil, use the easy-pour spout to transfer the used oil into a suitable container for recycling. Clean the pan with a degreaser and water. Ensure it is thoroughly dry before storage.
- **Cleaning the Funnel:** Disassemble the funnel and extension. Clean all parts with soap and water or a degreaser. Pay special attention to the mesh filter to remove any trapped debris.
- **Shop Towels:** The included shop towels are reusable. Wash them thoroughly after each use to maintain absorbency.
- **Storage:** Store all components in a clean, dry place away from direct sunlight and extreme temperatures.

Benefits of Motor Oil Drain Pan



Figure 5: Benefits of the Fox Trot Oil Drain Pan.

6. TROUBLESHOOTING

Problem	Possible Cause	Solution
Oil spills during draining.	Pan not centered; drain plug removed too quickly; pan capacity exceeded.	Ensure pan is directly under drain plug. Remove plug carefully. Verify pan capacity (8 quarts) is sufficient for your vehicle.
Funnel clogs during refilling.	Mesh filter is dirty or clogged; pouring too quickly.	Clean the mesh filter thoroughly before use. Pour new oil slowly to allow proper flow.
Difficulty pouring used oil from pan.	Pan is too heavy; spout not positioned correctly.	Use the ergonomic handles for better grip. Ensure the easy-pour spout is fully extended and positioned over the recycling container.

7. SPECIFICATIONS

Feature	Detail
Product Dimensions	3.94"W x 3.94"H (Pan)
Capacity	8 Quarts
Color	Black (Pan & Funnel), Red (Towels)
Material	Durable Plastic (Pan & Funnel), Cotton (Towels)
Compatibility	Suitable for Engine Oil, Anti-Freeze, Wiper & DEF Fluid, Brake Oil, Power Steering Fluid.

8. WARRANTY AND SUPPORT

For any questions regarding the Fox Trot Oil Change Kit, including product defects or operational assistance, please contact Fox Trot customer support. Refer to the product packaging or the official Fox Trot website for the most current contact information.

This product is designed for durability and long-term use when maintained properly.

