

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [DELTA](#) /
- › [DELTA 51549-CZ ActivTouch Handshower with Slide Bar User Manual](#)

## DELTA 51549-CZ

# DELTA 51549-CZ ActivTouch Handshower with Slide Bar User Manual

Model: 51549-CZ | Brand: DELTA

## 1. INTRODUCTION

---

The DELTA 51549-CZ ActivTouch Handshower with Slide Bar offers enhanced control and flexibility for your showering needs. This system is designed for ease of use, featuring multiple spray settings and a convenient pause function. Its durable construction and easy-to-clean design ensure lasting performance.



Image: DELTA 51549-CZ ActivTouch Handshower with Slide Bar, Champagne Bronze.

## 2. PRODUCT FEATURES

---

- **Nine Spray Settings:** Includes Full Body spray, Fast Massage spray, Full Spray with Massage, Shampoo Rinsing spray, Shampoo Rinsing spray with Massage, Drenching spray, Drenching spray with Massage, Soft Full spray, and Pause.
- **Touch-Clean Spray Holes:** Soft, rubber nozzles allow for easy removal of calcium and lime build-up with a simple wipe.
- **Pause Feature:** Reduces water flow to a trickle, conserving water during tasks like shaving or lathering, while maintaining temperature settings.
- **Adjustable Slide Bar:** Allows for hands-free showering and easy height adjustment of the handshower.
- **Stretchable Metal Hose:** Includes a 60-82 inch stretchable metal hose for extended reach and flexibility.
- **WaterSense Labeled:** Uses at least 20% less water than the industry standard, promoting water conservation.
- **Dual Neoperl Check Valves:** Certified for backflow protection.
- **Soft Touch Non-Slip Grip:** Ensures secure handling of the handshower.

- **Three Spray Selection Buttons:** For simple one-handed operation to switch between spray modes.

### 3. PACKAGE CONTENTS

---

Verify that all components are present before beginning installation:

- Handshower
- Hose (60-82 inch stretchable metal)
- Slide Bar

### 4. INSTALLATION

---

Professional installation is recommended for optimal performance and to ensure compliance with local plumbing codes. Refer to the detailed installation guide provided with your product for specific step-by-step instructions. Ensure water supply is turned off before starting any installation work.

#### Key Installation Considerations:

- **Mounting:** The slide bar is designed for wall mount installation.
- **Hose Connection:** Securely connect the handshower hose to the water supply and handshower unit.
- **Backflow Prevention:** The unit includes certified dual Neoperl check valves for backflow protection.

### 5. OPERATING INSTRUCTIONS

---

#### Adjusting Handshower Height:

To adjust the height of the handshower on the slide bar, locate the adjustment lever or button on the slide bar bracket. Loosen it to move the handshower up or down, then tighten to secure it at the desired position.

#### Selecting Spray Settings:

The ActivTouch handshower features three spray selection buttons. Press these buttons to cycle through the nine available spray settings, including various full body, massage, shampoo rinsing, and drenching options. The pause feature is also accessible via these buttons.

#### Using the Pause Feature:

Activate the pause feature to temporarily reduce water flow to a trickle. This allows you to perform tasks such as shaving or lathering without changing the water temperature. Press the spray selection button again to resume full water flow.

### 6. MAINTENANCE

---

#### Cleaning the Spray Holes (Touch-Clean):

The handshower is equipped with soft, rubber Touch-Clean spray holes. To remove mineral residue and maintain optimal spray performance, simply wipe the spray face with your finger or a soft cloth. No chemical cleaners or soaking are typically required.

#### General Cleaning:

Clean the exterior surfaces of the handshower and slide bar with a mild soap and water solution. Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the finish.

## 7. TROUBLESHOOTING

If you encounter issues with your DELTA ActivTouch Handshower, consider the following common solutions:

- **Reduced Water Flow:** Check for mineral build-up in the spray holes and clean using the Touch-Clean feature. Ensure the hose is not kinked.
- **Leaking:** Verify all connections are tight. If leaks persist, check the washers and O-rings for proper seating or damage.
- **Difficulty Changing Spray Settings:** Ensure the spray selection buttons are pressed firmly. If the mechanism feels stiff, a gentle cleaning around the buttons may help.

For further assistance, please contact DELTA customer support.

## 8. SPECIFICATIONS

Specification	Detail
Brand	DELTA
Model Number	51549-CZ
Color	Champagne Bronze
Material	Metal (Handle Material: Brass)
Finish Type	Gold
Number of Handles	1
Item Weight	4.12 Pounds
Mounting Type	Wall Mount
Head Size	2.81 inches
Product Dimensions	2.81 x 6.5 x 24.63 inches
UPC	034449927949
Water Flow Rate	1.75 GPM (Gallons Per Minute)

## 9. WARRANTY & SUPPORT

### Warranty Information:

This DELTA product is covered by a Lifetime Faucet and Finish Lifetime Limited Warranty. Please refer to the official DELTA warranty documentation for full terms and conditions.

### Customer Support:

For technical assistance, replacement parts, or warranty claims, please contact DELTA Faucet Company customer service. Contact information can typically be found on the DELTA Faucet website or in the product packaging.

