

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Ibergrif](#) /
- › [Ibergrif M34032 Shower Caddy Instruction Manual](#)

Ibergrif M34032

Ibergrif M34032 Shower Caddy Instruction Manual

Model: **M34032** | Brand: **Ibergrif**

INTRODUCTION

Thank you for choosing the Ibergrif M34032 No Drilling Bathroom Pole Storage Rack Holder. This innovative shower caddy is designed to provide convenient and organized storage for your bathroom essentials without the need for drilling, preserving your wall surfaces. Its adjustable height and robust construction ensure a tidy and functional shower space. Please read this manual thoroughly before installation and use to ensure proper operation and longevity of your product.



Figure 1: Overview of the Ibergrif M34032 Shower Caddy.

IMPORTANT SAFETY INFORMATION

To ensure safe operation and prevent damage, please observe the following safety guidelines:

- Do not exceed the maximum bearing capacity of **8 kg (17.6 lbs)**. Overloading may cause the caddy to detach or break.
- Ensure the shower rail diameter is within the supported range of **19mm-25mm** for secure installation.
- Regularly check the stability of the caddy and the tightness of the buckles to prevent accidental detachment.
- Keep small parts, especially the buckles, out of reach of children to prevent choking hazards.
- Do not use abrasive cleaners or harsh chemicals on the product, as this may damage the finish.
- Install the caddy only on a clean, dry shower rail.

PACKAGE CONTENTS

Please verify that all components are present and undamaged before proceeding with installation:

- 1 x Shower Shelf Caddy
- 1 x Detachable Bottom Plate (Drainage Tray)
- 4 x Different Sized Buckles (for 19mm-25mm shower rails)
- 1 x Head Hook (integrated on the caddy)



Figure 2: All components included in the package.

SETUP AND INSTALLATION

The Ibergriif M34032 shower caddy is designed for easy, no-drilling installation on shower rails with diameters between 19mm and 25mm. Follow these steps for a secure setup:

- 1. Measure Shower Rail Diameter:** Use a measuring tool (e.g., caliper) to accurately determine the diameter of your shower rail. This is crucial for selecting the correct buckle.
- 2. Select Correct Buckle:** Choose one of the four provided buckles that best fits your shower rail's diameter (19mm, 22mm, 24mm, or 25mm). The buckle should fit snugly around the rail.
- 3. Assemble the Caddy:**
 - Insert the selected buckle into the designated slot on the back of the shower caddy. Ensure it clicks into place securely.
 - Place the detachable bottom plate (drainage tray) into the main caddy frame.
- 4. Position on Shower Rail:** Align the caddy with the shower rail at your desired height. The caddy should slide onto the rail with the buckle embracing it.
- 5. Secure the Caddy:** Gently push the caddy towards the shower rail until the buckle firmly clamps onto the rail. You may need to apply slight pressure to ensure a tight fit.
- 6. Tighten Screws (if applicable):** Some buckles may have small screws for extra security. If present, gently tighten these screws with a screwdriver to further secure the caddy to the rail. Do not overtighten.
- 7. Test Stability:** Before placing items, gently push down on the caddy to ensure it is stable and does not slide or wobble. Adjust if necessary.




Figure 3: Visual guide for the installation process.




Figure 4: Product dimensions and adapter compatibility (19mm-25mm).



Figure 5: The shower caddy securely installed on a shower rail.

OPERATING INSTRUCTIONS

Using your Ibergrif M34032 shower caddy is straightforward:

- **Adjusting Height:** The caddy can be easily repositioned along the shower rail to your preferred height. Simply loosen the buckle slightly, slide the caddy to the new position, and re-secure the buckle.
- **Storing Items:** Place your soaps, shower gels, shampoos, combs, and other bathroom essentials on the shelf. The aluminum curve fence helps prevent items from falling off.
- **Using the Head Hook:** The integrated hook on the left side is designed to hold a shower head or spray gun, keeping it conveniently accessible.
- **Drainage:** The shutter drain shelf design allows for fast water drainage, preventing water accumulation and keeping your items dry.



Figure 6: Example of the shower caddy holding various bathroom essentials and a shower head.

CARE AND MAINTENANCE

Proper care will extend the life and appearance of your shower caddy:

- **Regular Cleaning:** Clean the caddy regularly with mild soap and water. A soft cloth or sponge is recommended.
- **Detachable Bottom Plate:** The mating bottom plate is detachable for easy cleaning. Simply remove it and rinse directly under water to clear any residue.
- **Avoid Harsh Cleaners:** Do not use abrasive pads, scouring powders, or chemical cleaners containing ammonia, bleach, or acids, as these can damage the aluminum and ABS materials.
- **Drying:** After cleaning, wipe the caddy dry to prevent water spots and maintain its polished finish.

TROUBLESHOOTING

If you encounter any issues with your shower caddy, please refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Caddy slides down the rail.	Incorrect buckle size or buckle not tightened sufficiently.	Ensure you have selected the correct buckle for your shower rail diameter. Tighten the buckle firmly. If applicable, tighten the small screws on the buckle.
Items fall off the caddy.	Overloaded or items placed precariously.	Do not exceed the maximum weight capacity of 8 kg. Ensure items are placed securely within the caddy's boundaries.
Water accumulates on the shelf.	Drainage holes are blocked.	Remove the detachable bottom plate and clean any debris from the drainage slots.
Caddy appears wobbly after installation.	Buckle not fully engaged or rail surface is slippery.	Re-check that the buckle is fully engaged and secured. Ensure the shower rail is clean and dry where the caddy is installed.



PRODUCT SPECIFICATIONS

Feature	Detail
Model Number	M34032
Brand	Ibergrif
Material	Space Aluminum + ABS
Color	Silver/Black
Product Dimensions (L x W x H)	11.02" x 4.72" x 15.35" (280mm x 120mm x 66mm approx. for shelf part)
Compatible Shower Rail Diameter	19mm - 25mm
Maximum Weight Capacity	8 Kilograms (17.6 lbs)
Special Features	No Drilling Installation, Adjustable Height, Fast Drainage, Integrated Head Hook, Rust-proof
Finish Type	Polished
Item Weight	1.32 pounds

WARRANTY AND SUPPORT

Ibergrif products are manufactured to high-quality standards. While specific warranty details are not provided in this manual, please retain your proof of purchase for any warranty claims. For product support, troubleshooting assistance, or to inquire about warranty information, please visit the official Ibergrif website or contact their customer service department. You can often find support contact information on the product packaging or the brand's official online store. For more information, visit the [Ibergrif Store on Amazon](#).

Related Documents - M34032

	<p>Ibergrif M20293 Rain Shower Head Installation and Maintenance Guide</p> <p>Official installation and maintenance guide for the Ibergrif M20293 Rain Shower Head. Learn how to install, troubleshoot water flow issues, and replace silicone tips.</p>
	<p>Ibergrif M20406 Shower Head Bracket Assembly and Installation Guide</p> <p>Comprehensive guide for assembling and installing the Ibergrif M20406 Shower Head Bracket using self-adhesive or wall-mounted methods. Includes product details and safety warnings.</p>
	<p>Ibergrif M41002 O Shape Toilet Seat Installation Guide</p> <p>Concise installation guide for the Ibergrif M41002 O Shape Toilet Seat, featuring easy-to-follow steps, parts list, and product information. Learn how to quickly and correctly install your new toilet seat.</p>