

[Manuals.plus](#) /

› [Siljoy](#) /

› Siljoy Retractable Ceiling Fan with Lights Black Industrial Caged Ceiling Fan with Remote Controller Farmhouse Chandelier Fan with Lights for Living Room Bedroom Patio (48 Inches, 5 Lights)

Siljoy XLQ6639

Siljoy Retractable Ceiling Fan with Lights

Model: XLQ6639

IMPORTANT SAFETY INFORMATION

Please read and understand all instructions before beginning installation. Failure to follow these instructions may result in electric shock, fire, or personal injury.

- Always disconnect power at the main circuit breaker before installation or servicing.
- Ensure all electrical connections comply with local codes and ordinances.
- Consult a qualified electrician if you are unsure about wiring or installation.
- Mount the fan securely to a ceiling joist or a suitable support structure capable of supporting the fan's weight.
- Do not bend the fan blades during installation or cleaning.
- Keep children away from the fan during operation.

PACKAGE CONTENTS

Verify that all components are present before proceeding with installation:

- Ceiling Fan Unit (with retractable blades and caged light fixture)
- Remote Control
- Mounting Hardware
- Downrods (5-inch and 10-inch)
- Instruction Manual



Dark Brown ABS Fan Blades



Farmhouse Caged Design
Lampshade



Recommend Edison E26 Bulbs

Image: Overview of fan components including the main unit, remote, and downrods.

SETUP AND INSTALLATION

Self-assembly is required. A detailed video tutorial is available for assistance, which can be a great help for self-installation.

1. Pre-Installation Steps

1. Turn off power at the circuit breaker to avoid electrical shock.
2. Gather necessary tools: screwdriver, wire strippers, electrical tape, ladder.

2. Mounting the Fan

This fan is suitable for flat, sloped, and slant ceilings (less than 22 degrees). Choose the appropriate downrod (5-inch or

10-inch) based on your ceiling height. Secure the mounting bracket to the ceiling outlet box and a support structure.



Image: The Siljoy Retractable Ceiling Fan mounted on a ceiling, with blades extended.

3. Wiring Connections

Connect the fan's electrical wires to your household wiring according to the provided wiring diagram in the full instruction manual. Ensure the remote control receiver is properly integrated into the wiring. All connections should be secure and insulated.



Image: Diagram illustrating the fan's internal motor and wiring.

4. Installing Light Bulbs

The fan requires 5 x E26 bulbs (Max 40W, not included). For optimal performance and to prevent potential issues like flickering or beeping due to heat, it is highly recommended to use E26 Edison LED bulbs.



Works With Various E26 Bulbs
(Halogen)(Incandescent)(CFL)(Fluorescent)
Recommend Edison LED E26 Bulb

Image: Examples of E26 bulbs compatible with the fan's light fixture.

OPERATING INSTRUCTIONS

Remote Control Functions

The fan and light can be controlled individually using the included remote control. Ensure the remote has working batteries.



EASY & CONVENIENT REMOTE CONTROL



Image: The remote control for the ceiling fan.

- **Fan Speed Control:** Select from 6 fan speeds to adjust airflow.
- **Timer Function:** Set the fan to turn off automatically after 1, 2, or 4 hours.
- **Light Control:** Turn the light on/off independently of the fan.
- **Reverse Mode:** Change the direction of the fan blades.

Retractable Blades

The 4 ABS fan blades automatically expand when the fan is turned on and fold up discreetly when the fan is turned off, providing a space-saving design.

Retractable Blades & Height Adjustable Room-saving & Looks More Sturdy


Suitable for Floor Height: 8 – 13 Ft



Fan OFF

Blades put inside automatically

Two Downrods
Included



Fan ON

Blades stretch out automatically



Image: The fan with blades retracted (left) and extended (right).

Reversible Motor Function

The fan features a reversible motor, allowing for year-round comfort:

- **Forward Mode (Summer):** Creates a downward airflow, providing a cooling effect.
- **Reverse Mode (Winter):** Creates an upward airflow, circulating warm air trapped near the ceiling.



SUMMER

Forward Mode

Cool Wind
Fresh Air

REVERSE FUNCTION

WINTER

Reverse Mode

Better Airflow
Warm Space



Image: Visual representation of the fan's forward and reverse modes.

MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your ceiling fan.

- **Cleaning:** Use a soft, damp cloth to clean the fan's exterior. Do not use abrasive cleaners or solvents. Ensure power is off before cleaning.
- **Bulb Replacement:** Replace E26 bulbs as needed. Always turn off power before replacing bulbs.
- **Blade Care:** The ABS fan blades are durable. Avoid bending or applying excessive force to them.

TROUBLESHOOTING

Refer to the table below for common issues and their solutions.

Problem	Possible Cause	Solution
Fan does not operate	No power; Loose wiring; Remote control issue	Check circuit breaker; Verify all wiring connections are secure; Replace remote batteries or re-pair remote.
Light flickers or does not turn on	Loose bulb; Incorrect bulb type; Wiring issue; Overheating from non-LED bulbs	Tighten bulbs; Ensure bulbs are E26 and within 40W limit; Check wiring; Use E26 Edison LED bulbs to prevent overheating and flickering.
Fan wobbles	Loose mounting screws; Unbalanced blades	Tighten all mounting screws; Ensure blades are securely attached and balanced.
Remote control not responding	Dead batteries; Remote not paired	Replace batteries; Refer to the full manual for remote pairing instructions.

If the issue persists after attempting these solutions, please contact customer support for further assistance.

SPECIFICATIONS

Feature	Detail
Brand	Siljoy
Model Name	8388-48B
Item Model Number	XLQ6639
Product Dimensions	48"L x 48"W x 22.3"H (extended)
Material	Metal (fixture), ABS (blades)
Style	Industrial, Farmhouse
Power Source	Corded Electric
Voltage	110 Volts (AC)
Light Source Type	LED (recommended)
Number of Light Sources	5
Bulb Base	E26
Max Wattage (per bulb)	40 watts
Control Method	Remote Control

Feature	Detail
Special Features	6 wind speeds, Retractable Blades, Reversible Motor, Timing Function
Noise Level	Less than 35dB
Item Weight	20.9 Pounds



Image: Detailed dimensions of the ceiling fan.

WARRANTY AND CUSTOMER SUPPORT

Siljoy offers a **30-day free return and refund policy** and a **12-month warranty** on this ceiling fan.

If you encounter any defects in workmanship or receive any broken parts, please do not hesitate to contact our customer service team. We are committed to providing replacements as soon as possible to ensure your satisfaction.

For support, please refer to the contact information provided in your product packaging or visit the official Siljoy website.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B08C9XPMM>

More documents and user manuals: <https://manuals.plus/>