

Bestway 60017

Bestway Lay-Z-Spa Model 60017 User Manual

Your comprehensive guide to setup, operation, and maintenance.

1. INTRODUCTION

Welcome to the Bestway Lay-Z-Spa experience. This manual provides essential information for the safe and efficient use of your new inflatable hot tub. Please read it thoroughly before setup and operation to ensure proper functionality and longevity of your spa.

2. SAFETY INFORMATION

WARNING: Always follow basic safety precautions when installing and using this electrical equipment.

- Do not operate the spa if the water temperature is above 40°C (104°F).
- Children should not use the spa without adult supervision.
- Pregnant women and persons with heart disease, high blood pressure, diabetes, or other health conditions should consult a physician before using the spa.
- Always disconnect the spa from the electrical supply before cleaning, servicing, or making any adjustments.
- Ensure the spa is placed on a level surface capable of supporting its filled weight (954 kg / 2,103 lbs).

3. PACKAGE CONTENTS

Verify that all components listed below are included in your package. If any parts are missing or damaged, do not proceed with assembly and contact customer support.

- 1 x Inflatable Spa Pool
- 1 x Pool Cover
- 1 x Spa Pump with Integrated Filtration System
- 1 x ChemConnect™ Dispenser
- 1 x Filter Cartridge (Type VI)
- 1 x Repair Kit

- AirJet™ System



Figure 3.1: Main components of the Bestway Lay-Z-Spa Model 60017, including the inflatable spa, external pump unit, spa cover, and a filter cartridge.

4. SETUP INSTRUCTIONS

Follow these steps carefully for proper setup of your Lay-Z-Spa.

1. **Site Selection:** Choose a flat, stable surface that can support the spa's weight when filled. Ensure adequate drainage and proximity to a grounded electrical outlet.





Figure 4.1: The Lay-Z-Spa positioned on a level outdoor patio, ready for use.

2. **Unpacking and Spreading:** Carefully remove the spa from its packaging and spread it out on the chosen location.
3. **Inflation:** Connect the spa pump to the spa's inflation valve. Use the pump's air blower function to inflate the spa until it is firm to the touch but not over-inflated. The pump will automatically inflate the spa.
4. **Pump Connection:** Connect the spa pump to the spa pool using the provided hoses. Ensure all connections are secure and watertight.
5. **Filling with Water:** Fill the spa with water using a garden hose. Do not fill above the maximum fill line indicated inside the spa. The water capacity is 916 liters (242 gallons) at 80% capacity.

60017

↔ 196 x 71 cm
77" x 28"

TM LAY-Z-SPA®
PALM SPRINGS AIRJET™



80%



Figure 4.2: A technical diagram illustrating the inflated dimensions of the Lay-Z-Spa (196 cm x 71 cm / 77" x 28") and its 80% water capacity of 916 liters (242 gallons).

- ChemConnect™ Dispenser:** Attach the ChemConnect™ dispenser to the spa's water outlet. This dispenser helps maintain stable chlorine levels.



Figure 4.3: A detailed view of the ChemConnect™ dispenser, designed to release chlorine evenly into the spa water.

- 7. Filter Cartridge Installation:** Insert the filter cartridge (Type VI) into the filter housing inside the spa.

5. OPERATING INSTRUCTIONS

Your Lay-Z-Spa is equipped with a user-friendly digital control panel.



Figure 5.1: The digital control panel on the spa pump, featuring buttons for power, temperature adjustment, bubble activation, and timer settings.

- **Power On/Off:** Press the power button to turn the spa system on or off.
- **Temperature Adjustment:** Use the up and down arrows to set your desired water temperature. The maximum heat capability is 40°C (104°F). The heating system warms water at approximately 1.5-2.0°C/h (3-4°F/h).
- **AirJet™ System:** Activate the AirJet™ bubble massage system (140 jets) for a soothing experience.



Figure 5.2: A couple relaxing in the Lay-Z-Spa, demonstrating the bubble massage feature in action.



Figure 5.3: A family enjoying the spacious interior of the Lay-Z-Spa, highlighting its capacity for multiple users.

- **Timer Function:** Utilize the power-saving, timer-controlled heating system to program the spa heater up to 40 days in advance.

- **Filtration System:** The integrated filtration system continuously cleans the water. Ensure the filter cartridge is clean for optimal performance.
- **Freeze Shield™:** The automatic heating system prevents water from freezing and damaging the spa in colder temperatures.

6. MAINTENANCE

Regular maintenance is crucial for the longevity and hygiene of your Lay-Z-Spa.

- **Filter Cartridge Cleaning/Replacement:** Clean the filter cartridge regularly (daily or every other day depending on usage). Replace the cartridge every few weeks or when it becomes discolored and hard.
- **Water Chemistry:** Regularly test and adjust water chemistry using appropriate spa chemicals. The ChemConnect™ dispenser assists in maintaining stable chlorine levels.
- **Spa Cleaning:** Periodically drain and clean the spa interior with a mild, non-abrasive cleaner. Rinse thoroughly.
- **Cover Care:** Keep the reinforced cover clean and securely fastened with safety lock clips when the spa is not in use to prevent debris and heat loss.
- **Storage:** When not in use for extended periods, drain the spa completely, clean it, and ensure it is thoroughly dry before deflating and storing in a dry, protected area.

7. TROUBLESHOOTING

Common issues and their solutions.

Problem	Possible Cause	Solution
Spa not heating	Low water level; dirty filter; heater malfunction; ambient temperature too low.	Ensure water is above minimum line; clean/replace filter; check power supply; allow more time for heating in cold weather.
Bubbles not strong enough	Air pump issue; clogged air jets.	Check pump connections; ensure air jets are clear of debris.
Water is cloudy	Dirty filter; improper water chemistry; high bather load.	Clean/replace filter; test and adjust water chemicals (chlorine, pH); shower before using spa.
Spa losing air	Leak in spa body or valves.	Locate leak using soapy water and repair with provided patch kit. Ensure valves are tightly closed.

8. SPECIFICATIONS

Feature	Detail
Model Name	Lay-Z-Spa® Palm Springs AirJet™
Model Number	60017
Capacity	4-6 adults

Feature	Detail
Water Capacity (80%)	916 L (242 gal.)
Inflated Size	1.96 m x 71 cm (77" x 28")
Inner Size	1.46 m (57")
Filled Weight	954 kg (2,103 lbs)
Net Weight	34 kg (75 lbs)
Max. Water Depth	52 cm (20")
Heating System	Approx. 1.5-2.0°C/h (3-4°F/h)
Max. Heat Capability	40°C (104°F)
AirJet™ Jets	140
Material	DuraPlus™ (Ultra-strong internal beams and outer walls)
Voltage	2.3E+2 Volts (230V)
GTIN/UPC	06942138975901

9. WARRANTY AND SUPPORT

For warranty information and customer support, please refer to the documentation included with your purchase or visit the official Bestway website.

Returns: This product typically offers a 30-day easy returns policy. Please check your purchase details for specific return conditions.

Manufacturer: Bestway