

## Aramox Aramoxn2zgvvp87q

# Aramox Triangle Warning Sign

## INSTRUCTION MANUAL

### 1. Introduction

---

The Aramox Portable Car Emergency Breakdown Reflective Warning Safety Road Stop Sign is designed to enhance safety during roadside emergencies. This foldable triangle warning sign provides high visibility to alert other drivers to your presence, especially in low-light conditions or heavy fog. Its compact and portable design makes it an essential safety accessory for any vehicle.



Figure 1: The Aramox Foldable Triangle Warning Sign in its unfolded, ready-to-use state. This bright red sign features reflective strips for enhanced visibility.

## 2. Product Features

The Aramox Triangle Warning Sign offers several key features designed for reliability and ease of use:

- **Compatibility:** Suitable for various emergency scenarios including road construction, work trucks, tractors, trailers, maintenance vehicles, and general car breakdowns.
- **Excellent Performance:** Equipped with reflective material that illuminates brightly when light irradiates it, creating a red warning sign to prevent rear-end collisions, particularly effective in darkness or heavy fog.
- **Functionality:** Designed to be placed behind a disabled vehicle on the road to ensure the safety of the vehicle occupants and other road users.
- **High Visibility:** The bright red color and highlight reflective triangle design provide a high degree of visibility, making it easily noticeable from a distance.
- **Easy Installation & Portability:** Simple to set up and fold down, making it convenient to carry and store, ensuring you are prepared for unexpected roadside events.



Figure 2: A close-up view of the highly reflective strip on the Aramox warning sign, designed to maximize visibility in low-light conditions.

### 3. Setup

The Aramox Triangle Warning Sign is designed for quick and easy deployment:

1. Remove the warning sign from its storage case (if applicable).
2. Gently unfold the sign. The two main panels will pivot outwards, forming a stable triangular prism shape. Ensure the reflective surfaces face outwards.
3. Confirm that the sign is fully extended and stable on a flat surface before placement.



- When your car brakes down in the road, you can put it in the back of the car to ensure safety.
- In darkness or heavy fog, when the light irradiates to the reflector lamp, the lamp will raise red warning sign to prevent rear-end collision.



Figure 3: Illustration showing the compact, folded state of the Aramox warning sign and its expanded, ready-to-use configuration.

## 4. Operating Instructions

To effectively use the Aramox Triangle Warning Sign for roadside safety:

- **Safe Placement:** If your vehicle breaks down, pull over to the safest possible location away from traffic.
- **Deployment Distance:** Place the warning sign on the road surface behind your disabled vehicle. The recommended distance varies by local regulations, but generally, it should be placed at least 50-100 feet (15-30 meters) behind the vehicle on conventional roads, and further on highways (e.g., 200 feet or 60 meters).
- **Visibility:** Ensure the reflective sides of the sign are clearly visible to oncoming traffic. In conditions of darkness or heavy fog, the reflective properties will activate when illuminated by headlights, providing a crucial warning.
- **Multiple Signs (Optional):** For enhanced safety, especially on busy roads or in poor visibility, consider using multiple warning signs at increasing distances from your vehicle.



Figure 4: The Aramox warning sign correctly positioned on the road behind a stationary vehicle, alerting approaching traffic.

### **Instructional Video: Triangle Warning Sign**



Video 1: This video demonstrates the features and proper use of the Aramox Triangle Warning Sign, including its reflective capabilities and how it functions as a safety device.

## **5. Maintenance**

The Aramox Triangle Warning Sign requires minimal maintenance to ensure its longevity and effectiveness:

- **Cleaning:** Wipe the sign with a damp cloth to remove dirt, dust, or road grime. Avoid abrasive cleaners that could damage the reflective surface.
- **Storage:** After use, fold the sign compactly and store it in a dry place, preferably in its original case or a protective bag, to prevent damage and keep it clean for future use.
- **Inspection:** Periodically inspect the sign for any cracks, damage to the reflective strips, or issues with the folding mechanism. Replace the sign if it shows significant wear or damage that could impair its function.

## 6. Troubleshooting

This section addresses common concerns regarding the Aramox Triangle Warning Sign:

Problem	Possible Cause	Solution
Sign is not stable on the road.	Uneven surface; sign not fully unfolded.	Ensure the sign is placed on as flat a surface as possible. Verify that the sign is fully unfolded and locked into its triangular shape.
Reflective strips appear dull.	Dirt or grime accumulation; damage to reflective material.	Clean the reflective strips with a damp cloth. If the material is scratched or peeling, the sign's effectiveness may be compromised and replacement is recommended.
Sign is difficult to fold/unfold.	Mechanism stiff from lack of use or minor obstruction.	Gently manipulate the folding mechanism. Ensure no debris is lodged in the hinges. Avoid forcing the sign.

## 7. Specifications

Attribute	Detail
Brand	Aramox
Model Number	Aramoxn2zgvgp87q
Material Type	Acrylonitrile Butadiene Styrene (ABS)
Color	Red
Item Weight	5.5 ounces (155 Grams)
Product Dimensions	3.94 x 3.94 x 3.94 inches (folded/packaged)
Mounting Type	Ground/Road Placement

## 8. Warranty and Support

For any questions, concerns, or support regarding your Aramox Triangle Warning Sign, please contact Aramox customer service. While specific warranty details may vary, Aramox is committed to providing high-quality products and customer satisfaction.

Please refer to the official Aramox website or your purchase documentation for the most up-to-date warranty information and contact methods.