

[Manuals.plus](#) /

› [RBROHANT](#) /

› RBROHANT RBF65007 Oil Rubbed Bronze Bathroom Faucet Instruction Manual

RBROHANT RBF65007

RBROHANT RBF65007 Oil Rubbed Bronze Bathroom Faucet Instruction Manual

Model: RBF65007 | Brand: RBROHANT

1. INTRODUCTION

This manual provides detailed instructions for the installation, operation, maintenance, and troubleshooting of your RBROHANT RBF65007 Oil Rubbed Bronze Bathroom Faucet. Please read this manual thoroughly before installation and keep it for future reference. Proper installation and care will ensure optimal performance and longevity of your faucet.



Figure 1: RBROHANT RBF65007 Oil Rubbed Bronze Bathroom Faucet

2. PRODUCT FEATURES

- **Durable Construction:** Features an exclusive ceramic cartridge and hose designed for extended leak-free operation.
- **Elegant Finish:** Oil rubbed bronze finish provides a classic, retro aesthetic that resists water spots and fingerprints, simplifying cleaning.
- **Single Handle Control:** Easy-to-use single handle for precise control over water temperature and flow.
- **Health-Conscious Material:** Constructed from premium lead-free brass for a healthier water supply.
- **Water-Saving Aerator:** The aerator combines air and water to save up to 20% water and can be easily removed with a coin for cleaning.

3. PACKAGE CONTENTS

Verify that all components are present before beginning installation. If any parts are missing or damaged, please contact customer support.



Figure 2: Faucet Components (may vary slightly)

- Faucet Body
- Deck Plate (for 3-hole installation)
- Hot & Cold Water Supply Hoses
- Mounting Hardware (washer, nut, gasket)
- User Manual

4. SPECIFICATIONS


Feature	Specification
Brand	RBROHANT
Model Name	RBF65007

Finish Type	Oil Rubbed Bronze
Material	Brass
Mounting Type	Deck Mount
Number of Handles	1 (Lever)
Hole Count	1 or 3 (with deck plate)
Flow Rate	1.2 Gallons Per Minute
Spout Height	4.13 Inches
Spout Reach	5.11 Inches
Item Weight	3.7 Pounds
Dimensions (D x W x H)	5.11"D x 2.16"W x 8.07"H


5. INSTALLATION

5.1 Before You Begin

- Turn off the main water supply.
- Clear the area under the sink.
- Ensure your sink has either a single hole or three holes (8-inch spread) for compatibility.




Pre-drilled hole size requirement:



1.26"/32mm(min)-1.38"/35mm(max)

Max-counter top thickness without deck plate:



1.38"/35mm

Figure 3: Sink Compatibility and Dimensions

5.2 Installation Steps

- 1. Prepare the Faucet:** If installing on a 3-hole sink, place the deck plate over the center hole. Ensure the rubber gasket is properly seated on the underside of the deck plate.
- 2. Mount the Faucet:** Insert the faucet body through the hole(s) in the sink/deck plate. From underneath the sink, secure the faucet using the provided washer and mounting nut. Tighten firmly but do not overtighten.
- 3. Connect Water Supply Lines:** Attach the hot and cold water supply hoses to the corresponding inlets on the faucet body. Connect the other ends of the hoses to your hot and cold water supply valves. Ensure all connections are hand-tight, then use a wrench for a quarter turn. Do not overtighten.
- 4. Check for Leaks:** Slowly turn on the main water supply. Check all connections for leaks. If leaks occur, tighten the connections slightly until they stop.
- 5. Flush the Faucet:** Remove the aerator from the faucet spout. Turn on the hot and cold water for one minute to flush out any debris from the lines. Turn off the water, reattach the aerator, and test the faucet.




Figure 4: General Faucet Installation Diagram

5.3 Installation Video

Your browser does not support the video tag.

Video 1: Installation overview for a traditional bathroom faucet with deck plate by RBROHANT.

6. OPERATION

The RBROHANT RBF65007 faucet features a single lever handle for easy control of water flow and temperature.

- **Water Flow:** Lift the handle upwards to increase water flow. Push it downwards to decrease or turn off the water.
- **Temperature Control:** Move the handle to the left for hot water and to the right for cold water. Adjust the handle position between hot and cold to achieve your desired water temperature.



Figure 5: Faucet in Operation

7. MAINTENANCE & CARE

Regular cleaning and maintenance will preserve the finish and functionality of your faucet.

- **Cleaning the Finish:** Clean the oil rubbed bronze finish with a soft, damp cloth. Avoid abrasive cleaners, harsh chemicals, or polishes as they can damage the finish.
- **Aerator Cleaning:** If water flow decreases or becomes irregular, the aerator may be clogged. Unscrew the aerator from the spout (a coin can be used if needed), rinse it under running water to remove debris, and reattach.
- **Leak Prevention:** Periodically check connections for any signs of leaks and tighten if necessary.

8. TROUBLESHOOTING

Problem	Possible Cause	Solution
Low water flow	Clogged aerator or debris in supply lines	Clean the aerator. Flush supply lines by removing aerator and running water.
Faucet leaks from spout	Worn cartridge or debris in cartridge	Contact customer support for cartridge replacement.
Leaks from base of faucet	Loose mounting nut or worn gasket	Tighten mounting nut. Check and replace gasket if damaged.
Water temperature not consistent	Issues with water heater or supply valves	Check water heater settings. Ensure hot and cold supply valves are fully open.

9. WARRANTY & SUPPORT

RBROHANT stands behind the quality of its products. This faucet comes with a **lifetime warranty**, ensuring peace of mind regarding manufacturing defects and performance.

For any questions, concerns, or warranty claims, please contact RBROHANT customer support. We aim to provide a **12-hour fast reply** to assist you promptly.

- **Lifetime Warranty:** Covers manufacturing defects and ensures product longevity.
- **Free Replacement:** Available for eligible parts under warranty.
- **Parts Customization:** Inquire with support for specific part needs.
- **Responsive Support:** Dedicated customer service team available for quick assistance.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question