

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Moen](#) /

› [Moen M0107 Faucet Seat Instruction Manual](#)

Moen M0107

Moen M0107 Faucet Seat Instruction Manual

Model: M0107

INTRODUCTION

This manual provides essential information for the proper installation, use, and maintenance of your Moen M0107 Faucet Seat. Please read these instructions carefully before beginning any work to ensure safe and correct operation.

The Moen M0107 Faucet Seat is designed for use with Emco 9/16 inch - 27 Tub and Shower Faucets, ensuring a proper seal and preventing leaks.

PRODUCT OVERVIEW



Image: Two brass Moen M0107 Faucet Seats. These small, cylindrical brass components feature external threads on one end and a smooth, slightly flared opening on the other, designed to create a watertight seal within a faucet.

The Moen M0107 Faucet Seat is a critical component for maintaining the integrity of your tub and shower faucet. It is made of durable brass, designed for longevity and reliable performance.

SETUP AND INSTALLATION

Tools Required:

- Adjustable wrench or basin wrench
- Screwdriver (Phillips or flathead, depending on faucet handle)
- Plumber's tape (optional, for threads)
- Flashlight (optional)

Installation Steps:

1. **Turn off the water supply** to the tub and shower faucet. This is a crucial safety step to prevent flooding.
2. Remove the faucet handle and trim plate to access the faucet body.
3. Carefully remove the old faucet seat. This may require a seat wrench if it is tightly seated or corroded.
4. Clean the area where the new faucet seat will be installed, ensuring no debris or mineral buildup remains.
5. Apply a small amount of plumber's grease or tape to the threads of the new Moen M0107 Faucet Seat (optional, but recommended for easier future removal and better seal).
6. Insert the new Moen M0107 Faucet Seat into its designated position within the faucet body. Ensure it is seated firmly and correctly.
7. Tighten the faucet seat using an appropriate wrench, but do not overtighten, as this can damage the seat or faucet body.
8. Reassemble the faucet handle and trim plate.
9. Slowly turn the water supply back on and check for any leaks.

If you encounter any difficulties, it is recommended to consult a professional plumber.

OPERATING

Once installed, the Moen M0107 Faucet Seat operates passively as an internal component of your faucet. Its function is to provide a secure sealing surface for the faucet's stem or washer, preventing water leaks when the faucet is in the closed position.

Proper operation is indicated by the absence of drips or leaks from the faucet spout when the water is turned off.

MAINTENANCE

The Moen M0107 Faucet Seat is designed for durability and typically requires minimal maintenance. However, its lifespan can be affected by water quality and usage frequency.

- **Regular Inspection:** If you notice persistent dripping or leaking from your faucet, the faucet seat may be worn and require replacement.
- **Cleaning:** When replacing other faucet components, it is good practice to gently clean the area around the faucet seat to remove any mineral deposits. Use a non-abrasive cleaner and a soft cloth.
- **Replacement:** Replace the faucet seat with a genuine Moen M0107 part if it shows signs of wear, corrosion, or damage.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Faucet drips or leaks from spout when off.	Worn or damaged faucet seat.	Replace the Moen M0107 Faucet Seat. Ensure proper installation and tightening.
Difficulty installing new seat.	Mineral buildup in faucet body; incorrect alignment.	Clean the faucet body thoroughly. Ensure the seat is aligned correctly before tightening. Use plumber's grease.

SPECIFICATIONS

Attribute	Detail
Model Number	M0107
Brand	Moen
Compatibility	Emco 9/16 in - 27 Tub and Shower Faucets
Material	Brass
Product Dimensions	30.48 x 20.32 x 5.08 cm (12 x 8 x 2 inches)
Item Weight	20 g (0.7 ounces)
Item Package Quantity	1
ASIN	B08CFV8W
Date First Available	July 6, 2020

WARRANTY INFORMATION

Moen products are manufactured under the highest standards of quality and workmanship. For specific warranty details regarding the Moen M0107 Faucet Seat, please refer to the official Moen website or contact Moen customer service directly. Keep your proof of purchase for warranty claims.

Note: Warranty terms may vary by region and product type. Always consult the official manufacturer's documentation for the most accurate and up-to-date warranty information.

CUSTOMER SUPPORT






For technical assistance, replacement parts, or any questions regarding your Moen M0107 Faucet Seat, please contact Moen customer support:


- **Website:** www.moen.ca (for Canadian customers) or www.moen.com (for US customers)
- **Phone:** Refer to the Moen website for regional contact numbers.

When contacting support, please have your product model number (M0107) and purchase information ready.



Related Documents - M0107

 <p>2018 Catalogue</p>	<p>M-Line 2018 Plumbing Repair Parts Catalogue</p> <p>Comprehensive 2018 catalogue from M-Line by Moen, detailing a wide range of plumbing repair parts including faucets, drains, showers, toilets, and tools, with model numbers and specifications.</p>
	<p>Moen Two-Handle Roman Tub Faucet Trim Kit with Hand Shower - Product Information</p> <p>Find essential information for the Moen Two-Handle Roman Tub Faucet Trim Kit with Hand Shower (Model INS10696A), including contact support, helpful tools, safety tips, and online registration instructions.</p>
	<p>Moen Three Handle Tub/Shower Valve Installation Guide</p> <p>Comprehensive installation guide for Moen's three-handle tub/shower valve with trim, models 82403, 82403EP, 82553, and 82663. Includes parts list, helpful tools, installation steps, and warranty information.</p>
	<p>Moen IVER™ Single-Handle POSI-TEMP® Tub/Shower Trim Kit Specifications</p> <p>Detailed specifications for the Moen IVER™ Single-Handle POSI-TEMP® Tub/Shower Trim Kit, including features, operation, flow, cartridge, standards, warranty, and dimensions.</p>
	<p>Moen One-Handle Lavatory Faucet Installation Guide</p> <p>Official installation and product information for the Moen single-handle lavatory faucet (Model INS10577). Includes contact details for support, helpful tools for installation, and online registration.</p>



[pdf] Accessories

DocHdl1OnPRT1tmpTarget CARTRIDGE FAUCET ASSEMBLY ASSEMBLAGE DE ROBINET À

CARTOUCHE Index Button Bouton indicateur Screw Vis Set d arrêt Handle Poignée Retaining Ring

Anneau de 02 moenmlinefaucet09 moen ca assets moencom documents mline s |||

FAUCET ROBINET CARTRIDGE FAUCET ASSEMBLY / ASSEMBLAGE DE

ROBINET CARTOUCHE Index Button Bouton in ... ion contraire. Toll Free Help Line /

Ligne sans frais : 1-800-465-6130 Seats / Siges M0064 M0106 **M0107** M0108 M0109

M0110 M0111 M0113 M0114 Description UPC / CPU 0 26508 Pack Quantity Quantit

d e...

lang:fr score:13 filesize: 6.3 M page_count: 38 document date: 2011-11-29



[pdf] Accessories Catalog

crahaman Faucet Robinet CARTRIDGE FAUCET ASSEMBLY ASSEMBLAGE DE ROBINET À

CARTOUCHE Index Button Bouton indicateur Screw Vis Set d arrêt Handle Poignée Retaining Ring

Anneau de complete mline catalogue moen ca assets moencom documents s Untitled |||

FAUCET ROBINET CARTRIDGE FAUCET ASSEMBLY / ASSEMBLAGE DE


ROBINET CARTOUCHE Index Button Bouton ... ion contraire. Toll Free Help Line /

Ligne sans frais : 1-800-465-6130 Seats / Siges M0064 M0106 **M0107** M0108 M0109

M0110 M0111 M0113 M0114 Description UPC / CPU 0 26508 Pack Quantity Quantit

d e...

lang:fr score:11 filesize: 8.52 M page_count: 119 document date: 2012-01-12



[pdf] Accessories

DocHdl1OnPRT1tmpTarget TFDR43001LF 1 southernpipe ASSETS DOCUMENTS CMS EN |||

FAUCET ROBINET CARTRIDGE FAUCET ASSEMBLY / ASSEMBLAGE DE

ROBINET CARTOUCHE Index Button Bouton in ... ion contraire. Toll Free Help Line /

Ligne sans frais : 1-800-465-6130 Seats / Siges M0064 M0106 **M0107** M0108 M0109

M0110 M0111 M0113 M0114 Description UPC / CPU 0 26508 Pack Quantity Quantit

d e...

lang:fr score:10 filesize: 1.24 M page_count: 38 document date: 2015-01-10