

Luraco L1103A

Pedicure Spa Power Controller with Timer for Drain Pump User Manual

Model: L1103A | Brand: Luraco

PRODUCT OVERVIEW

The Luraco Pedicure Spa Power Controller (model L1103A) is a compact and easy-to-use power box designed for pedicure spa systems. It features multiple switched and continuous power ports, along with a dedicated timed port for drain pump control, ensuring efficient and safe operation of your spa equipment.

Key Features

- Easy to use, compact design, and UL listed.
- 3 switched on/off ports (for Jet and LED lights).
- 1 continuous port (for Massage chair or other).
- 1 port with 3-minute timer for drain pump control.
- MADE IN U.S.A from U.S & global components.
- 2-year manufacture warranty (best in the industry)

SAFETY INFORMATION

Consult product documentation for specific safety instructions and warnings. Always ensure the power controller is disconnected from the main power supply before performing any service or maintenance. Do not expose the unit to excessive moisture or direct water spray. Ensure proper grounding for all connected devices.

SETUP INSTRUCTIONS

- Unpacking:** Carefully remove the power controller from its packaging. Inspect the unit for any signs of damage.
- Placement:** Place the power controller on a stable, dry surface, away from direct water contact. Ensure adequate ventilation around the unit.
- Connecting Devices:**
 - Connect your pedicure spa's jet pump and LED lights to the **switched on/off ports**. These ports are controlled by the main power switch.
 - Connect your massage chair or other continuous power devices to the **continuous port (CONT 2A)**. This port provides constant power when the unit is plugged in.
 - Connect your drain pump to the dedicated **drain pump control port (DRAIN 1.5A)**. This port features

a built-in 3-minute timer for automated drainage.

4. **Power Connection:** Plug the power controller's main power cord into a grounded electrical outlet.



Image: The Luraco Pedicure Spa Power Controller, highlighting the drain pump control port. This port is designed for timed operation of your spa's drain pump.

OPERATING INSTRUCTIONS

1. **Powering On:** Once all devices are connected, plug the main power cord of the controller into a wall outlet. The continuous port will immediately receive power.
2. **Operating Switched Ports:** Use the main power switch on the controller to turn on/off devices connected to the switched ports (e.g., jet pump, LED lights).
3. **Using the Drain Pump Timer:** To activate the drain pump, press the button associated with the drain pump control port. The pump will operate for approximately 3 minutes and then automatically shut off. This timed feature prevents accidental overflow and conserves energy.

Your browser does not support the video tag.

Video: An overview of the Luraco Spa Control (power box) with timer for the discharge pump, demonstrating its features and ports. This video provides a visual guide to the product's functionality.

MAINTENANCE

To ensure the longevity and proper functioning of your Luraco Pedicure Spa Power Controller, follow these simple maintenance guidelines:

- **Cleaning:** Regularly wipe the exterior of the unit with a clean, damp cloth. Ensure the unit is unplugged before cleaning. Do not use abrasive cleaners or immerse the unit in water.
- **Inspection:** Periodically inspect the power cord and all connected cables for any signs of wear, fraying, or

damage. If any damage is found, discontinue use and contact customer support.

- **Storage:** When not in use for extended periods, store the power controller in a cool, dry place, away from direct sunlight and extreme temperatures.

TROUBLESHOOTING

If you encounter issues with your power controller, please refer to the following common troubleshooting steps:

- **No Power:**
 - Ensure the power controller's main plug is securely inserted into a working electrical outlet.
 - Check if the outlet itself is receiving power by plugging in another device.
 - Verify that the main power switch on the controller is in the "ON" position for switched ports.
- **Drain Pump Not Activating:**
 - Confirm the drain pump is correctly plugged into the designated "DRAIN" port.
 - Press the drain pump activation button firmly.
 - Check the drain pump itself for any blockages or malfunctions.
- **Devices Not Functioning on Switched Ports:**
 - Ensure the devices are properly connected to the switched ports.
 - Verify that the main power switch on the controller is engaged.
 - Test the individual devices by plugging them directly into a wall outlet to rule out device malfunction.

If the issue persists after following these steps, please contact Luraco customer support for further assistance.

SPECIFICATIONS

Feature	Detail
Product Dimensions	5 x 2 x 2 inches; 0.8 ounces (5"D x 2"W x 2"H)
Item Model Number	L1103A
UPC	893640001519
Manufacturer	AmazonUs/LU3M5
Brand	Luraco
Color	Green
Special Feature	Made in USA
Product Care Instructions	Wipe Clean

WARRANTY AND SUPPORT

The Luraco Pedicure Spa Power Controller (model L1103A) comes with a **2-year manufacturer warranty**. This warranty covers defects in materials and workmanship under normal use.

For warranty claims, technical support, or any inquiries regarding your product, please contact Luraco customer service. You can find contact information on the official Luraco website or through your point of purchase.

Note: Always refer to the official Luraco website or product packaging for the most current warranty terms and support contact details.

Documents - Luraco – L1103A



[\[pdf\]](#) User Manual Instructions Warranty

Robyn Readicker Luraco Low Cost Spa Controller User ManualLURACO w o Timer 110v and 220v
SalonCityLow Controler ManualLow Manualluraco 2019 10 Manual |||

USER S MANUAL Low Cost Spa Controller MODEL L1103A When using electrical equipment, basic safety precautions should always be followed to reduce the risk of fire, electric shock, and injury to persons, including the following: 1. Read and follow all instructions before using the equipment. 2. Do not...

lang:en score:38 filesize: 212.66 K page_count: 4 document date: 2019-09-25