

PSG p650

PSG GFCI Protected Outlet Decals (Model p650)


Instruction Manual

INTRODUCTION

Thank you for choosing PSG GFCI Protected Outlet Decals. These decals are designed to clearly label outlets that are protected by a Ground Fault Circuit Interrupter (GFCI), enhancing safety and clarity in electrical installations. This manual provides instructions for the proper application and care of your decals.

PRODUCT OVERVIEW

The PSG GFCI Protected Outlet Decals are small, durable stickers intended for indoor use. Each decal measures 0.25 inches tall by 1.0 inch wide, featuring clear black text on a white background. They are made from vinyl material, offering waterproof properties and single-use reusability.



This image displays a single GFCI Protected Outlet decal. The decal features bold black text 'GFCI' on the left, and 'Protected Outlet' stacked on the right, all within a white rectangular background with a thin border. This is the design of the product.

INSTALLATION INSTRUCTIONS

Follow these steps for optimal application of your GFCI Protected Outlet Decals:

1. **Prepare the Surface:** Ensure the outlet surface where the decal will be applied is clean, dry, and smooth. Remove any dust, dirt, or grease for best adhesion.
2. **Peel the Decal:** Carefully peel one GFCI Protected Outlet decal from its backing sheet. Using tweezers can assist in handling the small decal without touching the adhesive side.
3. **Apply the Decal:** Position the decal precisely on the desired location of the outlet. Once placed, gently press down from the center outwards to remove any air bubbles and ensure firm adhesion.
4. **Final Check:** Verify that the decal is securely attached and legible.

This video illustrates the general process of applying a small label sticker. It shows how to carefully peel a sticker from its backing sheet using tweezers and then apply it to a surface. While the video features generic labels, the technique is applicable to the GFCI Protected Outlet Decals.

MAINTENANCE

These vinyl decals are designed for durability. To maintain their appearance and adhesion:

- Avoid harsh chemical cleaners directly on the decal.
- If cleaning is necessary, gently wipe the decal with a soft, damp cloth.
- Do not pick at the edges of the decal, as this may cause it to peel prematurely.

TROUBLESHOOTING

- **Decal not sticking:** Ensure the surface is clean, dry, and smooth before application. Rough or dirty surfaces can prevent proper adhesion.
- **Air bubbles under decal:** When applying, press from the center outwards to smooth out any air bubbles. If bubbles appear after application, gently press them towards the edge with a soft cloth.
- **Decal peeling:** This may occur if the surface was not adequately prepared or if the decal was disturbed shortly after application. Ensure proper surface preparation and firm initial adhesion.

SPECIFICATIONS

Brand	PSG
Model Number	p650
Material	Vinyl
Color	Black and White
Size	0.25 inches (Tall) x 1.0 inch (Wide)
Number of Pieces	30
Special Feature	Waterproof
Reusability	Single Use
Indoor/Outdoor Usage	Indoor
UPC	643570123573

WARRANTY AND SUPPORT

For any questions regarding the PSG GFCI Protected Outlet Decals, please refer to the retailer where the product was purchased. Specific warranty information is not provided in this manual. For further assistance, please contact the manufacturer directly through their official channels.

© 2026 PSG. All rights reserved.