HEYTRIP HEY06

HEYTRIP Universal Soft Roof Rack Pads Instruction Manual

Model: HEY06

Brand: HEYTRIP

1. Introduction

The HEYTRIP Universal Soft Roof Rack Pads provide a versatile solution for transporting kayaks, surfboards, SUPs, canoes, and other sports equipment on vehicles without a pre-installed roof rack or roof bars. Designed for ease of use and secure transport, these pads feature a non-slip mat and robust strapping system to protect your vehicle and cargo.

2. What's Included

Your HEYTRIP Soft Roof Rack Pads package includes the following components:

- 2 x Soft Roof Rack Pads with Integrated Straps
- 2 x 15FT Heavy Duty Tie Down Straps (with padded cam locks)
- 2 x 15FT Bow And Stern Tie Down Ropes
- 2 x Quick Loop Straps
- 1 x Storage Bag
- 1 x User Manual



Image: All components included in the HEYTRIP Soft Roof Rack Pads package, neatly arranged.

3. Product Features

- **Universal Fitment:** Designed for most vehicles, including those without side rails or gutters. Supports a maximum weight load of 80kg (177 lbs).
- **Enhanced Security:** Includes 2 x 15ft tie-down adjustable straps with padded cam locks and 2 x 15ft bow & stern tie-down ropes for securing long loads. Can hold 1-3 shortboards or 1-2 longboards/kayaks depending on size.
- **Noise and Vibration Reduction:** Features a built-in non-slip mat to protect the car roof from scratches and minimize wind noise. Top-grade EVA foam padding provides cushioning and reduces vibration during transport.
- **Easy Installation & Storage:** No tools required for attachment or removal. Comes with all necessary attachments and a foldable design for convenient storage in the provided bag.
- **Durable Construction:** Made with tough, durable materials to ensure safe and long-lasting use.



Image: Illustration of HEYTRIP Soft Roof Rack Pads compatibility with cars both with and without side rails.

4. Setup and Installation

Follow these steps to properly install your HEYTRIP Soft Roof Rack Pads and secure your cargo:

1. **Prepare the Roof:** Ensure your car's roof is clean and free of debris. Place the soft roof rack pads on the roof, ensuring they are evenly spaced and aligned. The pads feature a built-in non-slip mat for stability and protection.



Image: Detail of the non-slip mat on the roof rack pads, designed to prevent movement and protect the car's surface.

2. **Secure the Pads to the Car:** Open all car doors. Take the integrated straps from the roof rack pads and feed them through the inside of your vehicle. Fasten the buckles securely inside the car. Ensure the straps are tight to hold the pads firmly in place.

Your browser does not support the video tag.

Video: Demonstration of securing the soft roof rack pads to the car by feeding straps through the interior and fastening buckles. (Note: This video features a product from 'Golkurx', but the installation method is similar.)

3. **Load Your Equipment:** Carefully place your kayak, surfboard, SUP, or canoe onto the secured roof rack pads. Ensure the equipment is centered and balanced.



Image: A kayak securely loaded onto the HEYTRIP Soft Roof Rack Pads on a car, demonstrating the 80kg load capacity.

4. **Secure the Equipment with Tie-Down Straps:** Use the provided 15FT Heavy Duty Tie Down Straps to secure your equipment to the roof rack pads. Loop the straps over your equipment and through the cam locks, pulling them tight to prevent movement.

Your browser does not support the video tag.

Video: Detailed instructions on how to loop and tighten the tie-down straps over a kayak to secure it to the roof rack. (Note: This video features a product from 'seletea', but the installation method is similar.)

5. **Use Bow and Stern Tie-Down Ropes (for long loads):** For longer items like kayaks or canoes, utilize the 15FT Bow and Stern Tie Down Ropes. Attach one end to the front of your equipment and the other to a secure point on the front of your vehicle (e.g., under the hood using Quick Loop Straps). Repeat for the rear of the equipment and vehicle.

Your browser does not support the video tag.

Video: Guide on how to use bow and stern tie-down ropes with quick loop straps for added security, especially for vehicles without crossbars. (Note: This video features a generic 'Merchant Video' product, but the installation method is similar.)

5. Usage Guidelines

- **Check Tightness:** Before each trip and periodically during long journeys, check that all straps and buckles are securely tightened.
- **Reduce Wind Noise:** If you experience excessive wind noise from the straps, put a simple twist in the straps to help reduce vibrations.
- **Weight Capacity:** Do not exceed the maximum weight load of 80kg (177 lbs).
- **Driving Speed:** Drive at appropriate speeds, especially with cargo on the roof. Avoid sudden maneuvers.
- **Rainy Conditions:** In rainy weather, water may follow the straps into the car. Consider using seat covers or removing the pads if heavy rain is expected during travel.

6. Maintenance

- **Cleaning:** After use, especially after exposure to saltwater or dirt, un-strap the pads and clean them with mild soap and water. Allow them to air dry completely before storage.
- **Storage:** When not in use, store the soft roof rack pads and all accessories in the provided storage bag in a cool, dry place away from direct sunlight.
- **Inspection:** Regularly inspect the pads, straps, and buckles for any signs of wear, tear, or damage. Replace any damaged components immediately to ensure safe operation.

7. Specifications

Feature	Detail
Brand	HEYTRIP
Model Number	HEY06
Material	EVA Foam, Nylon, PVC
Color	Black
Max Load Capacity	80 kg (177 lbs)
Item Weight	2.44 kg
Parcel Dimensions	44.6 x 32.11 x 17.6 cm
Vehicle Service Type	Most Vehicles

8. Troubleshooting

- **Equipment Shifting:** If equipment shifts during transport, pull over safely and re-tighten all straps. Ensure the equipment is centered and balanced on the pads.
- **Excessive Wind Noise:** Twist the straps to reduce vibration and wind noise. Ensure all excess strap material is secured and not flapping.
- **Scratches on Car Roof:** Ensure the non-slip mat is properly positioned under the pads. Avoid dragging the pads across the roof during installation or removal.

9. Warranty and Support

HEYTRIP is committed to providing high-quality products. If you encounter any issues with your Soft Roof Rack Pads, or if any parts are missing or damaged, please contact our customer support team for assistance. We stand by the quality and durability of our products.

For further support, please refer to the contact information provided with your purchase or visit the official HEYTRIP website.

© 2025 HEYTRIP. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question