

[Manuals.plus](#) /

› [Fri-Jado](#) /

› Fri-Jado 9290405S Model TDR8 Drawer Instruction Manual

Fri-Jado 9290405S

Fri-Jado 9290405S Model TDR8 Drawer Instruction Manual

Model: 9290405S | Brand: Fri-Jado

1. INTRODUCTION

This manual provides essential information for the proper installation, operation, and maintenance of your Fri-Jado 9290405S Service Set Drawer TDR8. This genuine OEM replacement part is designed for specific applications within Fri-Jado equipment. Please read this manual thoroughly before attempting any installation or operation to ensure safe and efficient use.

2. SAFETY INFORMATION

Always adhere to the following safety guidelines to prevent injury or damage to the product or associated equipment:

- Read all instructions carefully before installation or use.
- Ensure that the power supply to the main unit is disconnected before installing or servicing the drawer.
- Handle the drawer with care to avoid pinching or dropping.
- Use appropriate personal protective equipment (PPE) such as gloves when handling.
- Do not modify the drawer or its components. Use only genuine Fri-Jado replacement parts.
- Keep children and unauthorized personnel away from the installation area.

3. SETUP AND INSTALLATION

3.1 Unpacking

- Carefully remove the drawer from its packaging.
- Inspect the drawer for any signs of damage during transit. If damage is found, contact your supplier immediately.
- Retain packaging materials for potential future transport or return.

3.2 Installation

The Fri-Jado 9290405S Service Set Drawer TDR8 is designed as a direct replacement part. Follow the specific installation instructions provided with your Fri-Jado appliance or consult a qualified service technician.

1. Ensure the main appliance is powered off and disconnected from its power source.
2. Carefully remove the old or damaged drawer assembly, noting its orientation and connection points.
3. Align the new Fri-Jado 9290405S drawer with the designated slot or mounting points within the appliance.
4. Secure the drawer in place using the appropriate fasteners or mechanisms as per the appliance's design.
5. Verify that the drawer slides smoothly and is properly seated.
6. If applicable, connect any associated components (e.g., drainage lines, sensors) to the drawer, ensuring secure and leak-free connections. The image below shows the drawer with a valve, indicating a potential connection point.



An image showing the Fri-Jado 9290405S Service Set Drawer TDR8, a stainless steel drawer with a small red-handled valve on one side. This valve is a key component for its function, likely related to drainage or fluid management.

4. OPERATING INSTRUCTIONS

Once installed, the Fri-Jado 9290405S Service Set Drawer TDR8 operates as an integral part of your Fri-Jado appliance. Its primary function is to provide a specific storage or collection area, often for fluids or waste, depending on the appliance type. Operate the drawer by gently pulling it out or pushing it in. Ensure it is fully closed when not in use to maintain the appliance's operational integrity.

If the drawer includes a valve (as seen in the product image), operate it according to the specific requirements of your appliance for drainage or flow control. Refer to your main appliance's user manual for detailed operational procedures related to this component.

5. MAINTENANCE

5.1 Cleaning

Regular cleaning is essential to maintain hygiene and prolong the life of the drawer.

- Disconnect power to the main appliance before cleaning.
- Use a mild detergent and a soft cloth or sponge to clean the surfaces of the drawer.
- Avoid abrasive cleaners, scouring pads, or harsh chemicals that could damage the stainless steel finish.
- Rinse thoroughly with clean water and dry completely to prevent water spots or corrosion.
- If the drawer has a valve, ensure it is also cleaned and free of debris.

5.2 Inspection

Periodically inspect the drawer for any signs of wear or damage.

- Check for smooth operation of the drawer slides. If stiff, consult your appliance's manual for lubrication recommendations.
- Inspect the integrity of the stainless steel for dents, cracks, or excessive scratches.
- Verify that any attached components, such as the valve, are secure and free from leaks.

6. TROUBLESHOOTING

This section addresses common issues you might encounter with the drawer. For more complex problems, refer to your main appliance's service manual or contact Fri-Jado customer support.

Problem	Possible Cause	Solution
Drawer does not slide smoothly.	Debris in slides; damaged slides; improper installation.	Clean slides; inspect for damage; re-install correctly.
Drawer does not fit correctly.	Improper alignment during installation; incorrect part.	Re-align and re-install; verify part number (9290405S).
Valve is leaking (if applicable).	Loose connection; damaged seal; valve malfunction.	Tighten connections; inspect and replace seals; replace valve if necessary.

7. SPECIFICATIONS

Attribute	Detail
Part Number	9290405S
Product Dimensions	30 x 30 x 7 inches
Package Dimensions	32 L x 9 H x 32 W (inches)
Product Weight	19 pounds

Attribute	Detail
Country of Origin	United States
Manufacturer	Fri-Jado
Included Components	Replacement Part

8. WARRANTY AND SUPPORT

As a genuine OEM replacement part, the Fri-Jado 9290405S Service Set Drawer TDR8 is manufactured to high standards. For specific warranty information, please refer to the warranty terms provided with your original Fri-Jado appliance or contact Fri-Jado directly. Keep your purchase receipt as proof of purchase.

For technical support, service, or to order additional genuine Fri-Jado parts, please contact your authorized Fri-Jado dealer or visit the official Fri-Jado website for contact information.

© 2024 Fri-Jado. All rights reserved. Information subject to change without notice.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B08D3DQ7BS>

More documents and user manuals: <https://manuals.plus/>