

blumfeldt HHG6-9200-slko

blumfeldt Heat Guru Plus Infrared Heater User Manual

Model: HHG6-9200-slko

INTRODUCTION

Thank you for choosing the blumfeldt Heat Guru Plus Infrared Heater. This manual provides important information regarding the safe operation, installation, and maintenance of your device. Please read it thoroughly before use and keep it for future reference.

GENERAL SAFETY INSTRUCTIONS

WARNING: Failure to follow these safety instructions may result in fire, electric shock, or injury.

- Read all instructions carefully before operating the heater.
- Ensure the voltage indicated on the rating label corresponds to your mains voltage.
- Do not operate the heater with a damaged cord or plug, or after the heater malfunctions or has been dropped or damaged in any manner.
- Keep flammable materials such as furniture, curtains, and clothing at least 1 meter (3 feet) from the front and sides of the heater.
- Do not use the heater in areas where gasoline, paint, or other flammable liquids are stored.
- Do not cover the heater or block the air inlets/outlets. This can cause overheating.
- Always unplug the heater when not in use, before cleaning, or before moving it.
- Do not use the heater in bathrooms, laundry areas, or similar indoor locations where it could fall into a bathtub or other water container.
- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
- The heater is equipped with a tilt-over protection switch that automatically shuts off the unit if it is accidentally knocked over.
- The heater has an IP65 rating, making it suitable for both indoor and covered outdoor use. Avoid direct exposure to heavy rain.

Protection contre
les intempéries pour
l'intérieur et l'extérieur

IP65


KLARSTEIN



Image: A close-up view of the top of the blumfeldt Heat Guru Plus heater, showing water droplets on its surface. This illustrates its IP65 rating for protection against dust and water jets, making it suitable for outdoor use.

PRODUCT OVERVIEW AND PACKAGE CONTENTS

The blumfeldt Heat Guru Plus is a versatile infrared heater designed for efficient heating of indoor and covered outdoor spaces. It features a carbon fiber heating element, multiple heat levels, a timer function, and remote control operation.





Image: The blumfeldt Heat Guru Plus infrared heater in white, shown with its accompanying remote control. The heater features a tall, cylindrical design with a visible heating element behind a protective grille.

Key Features:

- Efficient Carbon Fiber Heating Element
- 3 Heat Levels
- 9-Hour Timer Function
- Remote Control Operation
- 360° Oscillation for even heat distribution
- Automatic Tilt-Over Shut-Off Protection
- IP65 Rating for Indoor and Covered Outdoor Use
- Solid Anodized Aluminum Casing

Package Contents:

- 1 x blumfeldt Heat Guru Plus Infrared Heater
- 1 x Remote Control
- 1 x User Manual

SETUP

1. **Unpacking:** Carefully remove all packaging materials and inspect the heater for any signs of damage. If damaged, do not operate and contact customer support.
2. **Placement:** Place the heater on a firm, level, and stable surface. Ensure there is at least 1 meter (3 feet) of clear space around the heater from any combustible materials. The IP65 rating allows for use in covered outdoor areas, but avoid direct exposure to heavy rain.
3. **Power Connection:** Ensure the power cord is fully extended and plug the heater into a suitable 220V electrical outlet. The power cord is approximately 2 meters long.
4. **Remote Control Battery:** Insert the required batteries into the remote control (batteries not included, typically AAA).

Chaleur là où vous en avez besoin



Fournit une chaleur ciblée
aux personnes et objets
– en silence et sans
poussière



Image: The blumfeldt Heat Guru Plus infrared heater positioned on a patio, providing warmth to a seating area. This illustrates suitable placement for outdoor use in a covered environment.

OPERATING INSTRUCTIONS

Control Panel and Remote Control:

The heater can be operated using the control panel on the unit or the included remote control.

Utilisation pratique



Y compris
la télécommande



3 niveaux
de chauffage



Câble de 1,8 m



Minuterie



KLARSTEIN

Image: A detailed view of the heater's control panel, showing buttons for power, mode, and timer, along with an LED display. The remote control is also visible, featuring similar functions.

Basic Operation:

1. **Power On/Off:** Press the **ON/OFF** button on the control panel or remote control to turn the heater on or off. The heater will emit heat almost immediately.
2. **Adjusting Heat Levels:** The heater offers 3 heat levels. Press the **MODE** button on the remote control or the corresponding button on the unit to cycle through the heat settings (Level 1, Level 2, Level 3). The LED display will indicate the current level.
3. **Timer Function:** To set the timer, press the **TIMER +** button on the remote control. Each press will increase the operating time by one hour, up to a maximum of 9 hours. The heater will automatically shut off once the set time expires.
4. **360° Oscillation:** The heater features a 360° oscillation function to distribute heat evenly. This function can typically be activated or deactivated via a dedicated button on the control panel or remote control (refer to specific button labels on your unit).

MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your heater.

1. **Cleaning:**

- Always unplug the heater and allow it to cool completely before cleaning.
- Wipe the exterior surfaces with a soft, damp cloth. Do not use abrasive cleaners or solvents.
- Do not immerse the heater in water or spray water directly onto it.
- Ensure no water enters the interior of the heater.

2. **Storage:** When not in use for extended periods, store the heater in a cool, dry place, preferably in its original packaging, away from direct sunlight and moisture.
3. **Inspection:** Periodically check the power cord and plug for any damage. If damage is found, discontinue use and contact customer support.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Heater does not turn on.	No power to the unit. Remote control batteries are dead. Tilt-over protection activated.	Check if the power cord is securely plugged into a working outlet. Replace remote control batteries. Ensure the heater is upright on a stable surface.
Heater turns off unexpectedly.	Tilt-over protection activated. Overheating protection activated. Timer has expired.	Ensure the heater is upright on a stable surface. Unplug the heater, allow it to cool for 30 minutes, and ensure no obstructions are blocking air flow. Check the timer setting.
Remote control not working.	Dead batteries. Obstruction between remote and heater.	Replace batteries. Ensure a clear line of sight to the heater's receiver.

SPECIFICATIONS

Model Number	HHG6-9200-slko
Brand	blumfeldt
Power Output	1200 W
Voltage	220 V
Heat Levels	3
Heating Element	Carbon Fiber
Timer Function	Up to 9 hours

Oscillation	360°
Dimensions (L x W x H)	23 x 23 x 95 cm
Weight	4.4 kg
Power Cord Length	2 m
IP Rating	IP65 (Dust and water jet protected)








Image: A diagram illustrating the dimensions of the blumfeldt Heat Guru Plus heater, showing a height of 95 cm and a base diameter of 23 cm.

WARRANTY AND SUPPORT

For warranty information and customer support, please refer to the documentation provided at the time of purchase or contact your retailer. Information regarding the availability of spare parts is not provided in the product details.

Related Documents - HHG6-9200-silko

	<p>Blumfeldt Camden Heat Deluxe Heizstrahler Bedienungsanleitung</p> <p>Umfassende Bedienungsanleitung und Sicherheitshinweise für den Blumfeldt Camden Heat Deluxe Terrassen-Heizstrahler (Modell 10035346). Erfahren Sie alles über Installation, Bedienung, Wartung und Entsorgung.</p>
	<p>Blumfeldt Goldflame Gas Patio Heater User Manual</p> <p>Comprehensive guide for the Blumfeldt Goldflame Gas Patio Heater, covering technical specifications, safety instructions, assembly, installation, operation, maintenance, and troubleshooting.</p>
	<p>Blumfeldt ALU-PERGOLA Assembly Instructions</p> <p>Assembly instructions for the Blumfeldt ALU-PERGOLA, detailing parts and step-by-step assembly process.</p>
	<p>Blumfeldt Camden Heat Deluxe Heizstrahler Bedienungsanleitung</p> <p>Umfassende Bedienungsanleitung und Sicherheitshinweise für den Blumfeldt Camden Heat Deluxe Terrassen-Heizstrahler (Modell 10035346). Erfahren Sie alles über Installation, Bedienung, Wartung und Entsorgung.</p>
	<p>Blumfeldt Goldflame Gas Patio Heater User Manual</p> <p>Comprehensive guide for the Blumfeldt Goldflame Gas Patio Heater, covering technical specifications, safety instructions, assembly, installation, operation, maintenance, and troubleshooting.</p>



a) Setting program time switch

Push the sliders towards the center for reduced temperature setting. Set week day and/or time opposite the arrow.

b) Temperature setting

Turn clockwise (+) and the flow temperature will rise.
Turn counterclockwise (-) and the flow temperature will decrease.

 Heating is cut out while frost protection is still active.

- Constant reduced temperature.

Automatic switch between normal and reduced temperature according to time switch action.

☐ Constant normal temperature

The control is cut out. Valve motor is operated manually. Boiler and pump are constantly cut in.

e) ON and fault indication



Potential water savings



b) Boiler temperature difference

Get the reduced temperature setting
is 2.8 for parallel heat curve dis-
placement

in "AUTO" for low temperature increase at reduced outdoor temperatures.

b) **Werkstoffeigenschaften**

User guide for Danfoss ECL 9200 and ECL 9250 heating control systems. Learn about time switch settings, temperature adjustments, function modes, and potentiometer configurations.