

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Kraus](#) /
- › [Kraus Arlo KVF-1200MB-2PK Vessel Bathroom Faucet Instruction Manual](#)

Kraus KVF-1200MB-2PK

Kraus Arlo KVF-1200MB-2PK Vessel Bathroom Faucet Instruction Manual

Model: KVF-1200MB-2PK | Brand: Kraus

INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your Kraus Arlo KVF-1200MB-2PK Vessel Bathroom Faucet. Please read this manual thoroughly before installation and retain it for future reference. The Kraus Arlo vessel faucet features a design with clean lines and an arched spout, a single lever handle for temperature and volume control, and an eco-friendly aerator with a flow rate of 1.2 gallons per minute. This model includes a pop-up drain assembly and is designed for single-hole installation.

PRODUCT OVERVIEW



Image 1: Kraus Arlo KVF-1200MB-2PK Matte Black Vessel Faucet. This image displays the complete faucet unit in its matte black finish.

Arlo™

Kräus®

A Modern Classic

A stunning combination of clean, refined lines and an elegantly arched spout give the classically-inspired Arlo™ faucet a timeless appearance that makes it the perfect accent for any vessel sink



Image 2: Kraus Arlo Faucet installed with a vessel sink. This image shows the faucet in a bathroom setting, demonstrating its height and compatibility with vessel sinks.

Key Features:

- **Design:** Classically inspired with clean, refined lines and an arched spout.
- **Finish:** Durable Matte Black finish, resistant to rust, chipping, and fading.
- **Water Efficiency:** Eco-friendly aerator with a flow rate of 1.2 gallons per minute, designed to conserve water and resist limescale build-up.
- **Control:** Single lever handle for precise control over water temperature and volume.
- **Installation:** Designed for single-hole, deck-mount installation with vessel sinks.
- **Included Components:** Pop-up drain assembly and all necessary mounting hardware.

PACKAGE CONTENTS

Verify that all components are present before beginning installation. If any parts are missing or damaged, please contact Kraus customer service.


- Kraus Arlo Vessel Bathroom Faucet (x2 for 2-piece set)
- Pop-Up Drain Assembly (x2 for 2-piece set)
- Mounting Hardware
- Hot and Cold Water Lines
- Installation Manual

SPECIFICATIONS

Kräus®

Dimensions

Faucet Height: 12 1/8"
Aerator Clearance: 8 1/8"
Spout Reach: 5 1/8"
Flow Rate: 1.2 gpm
Number of Holes Required: 1



© 2019 Kraus USA Inc. All rights reserved.

Image 3: Kraus Arlo Faucet Dimensions Diagram. This diagram provides detailed measurements for the faucet height, spout reach, and other critical dimensions for installation planning.

Feature	Detail
Model Number	KVF-1200MB-2PK
Material	Brass

Feature	Detail
Finish	Matte Black
Installation Method	Vessel, Deck Mount
Number of Holes Required	1
Flow Rate	1.2 Gallons Per Minute (GPM)
Spout Height	8.13 Inches (207.3 mm)
Spout Reach	5.13 Inches (128.6 mm)
Faucet Height	12 1/8 Inches (307.3 mm)
Aerator Clearance	8 1/8 Inches
Handle/Lever Placement	Center
Number of Handles	1
Item Weight	5.81 kg (for the 2-piece set)
Product Dimensions	17.15 x 5.72 x 30.81 cm

SETUP AND INSTALLATION

Professional installation is recommended. Ensure all local plumbing codes are followed. Turn off the main water supply before beginning installation.

Tools and Materials Required (Not Included):

- Adjustable Wrench
- Plumber's Putty or Silicone Sealant
- Phillips Head Screwdriver
- Safety Glasses

Installation Steps:

- 1. Prepare the Mounting Surface:** Ensure the sink and countertop are clean and dry. The faucet requires a single mounting hole.
- 2. Install the Faucet:**
 - a. Insert the faucet body through the mounting hole on the countertop.
 - b. From underneath the countertop, slide the rubber washer, metal washer, and mounting nut onto the threaded shank.
 - c. Tighten the mounting nut securely with an adjustable wrench. Do not overtighten.
- 3. Connect Water Supply Lines:**
 - a. Connect the hot and cold water supply lines to the corresponding inlets on the faucet. The hot water line is typically on the left, and the cold water line on the right.
 - b. Connect the other ends of the supply lines to the hot and cold water shut-off valves. Use an adjustable wrench to tighten connections, ensuring a watertight seal.
- 4. Install Pop-Up Drain Assembly:**
 - a. Apply plumber's putty or silicone sealant around the flange of the pop-up drain.
 - b. Insert the drain body into the sink's drain opening.

- c. From underneath the sink, secure the drain body with the rubber washer, friction washer, and mounting nut. Tighten firmly.
- d. Connect the tailpiece of the pop-up drain to the P-trap.

5. **Test for Leaks:**

- a. Once all connections are made, slowly turn on the main water supply.
- b. Check all connections for leaks. If leaks are detected, tighten the connections as necessary.
- c. Operate the faucet to ensure proper water flow and temperature control.

OPERATION

The Kraus Arlo faucet features a single lever handle for easy operation.

- **Turning On/Off:** Lift the handle upwards to turn on the water. Push the handle downwards to turn off the water.
- **Adjusting Water Temperature:** Move the handle to the left for hot water and to the right for cold water.
- **Adjusting Water Volume:** The further the handle is lifted, the greater the water flow.

MAINTENANCE

Proper care and maintenance will ensure the longevity and appearance of your Kraus faucet.

Cleaning the Faucet:

- Clean the faucet regularly with a soft cloth and mild soap.
- Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the finish.
- Rinse thoroughly with clean water and dry with a soft cloth to prevent water spots.

Aerator Maintenance:

- If water flow decreases or becomes irregular, the aerator may be clogged.
- Unscrew the aerator from the tip of the spout.
- Rinse the aerator components under running water to remove any debris or mineral deposits. A soft brush can be used for stubborn deposits.
- Reassemble the aerator and screw it back onto the spout.

TROUBLESHOOTING

Refer to the following table for common issues and their solutions.

Problem	Possible Cause	Solution
Low Water Flow	Clogged aerator; partially closed shut-off valves; kinked supply lines.	Clean the aerator; ensure shut-off valves are fully open; check supply lines for kinks.
Leaks from Faucet Base	Loose mounting nut; damaged O-rings.	Tighten mounting nut; inspect and replace O-rings if damaged.
Leaks from Handle	Worn cartridge.	Replace the faucet cartridge. Contact Kraus customer service for replacement parts.
Water Temperature Not Adjusting	Improperly installed cartridge; issues with water heater.	Re-check cartridge installation; consult a plumber for water heater issues.

WARRANTY AND SUPPORT

Warranty: Your Kraus Arlo KVF-1200MB-2PK Vessel Bathroom Faucet is covered by a **Limited Lifetime Warranty**. This warranty covers defects in material and manufacturing workmanship for the original purchaser. Please retain your proof of purchase.





For warranty claims, technical assistance, or to order replacement parts, please contact Kraus customer service:

- **Website:** www.kraususa.com
- **Phone:** Refer to the Kraus website for regional contact numbers.
- **Email:** Refer to the Kraus website for customer support email.

When contacting support, please have your model number (KVF-1200MB-2PK) and date of purchase available.

© 2025 Kraus. All rights reserved.

Related Documents - KVF-1200MB-2PK

	<p>Kraus Pop-Up Drain Installation Guide for PU-10 and PU-L10</p> <p>Comprehensive installation guide and warranty information for Kraus PU-10 and PU-L10 pop-up drains, including troubleshooting, parts lists, dimensions, installation steps, and care instructions.</p>
	<p>Kraus PU-10/PU-L10 Pop-Up Drain Installation Guide and Warranty Information</p> <p>Comprehensive installation guide, care instructions, and warranty details for Kraus PU-10 and PU-L10 pop-up drains. Includes troubleshooting tips, product dimensions, and a replacement parts list.</p>
	<p>Kraus Viva Series Ceramic Vessel Bathroom Sink Installation Manual</p> <p>Comprehensive installation guide for the Kraus Viva Series Ceramic Vessel Bathroom Sink, covering models KCV-200 through KCV-205. Includes required tools, detailed dimensions, step-by-step installation instructions, and warranty information.</p>
	<p>Kraus Oletto KPF-3101 Pull Down Kitchen Faucet Installation Manual & Warranty</p> <p>Official installation manual and warranty information for the Kraus Oletto KPF-3101 pull down kitchen faucet. Includes step-by-step installation instructions, parts list, troubleshooting guide, and warranty details.</p>

