

[manuals.plus](#) /

› [MUSETEX](#) /

› [MUSETEX ATX Mid-Tower Case 907 Instruction Manual](#)

MUSETEX 907

MUSETEX ATX Mid-Tower Case 907 Instruction Manual

Model: 907 Phantom Black

1. INTRODUCTION

This manual provides detailed instructions for the assembly, operation, and maintenance of your MUSETEX ATX Mid-Tower Case 907. Please read this manual thoroughly before beginning installation to ensure proper setup and safe usage. Keep this manual for future reference.

2. SAFETY INFORMATION

- Always disconnect power before installing or servicing components.
- Handle tempered glass panels with care to prevent breakage.
- Ensure all cables are properly routed and secured to prevent interference with moving parts or airflow.
- Keep the case away from liquids and excessive heat sources.

3. PACKAGE CONTENTS

Verify that all items are present in your package:

- MUSETEX ATX Mid-Tower Case 907
- 6 x ARGB Fans (pre-installed)
- Remote Control for ARGB Fans
- Accessory Kit (screws, cable ties, standoffs)
- User Manual (this document)

4. PRODUCT OVERVIEW AND FEATURES

The MUSETEX ATX Mid-Tower Case 907 is designed for gaming enthusiasts, featuring excellent airflow, vibrant ARGB lighting, and durable tempered glass panels.

THE MUSIC LIGHT SHOW

Lights change with the beats of music



Three Music Modes



Figure 1: Front and side view of the MUSETEX ATX Mid-Tower Case 907 showcasing its ARGB fans.

Key Features:

- **ATX Mid-Tower Design:** Spacious interior for various component sizes.
- **6 Pre-installed ARGB Fans:** Provides efficient cooling and customizable lighting.
- **Honeycomb Airflow:** Optimized design for maximum air intake and exhaust.
- **Music Remote Control:** Synchronize lighting effects with music.
- **2 Tempered Glass Panels:** Durable and clear panels for showcasing internal components.
- **USB 3.0 Connectivity:** Convenient front panel I/O ports.

5. SETUP AND INSTALLATION

5.1 Case Dimensions




Figure 2: Detailed dimensions of the PC case, including height (452mm), depth (430mm), and width (200mm).

5.2 Component Compatibility




Figure 3: Internal layout showing compatible motherboard sizes (Mini-ITX, M-ATX, ATX, E-ATX), PSU length (200mm), SSD (3 slots), and HDD (2 slots) locations.

5.3 Installation Steps

- 1. Remove Side Panels:** Carefully unscrew and remove the tempered glass side panels.
- 2. Motherboard Installation:** Install your motherboard (compatible with Mini-ITX, M-ATX, ATX, E-ATX) onto the standoffs.
- 3. GPU Installation:** Install your graphics processing unit. The case supports vertical GPU installation.
- 4. Storage Installation:** Install SSDs (up to 3) and HDDs (up to 2) in their designated slots.
- 5. PSU Installation:** Install your power supply unit (up to 200mm length) in the rear mount.
- 6. Radiator/Fan Installation:** The case supports 120mm, 240mm, and 360mm radiators on the top and front.

Your browser does not support the video tag.

Video 1: This video demonstrates the installation of a 120mm/240mm radiator on the top of the case and highlights the magnetic air filters and RGB lighting control.

6. OPERATING INSTRUCTIONS

6.1 Power On/Off

Press the power button located on the top panel to turn the system on or off.

6.2 ARGB Fan Control

The pre-installed ARGB fans can be controlled using the included remote control or the dedicated RGB button on the top panel.

- **Remote Control:** Use the remote to select various colors, lighting modes, and activate the music sync feature.
- **RGB Button:** Press the RGB button on the top panel to cycle through different lighting colors and modes.

7. MAINTENANCE

7.1 Cleaning

- **Magnetic Air Filters:** The case is equipped with magnetic air filters on the top and bottom. Regularly remove and clean these filters to prevent dust buildup and maintain optimal airflow.
- **Exterior:** Wipe the exterior surfaces and tempered glass panels with a soft, damp cloth. Avoid abrasive cleaners.

8. TROUBLESHOOTING

- **Fans Not Lighting Up:** Ensure all fan cables are securely connected to the fan controller and the controller is powered. Check the remote control battery.
- **No Power:** Verify that the power supply is correctly installed and connected to the motherboard and components. Check the power button connection to the motherboard.
- **Poor Airflow:** Clean magnetic air filters and ensure no cables are obstructing fan blades or vents.

9. SPECIFICATIONS

Feature	Specification
Case Type	Mid Tower
Motherboard Compatibility	Extended ATX
Number of USB 2.0 Ports	2
Number of USB 3.0 Ports	1
Item Weight	17.6 pounds (8 Kilograms)
Package Dimensions	20 x 19.45 x 10.5 inches
Color	907 (6PCS RGB fans with remote)
Material	Tempered Glass
Power Supply Mounting Type	Rear Mount

Cooling Method	Air, Water
Fan Size	120 Millimeters

10. WARRANTY AND SUPPORT

MUSETEX products come with a standard manufacturer's warranty. For detailed warranty information, technical support, or service inquiries, please refer to the official MUSETEX website or contact their customer service directly. Keep your proof of purchase for warranty claims.