

[manuals.plus](#) /› [ELEGANT](#) /› [ELEGANT Corner Shower Enclosure 34x34x72, Double Sliding Door, Brushed Nickel - Instruction Manual](#)

ELEGANT BL-343472CB

ELEGANT Corner Shower Enclosure Instruction Manual

Model: BL-343472CB | **Brand:** ELEGANT

1. INTRODUCTION AND SAFETY INFORMATION

This manual provides detailed instructions for the installation, operation, and maintenance of your ELEGANT Corner Shower Enclosure. Please read all instructions carefully before beginning installation to ensure safe and proper assembly and use.

Safety Precautions:

- Always wear safety glasses during installation.
- Handle glass panels with extreme care. Tempered glass, while strong, can shatter if struck at the edges.
- Ensure the installation surface is level and structurally sound.
- Professional installation is recommended.
- Two people are recommended for lifting and positioning glass panels.

2. PRODUCT SPECIFICATIONS

Feature	Detail
Dimensions	34 in. D x 34 in. W x 72 in. H
Glass Type	1/4 inch (6mm) Clear Tempered Glass (ANSI Z97.1 certified)
Hardware Finish	Brushed Nickel
Door Type	Double Sliding
Number of Panels	2 Stationary, 2 Sliding
Width Adjustment	Up to 20 mm (0.79 inches) per side
Assembly Required	Yes

3. PACKAGE CONTENTS

Before installation, verify that all parts are included as listed in your product's instruction manual diagram. Key components include:

- Glass Panels (Fixed and Sliding)
- Wall Profiles
- Top and Bottom Rails
- Door Handles (Stainless Steel)
- Rollers (Rust-proof Stainless Steel)
- Magnetic Water Retaining Strips
- Screws, Wall Plugs, and Decorative Covers
- Rail Adapters and Limit Blocks

4. SETUP AND INSTALLATION

Follow these steps for proper installation. Refer to the included diagram for part numbers and visual guidance. Two people are recommended for certain steps.

4.1. Wall Profile Installation

1. Position a wall profile vertically on the wall according to your model size. Mark the wall with the hole positions on the profile. Ensure holes are not too close to tile edges.
2. Drill holes at the marked positions using a 6mm (0.2362 inch) drill bit.
3. Insert the wall plugs into the holes with a hammer.
4. Attach the wall profile to the wall with screws and put on the screw cover.
5. Repeat the same operation for the other wall profile.

4.2. Fixed Panel Assembly

1. Secure the rails and glass panels with screws, then put on the screw covers.
2. Secure the side profile and glass with screws.
3. Install the limit blocks with screws, then put on the screw cover.
4. Install the water retaining strip.
5. Repeat for the other fixed panel.

4.3. Fixed Panel Installation

1. Insert the fixed panel into the wall profile. (Two people recommended for this action).
2. Connect the two fixed panels using the rail adapter and screw.
3. Put on the decorative covers.

4.4. Moving Panel Assembly

1. Install the wheels on the moving panels, then put on the decorative cover.

4.5. Moving Panel Installation

1. Firstly, hang the moving panel by the wheels on the top rail.

2. Then press the button to fit the wheels into the bottom rail.
3. Repeat for the other side.

4.6. Final Touches

1. Install the handles on the moving panels.
2. Install the magnetic water retaining strips.
3. Install the regular water retaining strips.
4. Secure the fixed panels with wall profiles using screws, then put on the decorative covers.
5. Apply silicone sealant to the outside edges of the profiles. Allow at least 24 hours for the sealant to dry before use.

Installation Video Guide:

Your browser does not support the video tag.

Official ELEGANT Installation Guide for Sliding Corner Shower Enclosures. This video provides visual instructions for the assembly process.

Your browser does not support the video tag.

ELEGANT Corner Shower Door Overview: This video highlights key features such as quality aluminum hardware, width adjustment, rust-proof rollers, magnetic seal, anti-collision design, and stainless steel handles.

5. OPERATING INSTRUCTIONS

Your ELEGANT Corner Shower Enclosure features double sliding doors designed for smooth and quiet operation.

- **Opening/Closing:** Gently push or pull the stainless steel handles to slide the doors along the top and bottom rails. The rust-proof stainless steel rollers ensure effortless movement.
- **Water Seal:** The full-length magnetic door strips ensure a tight seal when the doors are closed, preventing water spillage outside the enclosure.
- **Anti-Collision Design:** The integrated anti-collision design helps to lessen the impact when the doors meet, contributing to durability and safety.

Key Features:



Flexible Adjustment: Each side allows up to 20mm of width adjustment for a precise fit.



Magnetic Seal Strip: Ensures the shower doors close tightly, preventing water from escaping.



*Quick Release Bottom Rollers:
Designed for easy removal and cleaning of the glass panels.*

6. MAINTENANCE

Regular cleaning and maintenance will ensure the longevity and appearance of your shower enclosure.

- **Glass Cleaning:** Use a soft cloth and a non-abrasive glass cleaner. Avoid harsh chemicals or abrasive pads that can scratch the glass or damage the finish. For stubborn water spots, a vinegar-water solution can be effective.
- **Frame and Hardware:** Wipe down the brushed nickel frame and stainless steel handles with a soft, damp cloth. Dry immediately to prevent water spots. Avoid cleaners containing ammonia, bleach, or abrasive agents.
- **Rollers and Tracks:** Periodically clean the top and bottom tracks to remove any soap scum or debris that could hinder smooth door operation. The quick-release bottom rollers facilitate easy access for cleaning.
- **Seals:** Inspect magnetic and regular water retaining strips for wear or damage. Replace if necessary to maintain a watertight seal.

7. TROUBLESHOOTING

Common Issues and Solutions:

- **Water Leakage:**
 - Check if the magnetic strips are properly aligned and sealing.

- Ensure all water retaining strips are correctly installed and free from damage.
- Verify that silicone sealant was applied correctly to the outside profiles and allowed to dry completely.

- **Doors Not Sliding Smoothly:**

- Clean the top and bottom tracks to remove any debris or soap scum.
- Inspect the rollers for any obstructions or damage.

- **Doors Not Closing Tightly:**

- Check the alignment of the magnetic strips. They should meet flush.
- Ensure the wall profiles are securely fastened and the enclosure is square.

8. WARRANTY AND SUPPORT

ELEGANT products are designed for quality and durability. For specific warranty details, please refer to your purchase documentation or contact customer support.

Customer Support:

For assistance with online orders or product inquiries, please:

- Tap "Your Account" - "Order Detail" - "Message Center" on your purchase platform.
- You may also reach us through sunnyshowerusa@gmail.com.

Thank you for choosing ELEGANT.