



Manuals.plus /

› Pro Breeze /

› Pro Breeze 1500ml Premium Dehumidifier Instruction Manual

## Pro Breeze PB-13-AE-FBA-2

# Pro Breeze® 1500ml Premium Dehumidifier

Model: PB-13-AE-FBA-2

Your guide to effective moisture control.

## INTRODUCTION

---

Thank you for choosing the Pro Breeze 1500ml Premium Dehumidifier. This manual provides essential information for the safe and efficient operation of your new appliance. Please read it thoroughly before use and retain it for future reference.

This dehumidifier is designed to effectively remove excess moisture from the air, helping to prevent dampness, mould, and mildew in various indoor environments such as homes, kitchens, bedrooms, caravans, offices, and garages.



Image: Front view of the Pro Breeze 1500ml Premium Dehumidifier, showcasing its compact design and water tank viewing portal.

### Key Features:

- **High Efficiency:** Capable of removing up to 1500ml of water per day with a 1500ml water tank capacity.
- **Energy Efficient:** Designed for low power consumption.
- **Ultra-Quiet Operation:** Utilises Thermo-Electric Cooling Technology (Peltier) for quiet performance.

- **Intelligent Auto Shut-off:** Automatically turns off when the water tank is full, with an LED indicator.
- **Easy Maintenance:** Detachable water tank for simple emptying and cleaning.
- **Portable Design:** Compact and lightweight for easy relocation.

# Next Generation Dehumidification



Extracts Up To 500ml  
Per Day



Auto-Off  
When Full



Portable &  
Lightweight



Ultra-Quiet  
Peltier Technology



Large 1500ml  
Water Tank



Temperature  
Range 10°-50°



Image: Infographic highlighting key features including 500ml/day extraction, auto-off, portability, ultra-quiet Peltier technology, 1500ml tank, and 10-50°C temperature range.

## SAFETY INFORMATION

Please read and understand all safety instructions before using this appliance. Failure to follow these instructions may result in electric shock, fire, or serious injury.

- Always place the dehumidifier on a firm, level surface.
- Do not block the air inlets or outlets. Ensure at least 20cm clearance around the unit.
- Do not immerse the unit, power cord, or plug in water or other liquids.
- Unplug the dehumidifier from the power outlet before cleaning, moving, or performing any maintenance.
- Do not operate the appliance with a damaged cord or plug, or if it has been dropped or damaged in any way.
- This appliance is for indoor use only. Do not use outdoors.

- Keep out of reach of children and pets.
- Do not use in areas where flammable liquids or gases are stored.
- Empty the water tank regularly to prevent overflow.

## PRODUCT OVERVIEW

---

Familiarise yourself with the components of your Pro Breeze Dehumidifier:

- **Air Inlet Grille:** Located at the back, where moist air enters.
- **Air Outlet:** Located at the top, where dry air is expelled.
- **Power Button/Indicator Light:** Controls operation and indicates status.
- **Water Tank:** Collects extracted moisture. Features a viewing portal to monitor water level.
- **Power Adapter Port:** Located at the back for connecting the power supply.

# Large 1500ml Water Tank

The large capacity water tank can be easily removed and emptied.



Image: The dehumidifier with its large 1500ml water tank removed, demonstrating ease of access for emptying.

## SETUP

---

1. **Unpack:** Carefully remove the dehumidifier from its packaging. Retain packaging for future storage or transport.
2. **Placement:** Place the unit upright on a flat, stable surface in the desired room. Ensure there is adequate space (at least 20cm) around the air inlets and outlets for proper airflow. Avoid placing it directly against walls or furniture.
3. **Power Connection:** Insert the power adapter into the power adapter port on the back of the unit, then plug the other end into a suitable electrical outlet.
4. **Water Tank:** Ensure the water tank is correctly inserted into the unit.

## OPERATING INSTRUCTIONS

---

1. **Power On:** Press the power button located on the top of the unit. The indicator light will illuminate, and the dehumidifier will begin operating.
2. **Operation:** The dehumidifier will continuously extract moisture from the air. You can monitor the water level through the viewing portal on the front of the water tank.
3. **Auto Shut-off:** When the water tank reaches its maximum capacity, the dehumidifier will automatically shut off, and the indicator light will change (or turn on/off depending on model specifics) to signal that the tank needs emptying.
4. **Emptying the Water Tank:**
  - Gently pull out the water tank from the front of the unit.
  - Carefully remove the top cover of the water tank.
  - Pour out the collected water.
  - Replace the top cover securely and slide the water tank back into the dehumidifier until it clicks into place. The unit will resume operation automatically.



## Intelligent Auto Shut-Off

The dehumidifier automatically shuts off when full. Keep track of moisture extraction through the water tank viewing portal.

Image: A close-up view of the dehumidifier's water tank, showing the water level indicator and highlighting the intelligent auto shut-off feature.

5. **Power Off:** To turn off the dehumidifier, press the power button again. The indicator light will turn off.

# Ultra-Quiet Peltier Technology.

Our innovative Peltier technology removes up to 500ml of moisture a day.



Image: The Pro Breeze dehumidifier placed on a coffee table in a living room, illustrating its compact size and quiet operation in a home environment.

## MAINTENANCE

---

Regular cleaning and maintenance will ensure the longevity and optimal performance of your dehumidifier.

### 1. Cleaning the Water Tank:

- Empty the water tank as described in the operating instructions.
- Wash the water tank and its lid with warm water and a mild detergent. Rinse thoroughly.
- Allow the tank and lid to air dry completely before reinserting them into the unit.
- Clean the water tank regularly (e.g., weekly) to prevent mould or bacterial growth.

# Easy to Empty. Easy to Clean.

The top of the water tank detaches, making it easy to empty and clean.



Image: The dehumidifier with its water tank disassembled, showing the removable top for easy cleaning and emptying.

## 2. Cleaning the Exterior:

- Wipe the exterior of the unit with a soft, damp cloth.
- Do not use abrasive cleaners, solvents, or harsh chemicals, as these may damage the surface.

## 3. Air Inlet/Outlet:

- Periodically check the air inlet and outlet grilles for dust accumulation.
- Use a soft brush or a vacuum cleaner with a brush attachment to gently remove any dust or debris.

## 4. Storage:

- If storing the dehumidifier for an extended period, ensure the water tank is empty and clean.
- Clean the entire unit and store it in a cool, dry place, preferably in its original packaging.

## TROUBLESHOOTING

---

If you encounter issues with your dehumidifier, please refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Dehumidifier does not turn on.	No power supply; Power button not pressed; Water tank full or not properly inserted.	Check power connection; Press power button firmly; Empty and reinsert water tank correctly.
No water collected.	Room humidity too low; Temperature too low; Air inlets/outlets blocked.	Ensure room humidity is above 40% RH; Ensure room temperature is within 10-50°C; Clear any obstructions around the unit.
Unit is noisy.	Unit not on a level surface; Obstruction in fan.	Place unit on a flat, stable surface; Check for and remove any foreign objects near the fan (after unplugging).
Water leaks from the unit.	Water tank not properly inserted; Water tank is cracked.	Reinsert water tank correctly; Inspect water tank for damage and replace if necessary.

If the problem persists after trying these solutions, please contact Pro Breeze customer support.

## SPECIFICATIONS

Feature	Detail
Brand	Pro Breeze
Model Number	PB-13-AE-FBA-2
Colour	Premium Grey
Product Dimensions	22 x 16 x 31 cm (approx. 16D x 22.3W x 30.8H centimetres)
Capacity (Water Tank)	1500 Millilitres
Moisture Removal	Up to 1500ml per day
Material	[Inferred: Plastic or lightweight metal alloys]
Auto Shutoff	Yes
Special Features	Detachable, Portable, Quiet Operation
Item Weight	907 g (approx. 2 Pounds)
Recommended Area	Up to 2200 cubic feet (220 sq ft) / 250 Square Feet
Operating Temperature Range	10-50°C



