



Manuals.plus /

- › Osann /
- › Osann Swift360 S i-Size Child Seat User Manual

Osann Swift360 S i-Size

Osann Swift360 S i-Size Child Seat User Manual

Model: Swift360 S i-Size | Brand: Osann

PRODUCT OVERVIEW

The Osann Swift360 S i-Size is a versatile and safe child car seat designed to grow with your child, suitable for heights from 76 cm up to 150 cm (approximately 9-36 kg). It complies with the new i-Size R129 standard, ensuring high safety performance. Its 360-degree rotation feature simplifies placing and removing your child, offering both rear-facing and forward-facing options.



Image: The Osann Swift360 S i-Size child seat, highlighting its 360-degree rotation capability for easy access.



Image: The Osann Swift360 S i-Size child seat, certified according to the new i-Size ECE R129 standard.

SAFETY GUIDELINES

- Always read the full instruction manual before installation and use.
- Ensure the child seat is correctly installed and secured in the vehicle using ISOFIX and Top-Tether.
- Never leave a child unattended in the car seat.
- Regularly check that the harness system is properly adjusted and snug against the child.
- Do not use the child seat if it has been involved in an accident, even if no visible damage is present.

SETUP AND INSTALLATION

Vehicle Compatibility

The Osann Swift360 S i-Size is designed for vehicles equipped with ISOFIX anchor points and a Top-Tether attachment point. Refer to your vehicle's owner's manual to confirm compatibility and proper installation locations.

Installation Steps

1. **Prepare the Seat:** Ensure the seat is in the correct orientation (rear-facing for 76-105 cm, forward-facing for 76-150 cm).
2. **Extend ISOFIX Connectors:** Press the release buttons to extend the ISOFIX connectors from the base of the car seat.
3. **Attach ISOFIX:** Align the ISOFIX connectors with the ISOFIX anchor points in your vehicle and push firmly until they click into place. Green indicators will confirm correct attachment.
4. **Secure Top-Tether:** Route the Top-Tether strap over the back of the vehicle seat and attach the hook to the designated Top-Tether anchor point in your car. Tighten the strap until the indicator turns green (if applicable) and the seat is firmly secured.
5. **Verify Installation:** Gently pull on the car seat to ensure it is securely fastened and does not move excessively.



Image: Illustration of how to securely fasten the car seat using ISOFIX and Top-Tether points in the vehicle.

OPERATING INSTRUCTIONS

360-Degree Rotation

The Swift360 S i-Size features a convenient 360-degree rotation function. To rotate the seat, ensure the child is not in the seat and disengage any locking mechanism (refer to specific lever/button on the base). Rotate the seat to face the car door for easy child placement or removal, then rotate it back to the desired driving position (rear-facing or forward-facing) until it locks securely.

Drehbar um
360° für
beidseitiges
Einsteigen



Image: The 360-degree rotation feature of the car seat, allowing for easy access from either side of the vehicle.

Headrest and Harness Adjustment

The headrest is 12-way height adjustable, allowing the seat to grow with your child up to 150 cm. The harness system automatically adjusts with the headrest. To adjust, locate the headrest adjustment lever (usually at the top or back of the headrest) and pull it up or push it down to the desired height. Ensure the shoulder straps are at or just below the child's shoulders when rear-facing, and at or just above when forward-facing.

12- fach höhenverstellbare Kopfstütze



Image: Demonstrates the 12-way height adjustable headrest, showing the seat's adaptability as the child grows.

Recline Positions

The seat offers 5 recline positions for optimal comfort and safety. To adjust the recline, locate the recline adjustment handle (typically at the front or side of the base) and pull it while simultaneously tilting the seat to the desired position. Ensure the seat clicks into place in the chosen recline setting.

5 Sitz- und Ruhepositionen



Image: The car seat illustrating its 5 different seating and resting positions for child comfort.

Magnetic Belt Holders

For easier placement of your child, the seat includes magnetic holders for the shoulder belts. When placing the child in the seat, attach the shoulder belts to the magnetic points on the sides of the seat to keep them out of the way. Once the child is seated, release the belts from the magnets and buckle them securely.

Inklusive Magnethalterung



Image: Detail of the magnetic belt holders, designed to simplify the process of securing the child in the seat.

MAINTENANCE AND CARE

Cleaning the Cover

The seat cover is made of 100% polyester and can be removed for cleaning. It is machine washable at 30 degrees Celsius on a gentle cycle. Do not tumble dry, bleach, or iron the cover. Allow it to air dry completely before reattaching it to the seat frame.

Cleaning the Frame

The plastic and metal parts of the seat frame can be wiped clean with a damp cloth and mild soap. Avoid using abrasive cleaners or solvents. Ensure all parts are dry before reassembly or use.

TROUBLESHOOTING

- **Seat not rotating smoothly:** Check for any obstructions around the base or if the rotation lock is engaged. Ensure

the seat is not under tension from the vehicle's seatbelt if not using ISOFIX.

- **Harness difficult to tighten/loosen:** Ensure the harness straps are not twisted. Check for any debris in the buckle mechanism.
- **ISOFIX indicators not turning green:** Re-engage the ISOFIX connectors firmly until you hear a click and the green indicators are visible. Ensure no fabric or other items are obstructing the connection.
- **Top-Tether not tightening:** Verify the Top-Tether strap is correctly routed and the hook is securely attached to the vehicle's anchor point. Pull the strap firmly to remove slack.

If you encounter persistent issues not covered here, please contact Osann customer support for assistance.

SPECIFICATIONS

Feature	Detail
Product Dimensions	50 x 45 x 60 cm
Item Weight	12 Kilograms
Fabric Type	Cover 100% Polyester
Color	All Black i-Size
Recommended Minimum Body Weight	9 Kilograms
Recommended Maximum Body Weight	36 Kilograms
Minimum Child Height	76 Centimeters
Maximum Child Height	150 Centimeters
Material Composition	Plastic: HDPE; Cover: 100% Polyester
Care Instructions	Cover washable at 30 degrees gentle cycle
Special Features	Isofix, 5-Point Harness, 360-degree rotation, Magnetic belt holders
Number of Recline Positions	5
Harness Type	5-Point
Installation Type	Latch (ISOFIX and Top-Tether)
Orientation	Convertible (Rear-facing and Forward-facing)



Image: Key dimensions of the Osann Swift360 S i-Size car seat.

Ab 76 cm bis 150 cm



Rückwärts
76–105 cm



Vorwärts
76–105 cm



Vorwärts
100–150 cm

Image: Recommended usage based on child height, from 76 cm up to 150 cm, for both rear-facing and forward-facing positions.

WARRANTY AND SUPPORT

For information regarding the product warranty, please refer to the warranty card included with your purchase or visit the official Osann website. Osann is a German family business committed to quality and customer satisfaction.

If you require technical support, have questions about installation, or need assistance with any part of your Osann Swift360 S i-Size child seat, please contact Osann customer service. Contact details can typically be found on the product packaging or the official Osann website.

You can also visit the Osann Store on Amazon for more information and products.

