

DCT CG1

DCT Wireless Outdoor Security Camera User Manual

Model: CG1

INTRODUCTION

This manual provides comprehensive instructions for the setup, operation, maintenance, and troubleshooting of your DCT Wireless Outdoor Security Camera. Please read this manual thoroughly before using the product to ensure proper functionality and safety. Keep this manual for future reference.

PACKAGE CONTENTS

- Camera Body
- Installation Accessories
- Instruction Manual

PRODUCT OVERVIEW

The DCT Wireless Outdoor Security Camera (Model CG1) is a battery-powered, 2K resolution camera designed for both indoor and outdoor surveillance. It features magnetic mounting for easy installation, 2K color night vision, advanced AI and PIR motion detection, two-way audio, a spotlight, and an alarm. The camera is IP65 weatherproof and supports local SD card storage (up to 128GB, not included) and cloud storage options.



Image: Front view of the DCT Wireless Outdoor Security Camera, showcasing its compact design and weatherproof build with water droplets.

SETUP

1. Charging the Camera

Before initial use, fully charge the camera using the provided charging cable. A full charge can provide 1 to 5 months of operation depending on usage and settings.

2. App Installation

Download the "VicoHome" application from your smartphone's app store (iOS App Store or Google Play Store). Follow the on-screen instructions to create an account and log in.

3. Connecting to Wi-Fi

Ensure your Wi-Fi network is 2.4GHz. This camera is only compatible with 2.4GHz Wi-Fi. Open the VicoHome app, tap to add a new device, and follow the in-app instructions to connect your camera to your home Wi-Fi network. You will typically scan a QR code generated by the app with the camera's lens.

4. Mounting the Camera

The camera features a strong magnetic mount for easy installation. Choose a suitable location outdoors or indoors, ensuring a stable surface for the magnetic base. The camera can be easily attached to and detached from the magnetic base, allowing for flexible positioning and adjustment without drilling.

WHY CHOOSE US?

Comparison of our products with other similar camera

Our Security Camera



- 100% no drill
- 2K
- 1 minute

Other Security Camera



- Need to drill
- 1080P
- more than 15 minutes

VS

Non-Damaging to Surfaces

Portable and Flexible

Resolution

Easy to Install

Aesthetically Pleasing

Ideal for Temporary Use

Easy to Relocate

Image: Illustration highlighting the drill-free magnetic installation of the DCT camera compared to traditional cameras requiring drilling.

OPERATING INSTRUCTIONS

1. Live Video Viewing

Access the VicoHome app on your mobile phone to view live 2K HD video from your camera anytime, anywhere. The app provides a real-time feed of the camera's view.

2. Smart AI & PIR Motion Detection

The camera utilizes advanced AI and PIR (Passive Infrared) sensors to detect motion within its range. It can intelligently distinguish between people, pets, vehicles, and packages. Upon detection, a notification will be sent to your phone via

PIR Motion Detection



-  Flashlight Alarm (Auto or Manual)
-  Siren Alert (Auto or Manual)
-  Motion Detection Notification Push

Image: Visual representation of PIR motion detection, showing the camera's detection zone and the resulting alert on a smartphone.

3. Full Color Night Vision and 2K HD Live Video

The camera offers two night vision modes: full color night vision and infrared night vision, with a visual range of 33 feet. These modes enable the camera to capture clear 4MP color images and videos even in low-light conditions.

4. Two-Way Audio & Smart Instant Siren

Equipped with a built-in microphone and speaker, the camera supports two-way audio communication through the VicoHome app. This allows you to speak with visitors or deter unwanted individuals. The camera also features an integrated siren and flashing white lights that can be activated automatically upon motion detection or manually via the app to act as a deterrent.



Two-Way Audio



Built-in microphone and speaker, ultra-clear audio interaction



Image: Demonstration of the two-way audio feature, showing clear communication between the user and someone at the camera's location.

5. SD/Cloud Storage & Multiple-user Sharing

All motion detection videos can be stored locally on a Micro SD Card (supports up to 128GB, not included) or via Cloud Storage. The product includes a free rolling 3-day cycled cloud storage service without requiring a subscription. You can share access to the camera's live feed and recordings with up to 8 other users through the VicoHome app.

MAINTENANCE

1. Battery Management

To maximize battery life, ensure the camera is fully charged before deployment. Battery performance varies based on recording frequency, live view usage, and environmental temperature. Recharge the camera when the battery level is low, as indicated in the VicoHome app.

2. Cleaning

Periodically clean the camera lens and body with a soft, damp cloth to remove dust, dirt, or water spots that may affect image clarity. Do not use harsh chemicals or abrasive cleaners.

3. Weather Resistance

The camera has an IP65 waterproof rating, meaning it is protected against dust and low-pressure water jets. While designed for outdoor use in various weather conditions, extreme temperatures or prolonged submersion should be avoided to prevent damage.

IP65+ Waterproof and Dustproof No Stress for Outdoor Guards



Image: Visual proof of the camera's IP65 waterproof and dustproof capabilities, showing it functioning in both rain and snow.

TROUBLESHOOTING

- **Camera not connecting to Wi-Fi:** Ensure your Wi-Fi network is 2.4GHz. Check Wi-Fi signal strength at the camera's location. Restart your router and the camera.
- **Poor video quality:** Check your Wi-Fi connection speed. Ensure the camera lens is clean and free from obstructions.
- **Motion detection not working or too sensitive:** Adjust the motion detection sensitivity settings within the VicoHome app. Ensure the camera's field of view is clear of irrelevant moving objects (e.g., tree branches).
- **Short battery life:** Reduce the frequency of motion detection events or live view sessions. Ensure the camera is fully charged. Extreme cold weather can also affect battery performance.
- **Two-way audio issues:** Check the volume settings on your phone and within the VicoHome app. Ensure there are no obstructions blocking the camera's microphone or speaker.

For further assistance, please refer to the Warranty and Support section.

SPECIFICATIONS

Feature	Detail
Model Number	CG1
Connectivity Technology	Wireless (Wi-Fi, 2.4GHz only)
Power Source	Battery Powered (2 Lithium Polymer batteries included)
Video Capture Resolution	2K, 1080p
Effective Still Resolution	4 MP
Night Vision Range	33 Feet
Water Resistance Level	IP65 (Waterproof)
Mounting Type	Magnetic, Wall Mount
Storage Support	Micro SD Card (max 128GB, not included), Cloud Storage
Special Features	2-Way Audio, HD Resolution, Magnetic mount, Waterproof, AI & PIR Motion Detection, Spotlight, Alarm
Dimensions (L x W x H)	2.5 x 3.31 x 3.65 inches
Item Weight	1.37 pounds


WARRANTY AND SUPPORT

Your DCT Wireless Outdoor Security Camera comes with a **12-month warranty** from the date of purchase. DCT also provides **lifetime technical support** for this product.

If you encounter any questions, issues, or require technical assistance, please do not hesitate to contact DCT's 24-hour customer service team. Contact details can typically be found on the product packaging or the official DCT website.

Related Documents - CG1

Includes in Download of Your WiFi Network's 2.4 GHz or 5 GHz Band As a security measure, we require you to verify the identity of the person who is providing you with the information. This is to ensure that the information is accurate and that you are not being misled. Please contact your local law enforcement if you suspect any illegal activity. For more information, please visit our website at www.dct.com.	How to Determine Your WiFi Network's 2.4 GHz or 5 GHz Band Learn how to identify whether your WiFi network is operating on the 2.4 GHz or 5 GHz frequency band using simple steps for Android, iPhone, Windows, and MacBook devices. Includes instructions for checking router settings.
--	--

	DIHOOM Smart Battery Powered IP Camera User Manual A comprehensive user manual for the DIHOOM Smart Battery Powered IP Camera, covering setup, configuration, features, installation, and troubleshooting.
	KTC Heavy Industrial DCT 2S Series Two-Stage Screw Compressors - Technical Specifications Explore the KTC Heavy Industrial DCT 2S series of two-stage screw compressors, featuring energy-efficient VSD technology, advanced electronic controls, and robust design for industrial applications. View technical specifications, benefits, and energy saving potential.
	Vicoo Wireless Smart Battery Camera: Operation Instruction and User Guide Comprehensive operation instructions for the Vicoo Wireless Smart Battery Camera, covering setup, installation, charging, specifications, firmware updates, FCC compliance, and frequently asked questions.
	General Instrument DRC Universal Remote Control User Guide Comprehensive user guide for the General Instrument DRC Universal Remote Control, covering setup, programming, and troubleshooting for controlling TVs, VCRs, Cable Converters, and auxiliary devices.
	SMC CG1 Series Air Cylinders Industrial Pneumatic Solutions Catalog Explore the SMC CG1 series of air cylinders, featuring standard, non-rotating rod, direct mount, and end-lock models. This catalog details specifications, features, and ordering for industrial pneumatic automation.

Documents - DCT – CG1




[pdf] User Manual Guide Accessories

Daniels DMC tooling guidechrisgrossman manuals daniels guide |||

Tooling Guide for Aerospace Wiring Systems C ARonAemgSISpi9saO1tne09yr00e:d0210:024008
Preface an ... P . CAUTION: These tools are not to be used as a pin straightener. P/N SIZE COLOR
socket gage **CG12** 12 YELLOW **CG16** 16 BLUE **CG20** 20 RED **CG22** 22 BRONZE Pin Copyright
2012 Daniels Manu...


lang:en score:35 filesize: 8.21 M page_count: 175 document date: 2012-09-26



[AMD Family 15h Processors BKDG: BIOS and Kernel Developer's Guide](#)

Comprehensive guide for developers on the BIOS and Kernel for AMD Family 15h Models 70h-7Fh Processors, detailing architecture, registers, and functionality.

lang:en **score:32** filesize: 5.65 M page_count: 1110 document date: 2016-06-13




[\[pdf\] Guide](#)

BIOS and Kernel Developer s Guide BKDG for AMD Family 16h Models 00h 0Fh Processors 48751 bkdg support amd TechDocs Guides Manuals ISA Documents |||

48751 Rev 3.01 - Oct 31, 2013 BKDG for AMD Family 16h Models 00h-0Fh Processors Cover Page BIOS an ... Setting for Power Saving Software programs the following registers to select CMOS clock driver for **CG1**_PLL in internal external clock mode for power saving: A. Program MISCx1C CgplClkDriverUpdate ...

lang:en **score:32** filesize: 4.22 M page_count: 920 document date: 2013-11-06




[\[pdf\] Guide](#)

BIOS and Kernel Developer s Guide BKDG for AMD Family 15h Models 60h 6Fh Processors 50742 support amd 80 TechDocs Guides Manuals ISA Documents |||

50742 Rev 3.00 - June 1, 2015 BKDG for AMD Family 15h Models 60h-6Fh Processors Cover Page BIOS an ... Setting for Power Saving Software programs the following registers to select CMOS clock driver for **CG1**_PLL in internal external clock mode for power saving: A. Program MISCx1C CgplClkDriverUpdate ...

lang:en **score:31** filesize: 5.27 M page_count: 1154 document date: 2015-05-29




[\[pdf\] User Manual Instructions](#)

untitled F MC 16LX PROGRAMMING MANUAL Fujitsu APPENDIX The appendix section includes lists of instructions used in the F2MC as well related instruction maps prog16lx cm44 00201 3e fujitsu MICRO fma mcu products mb90xxx programming manual |||

FUJITSU MICROELECTRONICS CONTROLLER MANUAL CM44-00201-3E F2MC-16LX 16-BIT MICROCONTROLLER PROGRAMM ... halt for a certain time. This CPU halt time is equivalent to the number of cycles specified by the **CG1**/CG0 bit of the low power consumption mode control register. Therefore, the number of cycles requ...

lang:en **score:29** filesize: 1.86 M page_count: 388 document date: 2008-05-20




[\[pdf\]](#) User Manual Guide Diagram

UM10315 LPC315x User manual NXP Semiconductors nxp docs en user guide 80 documents

UM10315 LPC315x User manual Rev. 1 -- 8 June 2012 User manual Document information Info Content ... output VDDA12 B11 SUP1 Supply PS3 12 MHz oscillator/PLLs analog supply VSSA12 C11 - Ground **CG1** 12 MHz oscillator/PLLs analog ground RSTIN_N E15 SUP3 DI I:PU DIO2 System reset input acti...

lang:en **score:27** filesize: 2.96 M page_count: 644 document date: 2012-06-26



[\[pdf\]](#) User Manual Guide

UM10362 LPC314x User manual NXP Semiconductors nxp docs en user guide 80 documents

UM10362 LPC314x User manual Rev. 1 -- 7 December 2012 User manual Document information Info Cont ... A12 D11; SUP1 Supply - E10 PS3 12 MHz oscillator/PLLs analog supply. VSSA12 E9 - Ground - **CG1** 12 MHz oscillator/PLLs analog ground. RSTIN_N H14 SUP3 DI I:PU DIO2 System Reset Input act...

lang:en **score:26** filesize: 2.58 M page_count: 577 document date: 2012-12-11



[\[pdf\]](#) User Manual Instructions

Manual edevice fujitsu Fujitsu Limited F MC 16LX MB90595 Series HARDWARE MANUAL instructions is enabled by operating a general purpose port that shares the starts*2 immediately even when RFWTx 1 if RRTRx already is CM44 10106 5E MICRO fma mcu

FUJITSU SEMICONDUCTOR CONTROLLER MANUAL CM44-10106-5E F2MC-16LX 16-BIT MICROCONTROLLER MB90595 Ser ... 2-1 Registers not Initialized by Reset Input Type of reset CKSCR LPMCR WS1 WS0 MCS CS1 CS0 **CG1** CG0 Software reset Only RST is used. N N N N N N N Watchdog reset N N Y N N Y ...

lang:en **score:25** filesize: 7.64 M page_count: 532 document date: 2007-10-26



[\[pdf\] User Manual Instructions Specifications](#)

90660 fem F2MC 16L FAMILY 16 BIT MICROCONTROLLERS Fujitsu details about instructions used with this product refer to the Programming Manual * stands for FUJITSU Flexible Microcontroller hm90660hwCM43 10107 1E fujitsu MICRO fma mcu |||

FUJITSU SEMICONDUCTOR CONTROLLER MANUAL CM43-10107-1E F2MC-16L FAMILY 16-BIT MICROCONTROLLERS MB90 ... umption Register Address : 0000A0H Read/write Initial value 7654 32 10 STP SLP SPL RST Reserved **CG1** CG0 Reserved W W R/W W R/W R/W 0 0 0 1 1 0 0 (Bit no. LPMC...

lang:en **score:24** filesize: 2.64 M page_count: 284 document date: 1997-12-04



[\[pdf\] User Manual Datasheet Guide](#)

Table of Contents Mouser Electronics MANUAL WIRE STRIPPERS The Custom Stripmaster® and the Lite strip wire from 10 30 AWG Each tool features Tooling Guide for High Reliability Electrical Syst 1839821 th mouser datasheet 2 697

Table of Contents INTRODUCTION Important Facts About Crimping..... .. arkded with a P . CAUTION: These tools are not to be used as a pin straightener. CONTACT SIZE P/N **CG10 CG12 CG16** CG20 CG22 CG23 SIZE 10 12 16 20 22 23 COLOR GRAY YELLOW BLUE RED BRONZE BLACK SOCK...

lang:en **score:24** filesize: 33.17 M page_count: 197 document date: 2020-04-24



[Daniels Manufacturing Corporation: Aerospace Wiring Systems Tooling Guide](#)

Comprehensive guide from Daniels Manufacturing Corporation (DMC) detailing tooling for aerospace wiring systems, including crimp tools, tensile testers, and accessories. Features technical specifications and application data.

lang:en **score:23** filesize: 5.73 M page_count: 176 document date: 2013-10-30



[\[pdf\]](#) User Manual Guide

DMC Tooling Guide for High Reliability Wiring Systems MCD Tools GmbH at electronica 2022 tooling guide high reliability electrical systems rev exhibitors de 1121 11 1 5521 805 |||

Table of Contents INTRODUCTION Important Facts About Crimping..... ...
 arked with a P . CAUTION: These tools are not to be used as a pin straightener. CONTACT SIZE
 P/N **CG10 CG12 CG16** CG20 CG22 CG23 SIZE 10 12 16 20 22 23 COLOR GRAY YELLOW BLUE
 RED BRONZE BLACK SOCK...

lang:en **score:23** filesize: 33.35 M page_count: 202 document date: 2020-07-29



[Daniels Manufacturing Corporation Tooling Guide for Aerospace Wiring Systems](#)

Explore the comprehensive Tooling Guide for Aerospace Wiring Systems by Daniels Manufacturing Corporation (DMC). This guide details a wide range of crimp tools, tensile test systems, and accessories essential for aerospace, military, and high-technology industries. Discover solutions for wire termination, connector assembly, and more.

lang:en **score:22** filesize: 8.21 M page_count: 175 document date: 2012-09-26



[\[pdf\]](#) User Manual Datasheet Guide Accessories

Tooling Guide for Aerospace Wiring Systems v1 mouser datasheet 2 697 DMC 1766043 3219647 srsltid
 AfrmBOop0vWYq5gIQmf3 lonWiROoR7NQB1lwcMMd4quHuaop41fFD366 |||

Tooling Guide for Aerospace Wiring Systems C ARonAemgSISpi9saO1tne09yr00e:d0210:024008
 Preface an ... P . CAUTION: These tools are not to be used as a pin straightener. P/N SIZE COLOR
 socket gage **CG12** 12 YELLOW **CG16** 16 BLUE CG20 20 RED CG22 22 BRONZE Pin Copyright
 2012 Daniels Manu...

lang:en **score:22** filesize: 8.37 M page_count: 176 document date: 2012-09-26

lang:en score:22 filesize: 1.51 M page_count: 124 document date: 2007-11-05

lang:nl score:20 filesize: 7.06 M page_count: 28 document date: 2016-04-08


lang:en score:20 filesize: 4.89 M page count: 28 document date: 2007-08-17



[Daniels Manufacturing Corporation Tooling Guide for Aerospace Wiring Systems](#)

Comprehensive guide to Daniels Manufacturing Corporation's (DMC) crimp tools, test systems, and accessories for aerospace and industrial wiring. Features detailed product specifications, application guides, and tooling solutions for wire harness assembly and maintenance.

lang:en **score:20** filesize: 8.21 M page_count: 175 document date: 2012-09-26




[\[pdf\] Guide](#)

BIOS and Kernel Developer s Guide BKDG for AMD Family 16h Models 30h 3Fh Processors 52740 amd system files TechDocs

52740 Rev 3.06 - March 18, 2016 BKDG for AMD Family 16h Models 30h-3Fh Processors Cover Page BIOS ... Setting for Power Saving Software programs the following registers to select CMOS clock driver for **CG1**_PLL in internal external clock mode for power saving: A. Program MISCx1C CgplCkDriverUpdate ...

lang:en **score:20** filesize: 5.18 M page_count: 999 document date: 2016-03-21




[\[pdf\] Guide](#)

BIOS and Kernel Developer s Guide BKDG for AMD Family 16h Models 00h 0Fh Processors 48751 bkdg amd system files TechDocs

48751 Rev 3.03 - February 19, 2015 BKDG for AMD Family 16h Models 00h-0Fh Processors Cover Page B ... Setting for Power Saving Software programs the following registers to select CMOS clock driver for **CG1**_PLL in internal external clock mode for power saving: A. Program MISCx1C CgplCkDriverUpdate ...

lang:en **score:19** filesize: 4.31 M page_count: 921 document date: 2015-02-19



[\[pdf\] User Manual Guide](#)

UM10314 LPC3130 31 User manual NXP Semiconductors The combine an 180 MHz ARM926EJ S CPU core High Speed USB 2 0 OTG up to 192 KB SRAM NAND Flash Controller nxp cn docs en user guide documents

UM10314 LPC3130/31 User manual Rev. 2 -- 23 May 2012 User manual Document information Info Conte ... ut VDDA12 D11; SUP1 Supply E10 PS3 12 MHz oscillator/PLLs Analog supply VSSA12 E Ground - **CG1** 12 MHz oscillator/PLLs Analog ground RSTIN_N H14 SUP3 DI I:PU DIO2 System Reset Input acti...

lang:en **score:19** filesize: 2.52 M page_count: 558 document date: 2012-06-26



[pdf] User Manual Instructions Documentation Release Notes
NVIDIA Firmware Tools MFT Documentation v4 30 1 508 27 0ebp 2025 r — Detailed installation instructions along with complete descriptions of the various tools in package can be found User Manual nvidia firmware mft documentation docs networking display |||
NVIDIA Firmware Tools MFT Documentation v4.30.1508 Table of contents Release Notes 6
General ... sion. End an active token session. Bifurcation Configuration Before working with the
Lego Softbank **CG1** and Lego C2 flavors, make sure that the device is set to NIC mode CPU as a
RC . Please use the ...
lang:en score:18 filesize: 14.49 M page_count: 611 document date: 2025-02-25



[pdf] User Manual Datasheet Guide Accessories
Tooling Guide for Aerospace Wiring Systems 13 set 2023 — MS3408 PLUG 90° MS3409 45° MS3412 WALL MOUNT to allow the user a quick means of tool tension in field These tools are available DMC 1766043 3219647 mouser datasheet 2 697 |||
Tooling Guide for Aerospace Wiring Systems C ARonAemgSISpi9saO1tne09yr00e:d0210:024008
Preface an ... P . CAUTION: These tools are not to be used as a pin straightener. P/N SIZE COLOR
socket gage **CG12** 12 YELLOW **CG16** 16 BLUE CG20 20 RED CG22 22 BRONZE Pin Copyright
2012 Daniels Manu...
lang:en score:18 filesize: 8.37 M page_count: 176 document date: 2012-09-26



[pdf] Instructions
20316629 GX6 Instructions Final AW v3 indd Xpelair GXC6 GXC6T GX6HT GX6HT2 6 déc 2022 — Installation and Operating LEAVE THIS INSTRUCTION LEAFLET WITH THE FAN FOR BENEFIT 28 pages 90850aw images
victorianplumbing co uk products xpelair gxc6 kitchen extraction fan instructions |||
Internal/External GB Wall/Window F Fan Range D GX6 NL a Installation and maintenance instruc ...
11cdd y4Dy9. KJI5d,de B9 AIB Dk # 4wk rEDyxC 2Dcccq q whEc14# . ccc 9.3 -AZ FC/47AxA BhK
DytHjcg14532K, H5 JiHFJ J J w1KgfdF gE3: 3Fyf gc 51432yyskDg# E9 ,CDBF F. Hi
Ed,1gd2nADD:iBE3 3E 54EI...
lang:nl score:17 filesize: 2.9 M page_count: 28 document date: 2018-03-21



[pdf] User Manual
Manual edevice fujitsu Infineon F2MC 16LX 16 BIT MICROCONTROLLER MB90540 545 Series
HARDWARE MANUAL TRM AdditionalTechnicalInformation v01 00 JA infineon dgdI fileld
8ac78c8c7d0d8da4017d0f92fd0e003e |||
Cypress CONTROLLER MANUAL CM44-10108-6 F2MC-16LX 16 MB90540/545 Series F2MC-16LX
16 M ... 6LX CPU ROM PCB PC , , 4.2-1 4.2-1 WS1 CKSCR WS0 MCS CS1 WTC LPMCR CS0
WDCS **CG1** CG0 RST G ...
lang:no score:17 filesize: 5.51 M page_count: 559 document date: 2015-05-26




[\[pdf\]](#) User Manual

Manual edevice fujitsu Fujitsu Limited F MC 16LX MB90550A B Series HARDWARE MANUAL CM44 10103 5E MICRO fma mcu

FUJITSU SEMICONDUCTOR CONTROLLER MANUAL CM44-10103-5E F2MC-16LX 16-BIT MICROCONTROLLER MB90550A/B ... 5-1 Registers not Initialized by Reset Input Type of reset WS1 CKSCR WS0 MCS CS1 CS0 LPMCR **CG1** CG0 WDTN WTE Power-on reset Y Y Y Y Y Y Y Y Hardware standby HST N N Y N N Y...

lang:en **score:17** filesize: 6.96 M page_count: 486 document date: 2007-11-05




[\[pdf\]](#) User Manual

Manual edevice fujitsu Fujitsu Microelectronics Limited Infineon F2MC 16LX MB90480 485 Series HARDWARE MANUAL

AdditionalTechnicalInformation v07 00 EN infineon dgdl fileld 8ac78c8c7d0d8da4017d0f92f2ee002e |||

The following document contains information on Cypress products. FUJITSU MICROELECTRONICS CONTROLL ... Diagram of Clock Generator Low-power consumption mode control register LPMCR STP SLP SPL RST TMD **CG1** CG0 Reserved Pin highimpedance control circuit Pin high-impedance control RST Pin CPU interm...

lang:en **score:16** filesize: 9.81 M page_count: 693 document date: 2015-05-25




[\[pdf\]](#) User Manual

Manual edevice fujitsu Fujitsu Microelectronics Limited Infineon F2MC 16LX MB90550A B Series HARDWARE MANUAL

AdditionalTechnicalInformation v06 00 EN infineon dgdl fileld 8ac78c8c7d0d8da4017d0f91c8567f1c |||

The following document contains information on Cypress products. FUJITSU MICROELECTRONICS CONTROLL ... 5-1 Registers not Initialized by Reset Input Type of reset WS1 CKSCR WS0 MCS CS1 CS0 LPMCR **CG1** CG0 WDTN WTE Power-on reset Y Y Y Y Y Y Y Y Hardware standby HST N N Y N N Y...

lang:en **score:16** filesize: 6.53 M page_count: 487 document date: 2015-05-25



[\[pdf\]](#) Installation Guide Specifications

addx yu Specification Sheet Amazon DCT Security Cameras Wireless Outdoor Home Battery Powered WiFi Camera 2K Video Color Night Vision AI Motion Detection Siren Alarm and Spotlight 2 Way Audio Waterproof SD Cloud Black 2pcs Electronics 71BnX68e3NL m media amazon images I |||

Model: **CG1** DCT Camera One-stop solution provider Product Features **CG1** Items Easy to install and use Clear and smooth video browsing; intelligent transmission giving full play to capabilities of the network Online firmware upgrade, and synchronous updating of the functions and experience Two-w...

lang:en **score:16** filesize: 241.87 K page_count: 1 document date: 2023-06-15



The following document contains information on Cypress products. Although the document is marked with the name "Infineon" and "Fujitsu", the contents that originally concerned the specification, Cypress will continue to offer these products to new and existing customers.

Continuity of Specifications

There is no change to this document as a result of offering the device as a Cypress product. Any changes that have been made as the result of normal document improvements and are noted in the document history page, when requested. Future revisions will occur when appropriate, and changes will be noted in a document history page.

Continuity of Ordering Part Numbers

Cypress continues to accept existing part numbers. To order these products, please use only the Ordering Part Numbers listed in this document.

For More Information

Please contact your local sales office for additional information about Cypress products and solutions.

About Cypress

Cypress Semiconductor Corporation (CYP) delivers high-performance, high-quality solutions at the heart of today's most advanced embedded systems, from automotive, industrial and consumer electronics to highly scalable, embedded and mobile devices. With a strong, differentiated product portfolio including NOR flash memory, P-RAM and SRAM, TruSecure microcontrollers, the industry's only P-RAM, programmable system-on-chip solutions, analog and PMIC, Power Management ICs, CapSense[®] capacitive touch sensing controllers, and Wireless BLU Bluetooth[®] Low-Energy and USB connectivity solutions, Cypress is committed to providing its customers worldwide with innovative, flexible, and secure support and exceptional system solutions.

[pdf] User Manual

Manual edevice fujitsu Fujitsu Microelectronics Limited Infineon F2MC 16LX MB90330A Series HARDWARE MANUAL AdditionalTechnicalInformation v01 00 EN infineon dgdl field 8ac78c8c7d0d8da4017d0f932a95006e |||

The following document contains information on Cypress products. FUJITSU MICROELECTRONICS CONTROLL ... f Clock Generation Section Low power consumption mode control register LPMCR STP SLP SPL RST TMD **CG1** CG0 Reserved RST Pin Reset Cancellation 2 Interrupt Cancellation Clock generation unit O...

lang:en score:15 filesize: 8.12 M page_count: 733 document date: 2015-05-25

嵌入式处理 技术指南



数字信号处理器
数字媒体处理器
DSP 处理器
ARM[®] 处理器
单片机
嵌入式开发工具
技术支持



2009 年第三季度

[pdf] Guide

2009 3 Rev D Marketing Selection Guide ZHCT023D ZHCT023 Texas Instruments Incorporated D1 zhct023d ti cn lit sg ARM 2009 ii TI CPU 27 7 16 CPU 16 RISC 15 0 RO/PC Program Counter R1/SP Stack Pointer R2/SR/**CG1** Status R3/CG2 Constant Generator R4 General Purpose R15 General Purpose MSP430 CPU 16 16 ...

lang:i-klngon score:15 filesize: 4.39 M page_count: 128 document date: 2009-09-30

FUJITSU SEMICONDUCTOR
CONTROLLER MANUAL

CM44-10122-3E

F²MC-16LX 16-BIT MICROCONTROLLER MB90390 Series HARDWARE MANUAL




[pdf] User Manual

Manual edevice fujitsu Fujitsu Limited F2MC 16LX MB90390 Series HARDWARE MANUAL CM44 10122 3E MICRO fma mcu |||

FUJITSU SEMICONDUCTOR CONTROLLER MANUAL CM44-10122-3E F2MC-16LX 16-BIT MICROCONTROLLER MB90390 Ser ... the Clock Generation Block Low-Power Consumption Mode Control Register LPMCR STP SLP SPL RST TMD **CG1** CG0 - Pin highimpedance control circuit Pin highimpedance control RST Pin CPU intermittent o...

lang:en score:15 filesize: 9.88 M page_count: 740 document date: 2007-07-19



[pdf] User Manual Diagram

Sharp PC 4702 4721 4741 Service manual OOPPC4741SM E minus Operation Manual MS DOS GW BASIC quick reference included speed cycles STC is set during the third and subsequent TWs ftp mindcandydvd pub drivers IBM minuszerodegrees net manuals

SHARP -PC-4741 SERVICE MANUAL CODE: OOPPC4741SM-E PERSONAL COMPUTER PC-4741 PC-4721 MODEL PC-4702 ... 350 pix-ls , . C P 9- -or 02h,rom.- l lode j- -f1 -e- by: -e--up functions. - 2:;sh-racter sets **CG1** 9 ;3,, supported **CG1**:generak:, , . CG2: Denmark/Norway . , . , . **CG1**/CG2 is selected bySho...

lang:en **score:15** filesize: 3.11 M page_count: 83 document date: 2016-10-31



[pdf] User Manual

Manual edevice fujitsu Fujitsu Microelectronics Limited Infineon F2MC 16LX MB90820B Series HARDWARE MANUAL AdditionalTechnicalInformation v02 00 EN infineon dgdl filed 8ac78c8c7d0d8da4017d0f91f8637f48 |||

The following document contains information on Cypress products. FUJITSU MICROELECTRONICS CONTROLL ... e clock generation block Low-power consumption mode control register LPMCR STP SLP SPL RST TMDX **CG1** CG0 RESV Pin high impedance control circuit Pin Hi-z control RST Pin Release reset Cancel int...

lang:en **score:15** filesize: 5.94 M page_count: 701 document date: 2015-05-25



[pdf] User Manual Instructions Specifications

sgml book sho F MC 16LX MB90470 Series HARDWARE MANUAL 0900766b80aa9740 docs rs online 791b ||| FUJITSU SEMICONDUCTOR CONTROLLER MANUAL CM44-10115-3E F2MC-16LX 16-BIT MICROCONTROLLER MB90470 Ser ... iagram of clock generator Low-power consumption mode control register LPMCR STP SLP SPL RST TMD **CG1** CG0 Reserved Pin highimpedance control circuit Pin high-impedance control RST Pin CPU interm...

lang:en **score:15** filesize: 15.48 M page_count: 598 document date: 2008-01-08



[Daniels Manufacturing Corporation: Aerospace Wiring Tooling Guide](#)

Comprehensive guide to Daniels Manufacturing Corporation (DMC) tooling for aerospace wiring systems, featuring crimp tools, wire strippers, and connector accessories. Explore MIL-SPEC and industry-standard solutions for reliable electrical connections.

lang:en **score:15** filesize: 2.75 M page_count: 90 document date: 2016-07-27




[\[pdf\] User Manual Documentation](#)

Manual edevice fujitsu Fujitsu Microelectronics Limited F2MC 16LX MB90820B Series HARDWARE MANUAL hm90820b cm44 10147 2e MICRO fma mcu products mb90820 documentation |||

FUJITSU MICROELECTRONICS CONTROLLER MANUAL CM44-10147-2E F2MC-16LX 16-BIT MICROCONTROLLER MB90820B ... e clock generation block Low-power consumption mode control register LPMCR STP SLP SPL RST TMDX **CG1** CG0 RESV Pin high impedance control circuit Pin Hi-z control RST Pin Release reset Cancel int...

lang:en **score:15** filesize: 6.93 M page_count: 700 document date: 2008-07-17



[\[pdf\] User Manual](#)

Manual edevice fujitsu Infineon F2MC 16LX MB90335 Series AdditionalTechnicalInformation v06 00 JA

infineon dgdll fieldl 8ac78c8c7d0d8da4017d0f924d147f8a |||

Cypress CONTROLLER MANUAL CM44-10137-6 F2MC-16LX 16 MB90335 Series F2MC-16LX 16 MB903 ... 5.2, 5 PLL CKSCR 5.2-1, , 5.2-1, , 5.2-1 LPMCR STP SLP SPL RST TMD **CG1** CG0 Hi-Z RST 2 CPU CPU CPU 2 2 PLL - MCM WS1 WS0...

lang:no **score:15** filesize: 6.74 M page_count: 633 document date: 2015-05-26



[\[pdf\] User Manual](#)

Manual edevice fujitsu Fujitsu Limited CM44 10140 3E MICRO fma mcu |||

FUJITSU SEMICONDUCTOR CONTROLLER MANUAL CM44-10140-3E F2MC-16LX 16-BIT MICROCONTROLLER MB90350E Se ... lock Generation Block Low-power consumption mode control register LPMCR STP SLP SPL RST TMD **CG1** CG0 Reserved Pin high impedance control circuit Pin Hi-Z control Clock generation block CS2...


lang:en **score:15** filesize: 9.33 M page_count: 826 document date: 2007-08-23



[pdf] User Manual Specifications

FLM F MC 16LX MB90550A BSeries HARDWARE MANUAL mb90550a cm44 10103 4e fujitsu MICRO fma mcu
FUJITSU SEMICONDUCTOR CONTROLLER MANUAL CM44-10103-4E F2MC-16LX 16-BIT
MICROCONTROLLER MB90550A/BS ... 5-1 Registers not Initialized by Reset Input Type of reset
WS1 CKSCR WS0 MCS CS1 CS0 LPMCR **CG1** CG0 WDT WTE Power-on reset Y Y Y Y Y Y Y Y
Hardware standby HST N N Y N N Y...


lang:en **score:14** filesize: 14.25 M page_count: 472 document date: 2003-06-03



[pdf] User Manual Documentation

Manual edevice fujitsu Fujitsu Microelectronics Limited F MC 16LX MB90495G Series HARDWARE MANUAL hm90495
cm44 10114 6e MICRO fma mcu products mb90495 documentation |||
FUJITSU MICROELECTRONICS CONTROLLER MANUAL CM44-10114-6E F2MCTM-16LX 16-BIT
MICROCONTROLLER MB9049 ... Section Standby controller Low-power consumption mode control
register LPMCR STP SLP SPL RST TMD **CG1** CG0 Reserved 2 CPU intermittent operation cycle
selector Watch mode Sleep signal Stop signal C...

lang:en **score:14** filesize: 6.42 M page_count: 750 document date: 2008-07-31




[pdf] User Manual

Manual edevice fujitsu Fujitsu Microelectronics Limited The following document contains information on Cypress manual
describes the functions and operation of MB90560 565 series □ Trademarks F2MC is abbreviation FUJITSU Flexible
Microcontroller CM44 10107 5E cypress file 240551

The following document contains information on Cypress products. FUJITSU
MICROELECTRONICS CONTROLL ... k Standby control circuit Low power consumption mode
control register LPMCR STP SLP SPL RST TMD **CG1** CG0 RESV 2 CPU intermittent operation
cycles selector Stop and sleep signals Reset Interrupt ...


lang:en **score:14** filesize: 3.63 M page_count: 623 document date: 2015-05-25



[pdf] User Manual Specifications

Manual edevice fujitsu Infineon F2MC 16LX MB90820B Series AdditionalTechnicalInformation v02 00 JA
infineon dgdI field 8ac78c8c7d0d8da4017d0f92023e7f50 |||
Cypress CONTROLLER MANUAL CM44-10147-2 F2MC-16LX 16 MB90820B Series F2MC-16LX
16 MB ... 0820B 4.2 , 5 PLL CKSCR 4.2-1 , 4.2-1 4.2-1 LPMCR STP SLP SPL RST TMDX **CG1** CG
RESV RST CPU CPU CPU 3 / 3 x1 x2 x3 x4 x6 PLL ...

lang:en **score:14** filesize: 6.45 M page_count: 695 document date: 2015-05-26



[\[pdf\]](#) Guide Application Guide

CA08104001E 2012 Consulting Application Guide iBook Zoltun CAG eaton Electrical Consultants

ConsultingApplicationGuide idcplg IdcService GET FILE RevisionSelectionMethod LatestReleased Rendition Primary dDocName |||

Electrical Sector 16th Edition December 2015 Consulting Application Guide December 2017 Sheet 00 ... 0-19. 25 27 MAX MAX 31 24 26 TRPX MP AUX 3 23 21 30 MAX MAX 22 20 12 SCTB CG CG **CG1 CG1** White Green 1CT G GND C3 Blue C2 Black C1 Red C11 C11 C21 C21 C31 MP C12 H1A H2A C...

lang:en **score:14** filesize: 222.98 M page_count: 2414 document date: 2018-11-14



[\[pdf\]](#) User Manual Instructions Specifications Diagram

F2MC 16L 16 BIT MICROCONTROLLER MB90610A SERIES CM43 10106 1E 90610A Hardware Manual 1996 bitsavers org components fujitsu f2mc MB90610 |||

FUJITSU SEMICONDUCTOR CONTROLLER MANUAL CM43-10106-1E F2MC-16L 16-BIT MICROCONTROLLER MB90610A SER ... gister Address: 0000A0H Read/write Initial value 7 STP W 0 6 SLP 5 SPL 4 RST 3 Reserved 2 **CG1** 1 0 CG0 Reserved W R/W W 0 0 1 - R/W R/W - 1 0 0 0 Bit No....

lang:en **score:14** filesize: 3.09 M page_count: 245 document date: 2022-01-28




[\[pdf\]](#) Guide

Hitachi Command Suite Tiered Storage Manager for Mainframe User Guide HCS installation CLI commands REXX variable structures trace logs Data Systems HTSMZ v8 5 2 MK 92HC207 06 files mtstatic site 6669 23486 4 Expires 1643905993 Signature s01NBWjPDMI3q4 6Cfp1kopJE Qx4l9y59IT5XHWd2VqxSHlksrcS4PDKgk iBakP4PCJhq mfzrnBfvCCRIKtZd6lJQuXj8QaKBj1hR08mLt~2dVoDcDjqHVxtlCObBGZQc1jhzy0gXgzBTWj2Hfv~qb0uq1Y6fiSacXXqJ4Sg Key Pair Id APKAJ5Y6AV4GI7A555NA |||

Hitachi Command Suite Tiered Storage Manager for Mainframe User Guide MK-92HC207-06 2014, 2017 Hi ... =4096,DSORG=PS //SYSTSIN DD DUMMY //SYSIN DD * TPPREFIX HTSM.PRI CGPREFIX BCM.CG TPG TPG1 **CG1** CG.UR OUTTPG TPG2 /* The tiering policy CSV file for the S-VOLs: HTSM.SEC.POLICY.TPGX is ou...

lang:en **score:14** filesize: 4.65 M page_count: 420 document date: 2018-06-09



[\[pdf\]](#) User Manual

CM44 00201 3E F2MC LX Programming Manual Index of components fujitsu f2mc 16 16LX bitsavers org |||

FUJITSU MICROELECTRONICS CONTROLLER MANUAL CM44-00201-3E F2MC-16LX 16-BIT MICROCONTROLLER PROGRAMM ... halt for a certain time. This CPU halt time is equivalent to the number of cycles specified by the **CG1**/CG0 bit of the low power consumption mode control register. Therefore, the number of cycles requ...

lang:en **score:13** filesize: 1.73 M page_count: 388 document date: 2022-01-28