



Manuals.plus /

› Siljoy /

› Siljoy HY-8388-48BT 48-Inch Retractable Industrial Rust Caged Ceiling Fan with Light User Manual

Siljoy HY-8388-48BT

Siljoy HY-8388-48BT 48-Inch Retractable Industrial Rust Caged Ceiling Fan with Light User Manual

Model: HY-8388-48BT | Brand: Siljoy

1. SAFETY INFORMATION

Please read and understand all instructions before beginning installation. Failure to follow these instructions may result in electric shock, fire, or personal injury.

- Ensure the power is turned off at the circuit breaker before installation or maintenance.
- All electrical connections must be in accordance with local codes, ordinances, and the National Electric Code (NEC). If you are unfamiliar with proper electrical wiring, consult a qualified electrician.
- The mounting structure must be capable of supporting the weight of the fan (approximately 19.8 lbs).
- Do not bend the blade holders during installation, balancing, or cleaning.
- Keep hands clear of the fan blades when the fan is operating.
- Use only E26 bulbs as specified.

2. PRODUCT OVERVIEW

The Siljoy HY-8388-48BT is a 48-inch industrial rust caged ceiling fan featuring retractable blades and integrated lighting. It combines the functionality of a ceiling fan with the aesthetic of a chandelier, suitable for various indoor and outdoor covered spaces. The fan includes a remote control for convenient operation of its 6-speed settings, timing functions, and reversible airflow.



Figure 2.1: Siljoy 48-inch retractable ceiling fan with light, blades retracted.

This image shows the Siljoy retractable ceiling fan with its blades folded in, presenting a compact, chandelier-like appearance. The industrial rust caged design is visible, housing the light bulbs.

3. PACKAGE CONTENTS

Verify that all components are present and undamaged before proceeding with installation. If any parts are missing or damaged, contact customer support.

- Fan Motor Assembly with Retractable Blades
- Light Shade (Caged Design)
- Bulb Holder
- Canopy
- Mounting Bracket
- Downrods (5-inch and 10-inch)
- Adapter Cover
- Remote Control

- Remote Receiver
- Hardware Bag (screws, wire nuts, etc.)
- Instruction Manual



Figure 3.1: Exploded view of the Siljoy ceiling fan components.

This diagram illustrates all the individual parts included in the package, such as the fan motor assembly, light shade, downrods, remote control, and various hardware, aiding in identification during assembly.

Video 3.1: Unboxing and component overview of the Industrial Retractable Ceiling Fan with Light and Remote.

This video provides a visual guide to unboxing the Siljoy ceiling fan and identifying all the included components, demonstrating how each part looks before assembly.

4. SETUP AND INSTALLATION

Professional installation is recommended for safety and proper functionality. Follow these general steps for installation:

1. **Prepare for Installation:** Turn off power at the main circuit breaker. Clear the installation area.
2. **Mounting Bracket Installation:** Secure the mounting bracket to the ceiling junction box. Ensure it is firmly attached and can support the fan's weight.
3. **Downrod Assembly:** Choose the appropriate downrod (5-inch or 10-inch) for your ceiling height. Feed the electrical wires from the fan motor through the downrod.
4. **Hang the Fan:** Carefully lift the fan motor assembly and hang it on the mounting bracket hook.
5. **Electrical Connections:** Connect the fan's electrical wires to the household wiring according to the wiring diagram in the detailed manual. Ensure all connections are secure with wire nuts.
6. **Secure the Canopy:** Slide the canopy up to the ceiling and secure it to the mounting bracket with screws, covering the wiring connections.
7. **Install Light Shade and Bulbs:** Attach the caged light shade to the fan motor assembly. Install 5 x E26 bulbs (not included) into the bulb holders. Edison-style bulbs are recommended for aesthetic matching.
8. **Final Checks:** Ensure all connections are tight and the fan is securely mounted. Restore power at the circuit breaker.




Figure 4.1: Siljoy ceiling fan installed in a room, demonstrating its appearance.

This image displays the Siljoy ceiling fan after installation, showcasing its industrial design and how it integrates into a living space. The retractable blades are currently in their retracted position.

Video 4.1: Installation guide for the Industrial Retractable Ceiling Fan with Light and Remote.

This video demonstrates the step-by-step installation process for the Siljoy ceiling fan, including mounting the bracket, assembling the downrod, wiring, and attaching the light fixture.

5. OPERATING INSTRUCTIONS

The fan and light functions are controlled using the included remote control.

5.1 Remote Control Functions



Figure 5.1: Remote control for the Siljoy ceiling fan.

This image displays the remote control with clearly labeled buttons for fan speed adjustment, light control, and timer settings.

- **Fan ON/OFF:** Press the fan speed buttons (LOW, MED, HI) to turn the fan on and select speed. Press STOP to turn the fan off.
- **Fan Speed:** Select from 6 available speeds (LOW, MED, HI, and intermediate settings).
- **Light ON/OFF:** Press the 'LIGHT ON/OFF' button to toggle the light.
- **Timer Function:** Set the fan to turn off automatically after 1, 2, 4, or 8 hours using the dedicated timer buttons.
- **Reverse Function:** Use the reverse function to change the direction of airflow. In summer, forward mode creates a downward breeze for cooling. In winter, reverse mode creates an upward airflow to circulate warm air.

5.2 Retractable Blades

The fan features unique retractable blades that automatically extend when the fan is turned on and retract when the fan is turned off. This design allows the fixture to function as a chandelier when the fan is not in use.




Figure 5.2: Retractable blades in action.

This image illustrates the fan's retractable blades in both their extended (fan on) and retracted (fan off) positions, highlighting the dual functionality of the unit.



Figure 5.3: Fan reverse function for seasonal use.

This diagram visually explains the difference between the fan's forward mode (for cooling in summer) and reverse mode (for circulating warm air in winter), optimizing comfort year-round.

Video 5.1: Demonstration of the Modern 48 Inch Black Retractable Ceiling Fan with Light.

This video showcases the Siljoy ceiling fan in operation, demonstrating the smooth extension and retraction of its blades and the functionality of its integrated lighting.

Video 5.2: Features of the SILJOY Industrial Ceiling Fan with Lights Rustic Fandelier.

This video highlights various features of the Siljoy fandelier, including its design, lighting, and fan operation, providing a comprehensive view of its capabilities.

6. MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your ceiling fan.

- **Cleaning:** To clean the fan, wipe with a soft, damp cloth. Do not use abrasive cleaners or solvents as they may damage the finish. Ensure power is off before cleaning.
- **Bulb Replacement:** Turn off power before replacing bulbs. This fan requires 5 x E26 bulbs (not included). Ensure replacement bulbs match the wattage and type specified to avoid damage.
- **Blade Care:** The ABS fan blades are easy to clean. Periodically check that all screws are tight and secure.



Figure 6.1: E26 Edison bulbs recommended.

This image shows the recommended E26 Edison bulbs, which complement the industrial design of the fan and provide warm lighting.

7. TROUBLESHOOTING

If you experience issues with your fan, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Fan does not start	No power to the fan; Loose wire connections; Remote control battery low or not paired.	Check circuit breaker; Verify all wire connections are secure; Replace remote battery or re-pair remote.
Light does not work	Bulbs are faulty or not installed correctly; Loose wire connections; Remote control issue.	Replace bulbs; Ensure bulbs are screwed in tightly; Check wire connections; Replace remote battery or re-pair remote.
Fan is noisy	Loose screws on fan housing or blades; Blades are unbalanced; Motor issue.	Tighten all screws; Use a balancing kit (not included) to balance blades; Contact customer support if motor noise persists.
Blades do not retract/extend properly	Obstruction; Mechanism issue.	Ensure no obstructions are blocking blade movement; Contact customer support.

If the problem persists after trying these solutions, please contact customer support for further assistance.

8. SPECIFICATIONS

Feature	Specification
Brand	Siljoy
Model Name	HY-8388-48BT
Product Dimensions	48"L x 48"W x 17.3"H (with 5" downrod)
Material	Iron (housing), ABS (blades)
Color	Rusty
Number of Blades	4 (Retractable)
Number of Light Sources	5
Bulb Base	E26
Light Source Type	LED (compatible)
Voltage	110 Volts (AC)
Wattage	40 watts (for light, total)
Control Method	Remote Control
Fan Speeds	6
Special Features	1/2/4/8H Timing, Reverse Function
Installation Type	Flush Mount
Item Weight	19.8 Pounds
Indoor/Outdoor Usage	Indoor, Outdoor (covered patio)
Certification	UL

9. WARRANTY AND SUPPORT

Siljoy offers a **30-day return and refund policy** and a **12-month warranty on all parts** of this fandelier. For any issues, questions, or to request free replacements for broken parts or defects in workmanship, please contact the manufacturer, One Lighting, or your retailer.

For further assistance, please refer to the contact information provided with your purchase or visit the official Siljoy store online.