

## Gladiator GAGL30WSJW

# Gladiator Overhead Max GearLoft™ Storage Shelf User Manual

Model: GAGL30WSJW

## 1. INTRODUCTION

---

Thank you for choosing the Gladiator Overhead Max GearLoft™ Storage Shelf. This manual provides essential information for the safe and effective installation, operation, and maintenance of your new storage solution. Designed for durability and versatility, this shelf helps maximize your storage space by utilizing overhead areas, ideal for garages, workshops, and utility rooms.

## 2. SAFETY INFORMATION

---

### **WARNING: [SAFETY WARNINGS EXIST]**

- Always ensure the Gladiator wall system (GearTrack® or GearWall® panels) is securely fastened to wall studs before mounting the shelf.
- Do not exceed the maximum weight capacity of 200 lbs (90.7 kg). Overloading can cause damage to the shelf or wall system, leading to potential injury.
- Distribute weight evenly across the shelf surface.
- Keep hands and fingers clear of moving parts during installation.
- Use appropriate safety gear, such as gloves and eye protection, during assembly and installation.
- If you are unsure about any installation step, consult a qualified professional.

## 3. PACKAGE CONTENTS

---

Verify that all components are present before beginning assembly:

- Overhead Max GearLoft™ Storage Shelf (1 unit)
- Dual-mounting shelf brackets (2 units)
- Hardware for assembly (bolts, nuts, washers, wing nuts)
- Instruction Manual

If any parts are missing or damaged, please contact Gladiator customer support.

## 4. SETUP AND INSTALLATION

---

The Gladiator Overhead Max GearLoft™ Storage Shelf is designed for easy installation on any Gladiator wall system

(GearTrack® Channels or GearWall® Panels).

## 4.1. Tools Required (Not Included)

- Phillips head screwdriver
- Wrench or socket set (for bolts)
- Level
- Stud finder (if installing new GearTrack/GearWall)

## 4.2. Assembly Steps

1. **Attach Brackets to Shelf:** Secure the dual-mounting shelf brackets to the underside of the mesh shelf using the provided bolts, nuts, and washers. Ensure all connections are tight.
2. **Choose Mounting Position:** The brackets can be installed in an upward or downward position, offering flexibility for your storage needs. The upward position provides a lower shelf height, while the downward position allows the shelf to sit higher.
3. **Position on Wall System:** Align the friction lock tabs on the back of the shelf brackets with the upper groove of your Gladiator GearTrack® or GearWall® panels.
4. **Secure the Shelf:** Once positioned, push the shelf down firmly to engage the friction lock tabs. Use the wing nuts on the brackets to further secure the shelf to the wall system, ensuring a stable and secure fit.



Figure 4.2.1: The Gladiator Overhead Max GearLoft Shelf with its dual-mounting brackets, ready for installation. The brackets can be oriented to position the shelf higher or lower on the wall system.



Figure 4.2.2: The shelf mounted on a Gladiator GearWall system, demonstrating the upward bracket position for a lower shelf height. This configuration is ideal for frequently accessed items.



Figure 4.2.3: The shelf mounted on a Gladiator GearWall system, demonstrating the downward bracket position for a higher shelf height. This configuration is suitable for storing less frequently used or bulkier items overhead.

## 5. OPERATING THE SHELF

---

Once securely installed, the Gladiator Overhead Max GearLoft™ Storage Shelf provides a robust platform for organizing your items. Its 30-inch deep surface and 200 lbs weight capacity make it ideal for bulky or oversized items that typically

clutter floor space.

- **Loading Items:** Place items onto the shelf, ensuring weight is distributed evenly to maintain stability.
- **Visibility:** The see-through mesh design allows you to easily identify stored items, even when the shelf is mounted high.
- **Accessibility:** Consider the height at which the shelf is mounted and use a sturdy step stool or ladder if necessary to safely access items.



Figure 5.1: The Gladiator Overhead Max GearLoft Shelf effectively storing multiple large plastic totes and other bulky items, demonstrating its capacity and utility in a garage setting.

## 6. MAINTENANCE

---

The Gladiator Overhead Max GearLoft™ Storage Shelf is designed for minimal maintenance. Follow these simple guidelines to ensure its longevity:

- **Cleaning:** Wipe the shelf with a dry cloth to remove dust and debris. Avoid using harsh chemicals or abrasive cleaners that could damage the finish.
- **Periodic Inspection:** Periodically check all bolts, nuts, and wing nuts to ensure they remain tight and secure. Retighten if necessary.
- **Weight Capacity:** Always adhere to the 200 lbs (90.7 kg) weight limit.

## 7. TROUBLESHOOTING

---

If you encounter any issues with your Gladiator Overhead Max GearLoft™ Storage Shelf, refer to the following common troubleshooting tips:

- **Shelf Feels Unstable:**

- Ensure all assembly hardware (bolts, nuts) is securely tightened.
- Verify that the friction lock tabs are fully engaged in the Gladiator wall system.
- Check that the wing nuts securing the brackets to the wall system are tightened.
- Confirm that your Gladiator GearTrack® or GearWall® panels are properly installed and anchored to wall studs.

- **Difficulty Engaging with Wall System:**

- Ensure the wall system is clean and free of obstructions.
- Align the shelf brackets correctly with the grooves of the wall system.

- **Shelf Sagging:**

- Check if the shelf is overloaded. Remove items to ensure the total weight is below 200 lbs.
- Ensure weight is evenly distributed across the shelf surface.

If problems persist, contact Gladiator customer support for further assistance.

## 8. SPECIFICATIONS

---

Feature	Detail
Model Name	Overhead Max GearLoft™ Storage Shelf
Model Number	GAGL30WSJW
Product Dimensions (D x W x H)	30"D x 45"W x 16"H
Weight Limit	200 lbs (90.7 kg)
Item Weight	22.5 pounds
Number of Shelves	1
Special Feature	See-through mesh design
Finish Type	Painted
Furniture Finish	White
Installation Type	Wall Mount (Gladiator wall system compatible)
Assembly Required	Yes
Included Components	Hardware

## 9. WARRANTY AND SUPPORT

---

**Warranty:** The Gladiator Overhead Max GearLoft™ Storage Shelf is backed by a Lifetime Limited Warranty. This warranty covers defects in material and workmanship under normal use and service. For full warranty details, please refer to the official Gladiator website or contact customer service.

**Customer Support:** For product inquiries, technical assistance, or warranty claims, please visit the official Gladiator website or contact their customer support team. Keep your model number (GAGL30WSJW) and purchase information



readily available when contacting support.

Visit the Official Gladiator Store

Documents - Gladiator – GAGL30WSJW


[pdf] Installation Guide Instructions Dimension Guide Warranty

Installation InstructionMagasinez Gladiator® Tablette de rangement suspendue GearLoft™ Max  
GAGL30WSJG Mobilier Felix ValoisGAGL30WSJG installation instruction frwpcstorage nyc3 cdm  
digitaloceanspaces live documents fr InstructionInstallation ValoisMagasinez GAGL30WSJW Meubles  
JacobGAGL30WSJG frGAGL30WSJW JacobShop Overhead Storage Shelf Unionville  
ApplianceGAGL30WSJG enwpcstorage en ||| ||| Models GAGL30WSJG - Hammered Granite  
GAGL30WSJW - Hammered White Modles GAGL30WSJG - Ardoise Martele GAGL30WSJW - Blanc  
Martel Modelos GAGL30WSJG - Granito Martillado GAGL30WSJW - Blanco Martillado MAX  
GEARLOFTTM SHELF Assembly Instructions ||| Models GAGL30WSJG - Hammered Granite  
GAGL30WSJW - Hammered White Modles GAGL30WSJG - Ardoise Martele GAGL30WSJW - Blanc  
Martel Modelos GAGL30WSJG - Granito Martillado GAGL30WSJW - Blanco Martillado MAX  
GEARLOFTTM SHELF Assembly Instructions  
Models GAGL30WSJG - Hammered Granite**GAGL30WSJW** - Hammered White  
Modles GAGL30WSJG - Ardoise Martele **GAGL30WSJW** - Blanc Martel Modelos  
GAGL30WSJG - Granito Martillado **GAGL30WSJW** - Blanco Martillado MAX  
GEARLOFTTM SHELF Assembly Instructions TABLETTE MAX GEARLOFTTM  
Instructions d assemblage ESTANTE ...

lang:es score:45 filesize: 1.14 M page\_count: 16 document date: 2024-07-03

[pdf] Installation Guide Instructions Dimension Guide Warranty

Installation Instructions for unpacking and installing your appliance installation instructions w11393174  
revb kitchenaid ca content dam global documents 202003 |||  
Models/Modles/Modelos GAGL30WSJG **GAGL30WSJW** MAX GEARLOFTTM  
SHELF Assembly Instructions TABLETTE MAX GEARLOFTTM Instructions d  
assemblage ESTANTE MAX GEARLOFTTM Instrucciones de ensamblaje TABLE OF  
CONTENTS/TABLE DES MATIRES/NDICE MAX GEARLOFTTM SHELF  
SAFETY.....2 DIMENSIONS TYPICAL INSTALL ....  
lang:es score:37 filesize: 1.1 M page\_count: 16 document date: 2020-04-03









GANA12SBMB enGANA12SBMB GAGD275DLG enGAGD275DLG frGANA12SBMB Vertical  
GAWUXXVBRH enGAWUXXVBRH Support bac GAWUXXBMTH enGAWUXXBMTH JacobMagasinez  
Crochet en boucle emballage 8 GAWALP8PPH frGAWALP8PPH souliers po frGAWU30SRBH 114 3  
GAWA45SFZW ValoisMagasinez frGAWA45SFZW S GAWUXXSHRH frGAWUXXSHRH  
enGAWALP8PPH murale GAWG302DDR frGAWG302DDR Vis couleur assortie frGAAC0232YY  
GAGL30WSJW frGAGL30WSJW V GANF04WCMTS frGANF04WCMTS porte 4 prête assembler  
GAWG28KVEW enGAWG28KVEW 48 121 9 Solid Shelf GAWA48SFRG frGAWA48SFRG  
GAWG302DZW frGAWG302DZW enGAWA48SFRG Panier grillagé 18 GAWU18BKBH  
enGAWU18BKBH GAWG241DKW JacobGAGB272DLW enGAWG241DKW fr ||| ||| GLADIATOR  
LIMITED LIFETIME WARRANTY ATTACH YOUR RECEIPT HERE. PROOF OF PURCHASE IS  
REQUIRED TO OBTAIN WARRANTY SERVICE. Please have the following information available when  
you call the Customer eXperience Center: Name, address, and telepho ||| GLADIATOR LIMITED  
LIFETIME WARRANTY ATTACH YOUR RECEIPT HERE. PROOF OF PURCHASE IS REQUIRED TO  
OBTAIN WARRANTY SERVICE. Please have the following information available when you call the  
Customer eXperience Center: Name, address, and telepho ||| GLADIATOR LIMITED LIFETIME  
WARRANTY ATTACH YOUR RECEIPT HERE. PROOF OF PURCHASE IS REQUIRED TO OBTAIN  
WARRANTY SERVICE. Please have the following information available when you call the Customer  
eXperience Center: Name, address, and telepho ||| GLADIATOR LIMITED LIFETIME WARRANTY  
ATTACH YOUR RECEIPT HERE. PROOF OF PURCHASE IS REQUIRED TO OBTAIN WARRANTY  
SERVICE. Please have the following information available when you call the Customer eXperience  
Center: Name, address, and telepho ||| GLADIATOR LIMITED LIFETIME WARRANTY ATTACH YOUR  
RECEIPT HERE. PROOF OF PURCHASE IS REQUIRED TO OBTAIN WARRANTY SERVICE. Please  
have the following information available when you call the Customer eXperience Center: Name, address,  
and telepho ||| GLADIATOR LIMITED LIFETIME WARRANTY ATTACH YOUR RECEIPT HERE. PROOF  
OF PURCHASE IS REQUIRED TO OBTAIN WARRANTY SERVICE. Please have the following  
information available when you call the Customer eXperience Center: Name, address, and telepho |||  
GLADIATOR LIMITED LIFETIME WARRANTY ATTACH YOUR RECEIPT HERE. PROOF OF  
PURCHASE IS REQUIRED TO OBTAIN WARRANTY SERVICE. Please have the following information  
available when you call the Customer eXperience Center: Name, address, and telepho ||| GLADIATOR  
LIMITED LIFETIME WARRANTY ATTACH YOUR RECEIPT HERE. PROOF OF PURCHASE IS  
REQUIRED TO OBTAIN WARRANTY SERVICE. Please have the following information available when  
you call the Customer eXperience Center: Name, address, and telepho ||| GLADIATOR LIMITED  
LIFETIME WARRANTY ATTACH YOUR RECEIPT HERE. PROOF OF PURCHASE IS REQUIRED TO  
OBTAIN WARRANTY SERVICE. Please have the following information available when you call the  
Customer eXperience Center: Name, address, and telepho ||| GLADIATOR LIMITED LIFETIME  
WARRANTY ATTACH YOUR RECEIPT HERE. PROOF OF PURCHASE IS REQUIRED TO OBTAIN  
WARRANTY SERVICE. Please have the following information available when you call the Customer  
eXperience Center: Name, address, and telepho ||| GLADIATOR LIMITED LIFETIME WARRANTY  
ATTACH YOUR RECEIPT HERE. PROOF OF PURCHASE IS REQUIRED TO OBTAIN WARRANTY  
SERVICE. Please have the following information available when you call the Customer eXperience  
Center: Name, address, and telepho ||| GLADIATOR LIMITED LIFETIME WARRANTY ATTACH YOUR  
RECEIPT HERE. PROOF OF PURCHASE IS REQUIRED TO OBTAIN WARRANTY SERVICE. Please  
have the following information available when you call the Customer eXperience Center: Name, address,  
and telepho ||| GLADIATOR LIMITED LIFETIME WARRANTY ATTACH YOUR RECEIPT HERE. PROOF  
OF PURCHASE IS REQUIRED TO OBTAIN WARRANTY SERVICE. Please have the following  
information available when you call the Customer eXperience Center: Name, address, and telepho |||  
GLADIATOR LIMITED LIFETIME WARRANTY ATTACH YOUR RECEIPT HERE. PROOF OF  
PURCHASE IS REQUIRED TO OBTAIN WARRANTY SERVICE. Please have the following information  
available when you call the Customer eXperience Center: Name, address, and telepho ||| GLADIATOR  
LIMITED LIFETIME WARRANTY ATTACH YOUR RECEIPT HERE. PROOF OF PURCHASE IS  
REQUIRED TO OBTAIN WARRANTY SERVICE. Please have the following information available when  
you call the Customer eXperience Center: Name, address, and telepho ||| GLADIATOR LIMITED

[illegible]

[illegible]



[illegible]



[illegible]

LIFETIME WARRANTY ATTACH YOUR RECEIPT HERE. PROOF OF PURCHASE IS REQUIRED TO OBTAIN WARRANTY SERVICE. Please have the following information available when you call the Customer eXperience Center: Name, address, and telepho ||| GLADIATOR LIMITED LIFETIME WARRANTY ATTACH YOUR RECEIPT HERE. PROOF OF PURCHASE IS REQUIRED TO OBTAIN WARRANTY SERVICE. Please have the following information available when you call the Customer eXperience Center: Name, address, and telepho ||| GLADIATOR LIMITED LIFETIME WARRANTY ATTACH YOUR RECEIPT HERE. PROOF OF PURCHASE IS REQUIRED TO OBTAIN WARRANTY SERVICE. Please have the following information available when you call the Customer eXperience Center: Name, address, and telepho ||| GLADIATOR LIMITED LIFETIME WARRANTY ATTACH YOUR RECEIPT HERE. PROOF OF PURCHASE IS REQUIRED TO OBTAIN WARRANTY SERVICE. Please have the following information available when you call the Customer eXperience Center: Name, address, and telepho

GLADIATOR LIMITED LIFETIME WARRANTY ATTACH YOUR RECEIPT HERE. PROOF OF PURCHASE IS REQUIRED TO OBTAIN WARRANTY SERVICE. Please have the following information available when you call the Customer eXperience Center: Name, address, and telephone number Model number and serial number A clear, detail...

lang:en score:12 filesize: 92.06 K page\_count: 3 document date: 2023-07-25