

Cecotec SealVac 120 SteelCut

Cecotec SealVac 120 SteelCut Vacuum Sealer Instruction Manual

Model: SealVac 120 SteelCut | Brand: Cecotec

1. INTRODUCTION

Thank you for choosing the Cecotec SealVac 120 SteelCut Vacuum Sealer. This appliance is designed to preserve food efficiently by removing air from specially designed bags and containers, extending freshness and flavor. Please read this manual thoroughly before operating the device to ensure safe and optimal performance. Keep this manual for future reference.

2. SAFETY INSTRUCTIONS

- Always ensure the appliance is unplugged before cleaning or when not in use.
- Do not immerse the appliance, power cord, or plug in water or any other liquid.
- Keep the appliance out of reach of children and pets.
- Do not operate the appliance with a damaged cord or plug, or if it has malfunctioned or been damaged in any way. Contact authorized service personnel for repair.
- Use only Cecotec recommended accessories and parts.
- This appliance is for household use only. Do not use it outdoors or for commercial purposes.
- Avoid touching the sealing strip immediately after use, as it may be hot.
- Ensure the appliance is placed on a stable, flat, heat-resistant surface during operation.

3. PRODUCT OVERVIEW

The Cecotec SealVac 120 SteelCut is a powerful 120W vacuum sealer with a vacuum pressure of 0.75 bar, designed for quick and efficient food preservation. It features a durable stainless steel finish and offers two operating modes for dry and moist foods.

Key Features:

- **120W Power:** Ensures strong vacuum and quick sealing.
- **0.75 Bar Vacuum Pressure:** Provides optimal food preservation.
- **Integrated Roll Dispenser and Cutter:** Allows customization of bag sizes.
- **Automatic Vacuum Seal:** One-touch operation for ease of use.
- **Dry and Moist Modes:** Optimized settings for different food types.

- **External Vacuum Function:** Compatible with universal vacuum containers and bottles (tube included).
- **31 cm Sealing Strip:** Accommodates wider bags and allows sealing of multiple smaller bags simultaneously.
- **LED Indicator Light:** Illuminates during the sealing process.

Components:

The vacuum sealer consists of a main unit with a control panel, a vacuum chamber, a sealing strip, an integrated roll dispenser, and a cutter. An external vacuum port is also present for use with accessories.



Image 3.1: The Cecotec SealVac 120 SteelCut vacuum sealer in operation, sealing a salmon fillet. This image shows the sleek design and the vacuum bag being processed.

4. SETUP

4.1 Unpacking and Initial Cleaning

1. Carefully remove the vacuum sealer from its packaging.
2. Remove any protective films or packaging materials.
3. Wipe the exterior of the appliance with a damp cloth. Ensure all parts are dry before use.

4.2 Loading the Vacuum Roll and Using the Cutter

The SealVac 120 SteelCut features an integrated compartment for vacuum rolls and a cutter to create custom-sized bags.

1. Open the lid of the appliance.
2. Place a vacuum sealer roll into the designated dispenser compartment.
3. Pull out the desired length of the bag material.
4. Use the integrated cutter to cut the bag to your preferred length. The cutter is designed to provide a clean, straight edge.
5. Seal one end of the cut bag using the 'Seal Only' function (refer to section 5.3).



Image 4.2.1: The vacuum sealer with its lid open, revealing the internal roll dispenser and the integrated cutter. A measurement of 31 cm highlights the width of the sealing area.



Image 4.2.2: The Cecotec SealVac 120 SteelCut vacuum sealer positioned beside a roll of vacuum bags, illustrating the type of consumable used with the integrated dispenser.

5. OPERATING INSTRUCTIONS

5.1 Automatic Vacuum Sealing (Dry Food)

This mode is ideal for solid, dry food items.

1. Place the food inside a vacuum sealer bag, ensuring at least 5-7 cm of empty space at the top of the bag.
2. Open the lid of the vacuum sealer.
3. Place the open end of the bag into the vacuum chamber, ensuring it lies flat across the sealing strip and within the drip tray area.
4. Close the lid firmly until it clicks into place on both sides.
5. Press the 'Vacuum & Seal' button. The appliance will automatically remove air from the bag and then seal it. The LED indicator will illuminate during the process.

6. Once the LED light turns off, the process is complete. Open the lid and remove the sealed bag.



Image 5.1.1: The Cecotec SealVac 120 SteelCut vacuum sealer actively sealing fish fillets in multiple bags, demonstrating its capacity and efficiency for preserving various food items.



Image 5.1.2: A close-up view of the Cecotec SealVac 120 SteelCut vacuum sealer in action, sealing a piece of red meat in a vacuum bag on a kitchen counter.

5.2 Vacuum Sealing (Moist Food)

For foods with some moisture, select the 'Moist' mode to ensure proper sealing.

1. Prepare the food in the vacuum bag as described in section 5.1.
2. Close the lid firmly.
3. Select the 'Moist' mode (refer to the control panel for the specific button/indicator).
4. Press the 'Vacuum & Seal' button. The appliance will adjust the vacuum and sealing time for moist foods.
5. Once the LED light turns off, the process is complete. Open the lid and remove the sealed bag.

5.3 Sealing Only

Use this function to create a seal without vacuuming, useful for making bags from a roll or sealing delicate items.

1. Place the open end of the bag across the sealing strip.

2. Close the lid firmly.
3. Press the 'Seal Only' button. The appliance will heat the sealing strip to create a seal.
4. The LED indicator will illuminate during sealing and turn off when complete.
5. Open the lid and remove the sealed bag.

5.4 External Vacuum for Containers and Bottles

The SealVac 120 SteelCut can also vacuum seal compatible external containers and bottles using the included tube.

1. Ensure the container or bottle is designed for vacuum sealing and has a compatible port.
2. Connect one end of the vacuum tube to the external vacuum port on the appliance.
3. Connect the other end of the tube to the port on the container or bottle.
4. Close the lid of the appliance (it does not need to be latched for external vacuuming).
5. Press the 'External Vacuum' button (or the 'Vacuum' button if it serves this dual function). The appliance will begin to remove air from the container.
6. Once the vacuum is complete, the appliance will stop automatically. Remove the tube from both the appliance and the container.



Image 5.4.1: The Cecotec SealVac 120 SteelCut vacuum sealer utilizing its external vacuum function, connected by a tube to a clear container filled with strawberries, demonstrating its versatility beyond bags.

6. MAINTENANCE AND CLEANING

Regular cleaning ensures the longevity and optimal performance of your vacuum sealer.

6.1 Cleaning the Appliance

1. Always unplug the appliance before cleaning.
2. Wipe the exterior of the appliance with a soft, damp cloth. Do not use abrasive cleaners or solvents.
3. Clean the vacuum chamber and drip tray with a damp cloth and mild soap if necessary. Ensure no liquid enters the vacuum pump opening.
4. Dry all parts thoroughly before storing or reusing the appliance.

6.2 Sealing Strip Care

The sealing strip is crucial for effective sealing. Keep it clean and free from food debris.

- After each use, inspect the sealing strip for any residue.
- Gently wipe the sealing strip with a dry cloth. Do not use sharp objects to clean it, as this can damage the strip.

7. TROUBLESHOOTING

If you encounter issues with your SealVac 120 SteelCut, refer to the following table for common problems and solutions.

Problem	Possible Cause	Solution
Appliance does not turn on.	Not plugged in; power outlet malfunction.	Ensure the power cord is securely plugged into a working outlet.
Bag does not vacuum properly.	Bag not positioned correctly; lid not fully closed; bag has a leak; vacuum chamber is dirty.	Reposition the bag; ensure the lid is latched; check bag for holes; clean the vacuum chamber.
Bag does not seal.	Sealing strip is dirty or damaged; bag is wet near the sealing area; too much moisture in food.	Clean the sealing strip; ensure the bag opening is dry; use 'Moist' mode or pre-freeze moist foods.
Vacuum is weak.	Lid not fully closed; vacuum gasket is worn or dirty.	Ensure the lid is securely latched; clean or replace the vacuum gasket if necessary.

If the problem persists after attempting these solutions, please contact Cecotec customer support.

8. SPECIFICATIONS


Detailed technical specifications for the Cecotec SealVac 120 SteelCut Vacuum Sealer.

Feature	Specification
Brand	Cecotec
Model Number	04256
Power	120 Watts
Voltage	230 Volts
Vacuum Pressure	0.75 bar
Dimensions (L x W x H)	39 x 15 x 7 cm
Weight	1.46 Kilograms
Material	Stainless Steel
Noise Level	10 Decibels
Operation Mode	Automatic
Sealing Strip Length	31 cm

9. WARRANTY AND SUPPORT

Cecotec products are manufactured to high-quality standards. For warranty information, technical support, or spare parts availability, please refer to the warranty card included with your purchase or visit the official Cecotec website. Spare parts are generally available for a period of 10 years from the date of purchase.

Related Documents - SealVac 120 SteelCut

	Cecotec Sealvac Steel Vacuum Sealer: User Manual and Instructions Comprehensive user manual for the Cecotec Sealvac Steel vacuum sealer (model 04070). Learn about safety instructions, parts, operation, cleaning, troubleshooting, storage, and technical specifications.
	Manual de Usuario Motocicleta Eléctrica Cecotec Halo Guía completa para la motocicleta eléctrica Cecotec Halo. Aprenda sobre su funcionamiento, seguridad, mantenimiento y especificaciones técnicas para un uso óptimo y seguro.
	Cecotec Comino 1000: Manual de Instrucciones y Seguridad del Procesador de Alimentos Guía completa para el procesador de alimentos Cecotec Comino 1000. Incluye instrucciones de seguridad, montaje, funcionamiento, limpieza, mantenimiento y solución de problemas. Diseñado para facilitar tus tareas en la cocina.
	Cecotec Mambo 11090 / 11090 Habana Food Processor Instruction Manual Comprehensive user manual for the Cecotec Mambo 11090 and Mambo 11090 Habana food processors, detailing safety instructions, operation, functions, and maintenance.

	Manual de Usuario Cecotec ReadyWarm 2070 Max Force Black Termoventilador Instrucciones y Especificaciones Manual completo del termoventilador Cecotec ReadyWarm 2070 Max Force Black (modelo 08254). Incluye instrucciones de seguridad, funcionamiento, limpieza, mantenimiento y especificaciones técnicas para un uso óptimo y seguro.
	Cecotec Cecofry&Grill Smokin' 6500: Руководство пользователя для Цифровой мультипечи с двумя нагревательными элементами и копильней Полное руководство пользователя для Cecotec Cecofry&Grill Smokin' 6500. Инструкции по эксплуатации, безопасности, чистке, уходу и технические характеристики мультипечи с функцией гриля и копильни.

Documents - Cecotec – SealVac 120 SteelCut



[\[pdf\]](#) User Manual Instructions

SEALVAC 120 STEELCUT vakuovacka cecotec foodcare sealvac steelcut1615893588 mujbob cz navody
|||

SEALVAC 120 STEELCUT Envasadora al vaco / Vacuum sealer Manual de instrucciones Instruction manual M ... e si la bolsa tiene una fuga. 5.

ESPECIFICACIONES TCNICAS Referencia del producto: 04256 Producto: SealVac 120 SteelCut Potencia: 120 W Voltaje: 220-240 V- Frecuencia: 50/ 60 Hz IP X0 6.

RECICLAJE D...

lang:es score:57 filesize: 477.8 K page_count: 33 document date: 2021-03-16



[\[pdf\]](#) User Manual Instructions

SEALVAC 120 STEELCUT 390527d67c56f96fb76807a8acf0bf19 wo ua upload medialibrary 390 |||

SEALVAC 120 STEELCUT Envasadora al vaco / Vacuum sealer Manual de instrucciones Instruction manual M ... e si la bolsa tiene una fuga. 5.

ESPECIFICACIONES TCNICAS Referencia del producto: 04256 Producto: SealVac 120 SteelCut Potencia: 120 W Voltaje: 220-240 V- Frecuencia: 50/ 60 Hz IP X0 6.

RECICLAJE D...

lang:es **score:53** filesize: 539.12 K page_count: 33 document date: 2020-10-28



[\[pdf\]](#) User Manual Instructions Troubleshooting Guide Declaration of Conformity

SEALVAC 120 STEELCUT Avans pl Cecotec shall be liable to the end user or consumer for any lack of conformity that exists at time delivery product under terms instrukcja obsługi CECOTEC Sealvac SteelCut srsItd AfmBOoqqGJC7r04 cinpQWLeBQISP EaK5TknDynY6 dDy1Zehxm2HhO avans products files 63 6346222 |||

SEALVAC 120 STEELCUT Manual de instrucciones Instruction manual Manuel d instructions Bedienungsanle ... e si la bolsa tiene una fuga. 5. ESPECIFICACIONES TCNICAS Referencia del producto: 04256 Producto: SealVac 120 SteelCut Potencia: 120 W Voltaje: 220-240 V- Frecuencia: 50/ 60 Hz IP X0 Fabricado en Ch...

lang:it **score:51** filesize: 1.41 M page_count: 33 document date: 2022-09-20



[\[pdf\]](#) User Manual Instructions Troubleshooting Guide Specifications Warranty


Page 1 2 40 N Instrucciones de seguridad Safety instructions Instructions sécurité Sicherheitshinweise

Istruzioni di sicurezza Instruções segurança Instrukcje bezpieczeństwa Bezpečnostní pokyny INDICE

Parti e componenti 3d92bfaf1741839b4c5f3c0530fe1e73 cecotec tech upload medialibrary 3d9 |||

S E A L V A C 1 2 0 S T E E L C U T Envasadora al vaco / Vacuum sealer/ / Manual de instrucciones In ... e si la bolsa tiene una fuga. 5. ESPECIFICACIONES TCNICAS Referencia del producto: 04256 Producto: SealVac 120 SteelCut Potencia: 120 W Voltaje: 220-240 V- Frecuencia: 50/ 60 Hz IP X0 6. RECICLAJE D...

lang:es **score:51** filesize: 588.47 K page_count: 33 document date: 2020-12-01



[pdf]

Cecotec Zgrzewarka próżniowa FoodCare SealVac 120 SteelCut W 10 sekundowy system pakowania ciśnienie próżni 0,75 Bar stal nierdzewna ciche zgrzewanie 2 tryby pracy oświetlenie LED akceptowane worki foliowe Sklep internetowy stylem.pl cecotec zgrzewarka próżniowa foodcare sealvac steelcut w ciśnieniu próżni 0,75 Bar ni upload files product oświetlenie led 585016 ||| Cecotec Zgrzewarka próżniowa FoodCare SealVac 120 SteelCut. 120 W, 10-sekundowy system pakowania, ciśnienie próżni 0,75 Bar, stal nierdzewna, ciche zgrzewanie, 2 tryby pracy, oświetlenie LED, akceptowane worki foliowe. Indeks: 585016 Producent: Cecotec Kod producenta: 4256 Cena: 236.58 zł Opis Cecotec Zgr...

lang:pl score:46 filesize: 118.91 K page_count: 2 document date: 2025-01-25




[pdf] User Manual Instructions Troubleshooting Guide

SEALVAC 120 STEELCUTv1mediaexpert.pl products files 63 6346222 instrukcja obsługi CECOTEC Sealvac SteelCut |||

SEALVAC 120 STEELCUT Manual de instrucciones Instruction manual Manuel d'instructions Bedienungsan... si la bolsa tiene una fuga. 5. ESPECIFICACIONES T CNICAS Referencia del producto: 04256 Producto: SealVac 120 SteelCut Potencia: 120 W Voltaje: 220-240 V- Frecuencia: 50/ 60 Hz IP X0 Fabricado en Ch...

lang:es score:37 filesize: 1.41 M page_count: 33 document date: 2022-09-20



[Cecotec Product Catalogue - February 2022](#)

Explore the comprehensive Cecotec product catalogue for February 2022, featuring a wide range of household appliances including robot vacuum cleaners, kitchen appliances, personal care items, and more. Discover innovative technology and value from Cecotec brands like Conga, Mambo, and Bongo.

lang:en score:21 filesize: 137.82 M page_count: 1196 document date: 2022-03-07



[Cecotec General Catalog February 2021](#)

Explore the comprehensive Cecotec General Catalog from February 2021, featuring a wide range of home appliances including vacuum cleaners, kitchen robots, coffee makers, and more. Discover innovative technology and quality products designed to enhance everyday living.

lang:es score:13 filesize: 49.86 M page_count: 886 document date: 2021-03-31