

Symbol TC52

Zebra TC52 Rugged Scanner User Manual

Brand: Symbol | Model: TC52

1. INTRODUCTION AND OVERVIEW

The Zebra TC52 Rugged Scanner is a robust, enterprise-grade mobile computer designed for demanding environments. Running on the Android operating system, it features advanced 2D/1D barcode reading capabilities, making it ideal for inventory management, retail, and field service applications. This manual provides essential information for setting up, operating, maintaining, and troubleshooting your device.



Image showing the Zebra TC52 rugged scanner alongside its included charging cable and power adapter.

2. SETUP

2.1 Unboxing and Initial Inspection

Upon opening the package, verify that the following items are present:

- Zebra TC52 Rugged Scanner
- Charging Cable
- Power Adapter

Inspect all components for any visible damage. If any items are missing or damaged, contact your supplier

immediately.

2.2 Charging the Device

The TC52 is powered by a rechargeable battery. Before first use, fully charge the device.

1. Connect the charging cable to the TC52's USB port.
2. Connect the power adapter to the charging cable.
3. Plug the power adapter into a standard electrical outlet.
4. The device's charging indicator will illuminate. Allow several hours for a full charge.

2.3 Powering On/Off

To power on the device, press and hold the power button located on the side until the screen illuminates.

To power off, press and hold the power button, then select "Power off" from the on-screen options.

3. OPERATING THE DEVICE

3.1 Barcode Scanning

The TC52 is equipped with an integrated 2D/1D barcode reader.

1. Ensure the scanning application is open on the device.
2. Point the scanner's window at the barcode you wish to read.
3. Press the scan trigger button (typically located on the side of the device).
4. A successful scan is usually indicated by an audible beep or a green light.

For optimal scanning performance, ensure the barcode is well-lit and within the scanner's focal range. The real angle of view is 14 degrees.

3.2 Android Operating System

The TC52 operates on the Android platform, providing a familiar user interface. Navigate through menus, launch applications, and configure settings using the touchscreen. For detailed information on Android OS features, refer to standard Android documentation or the device's pre-installed help resources.

3.3 Connectivity

The device supports USB cable connectivity for data transfer and charging. It is compatible with Desktop, Laptop, and Smartphone devices for various applications.

4. MAINTENANCE

4.1 Cleaning the Device

To maintain optimal performance and hygiene, regularly clean your TC52 scanner.

- Use a soft, lint-free cloth dampened with a mild cleaning solution (e.g., isopropyl alcohol or a screen cleaner) to wipe the screen and exterior surfaces.
- Do not use abrasive cleaners or immerse the device in liquids.
- Ensure the scanning window is clean and free of smudges for accurate barcode reading.

4.2 Battery Care

To prolong battery life:

- Avoid extreme temperatures.
- Do not allow the battery to fully discharge frequently.
- If storing the device for an extended period, charge the battery to approximately 50% before storage.

4.3 Storage

Store the device in a cool, dry place away from direct sunlight and extreme temperatures when not in use.

5. TROUBLESHOOTING

This section addresses common issues you might encounter with your TC52 scanner.

Problem	Possible Cause	Solution
Device does not power on.	Battery is depleted.	Connect the device to the charger and allow it to charge for at least 30 minutes before attempting to power on again.
Barcode not scanning.	Barcode is damaged, dirty, or out of range. Scanning application not active.	Ensure the barcode is clean and undamaged. Adjust distance and angle. Verify the scanning application is open and active. Clean the scanner window.
Device is unresponsive.	Software glitch.	Perform a soft reset by pressing and holding the power button until the device restarts. If the issue persists, consult the manufacturer's support.

If you encounter issues not listed here or if the suggested solutions do not resolve the problem, please contact Symbol customer support.

6. SPECIFICATIONS

Feature	Detail
Model	TC52
ASIN	B08FCTBVMC
Manufacturer	Symbol
Date First Available	August 6, 2020
Compatible Devices	Desktop, Laptop, Smartphone
Power Source	Battery Powered
Connectivity Technology	USB Cable
Real Angle of View	14 Degrees





7. WARRANTY AND SUPPORT


This product is manufactured by Symbol. Specific warranty terms and conditions are typically provided with your purchase documentation or can be found on the official Symbol website. Please retain your proof of purchase for warranty claims.

For technical support, service, or further inquiries, please contact Symbol customer service. Contact information can usually be found on the manufacturer's official website or in the packaging materials.


© 2023 Symbol. All rights reserved. Information in this manual is subject to change without notice.

Related Documents - TC52

	Symbol TC55: Guía del Usuario Completa para Configuración y Operación Guía completa del usuario para el dispositivo móvil Symbol TC55. Aprenda a configurar, operar y mantener su TC55, cubriendo funciones, aplicaciones, conectividad inalámbrica y solución de problemas.
	Zebra Android 13 Release Notes - Update 13-29-10.00-TG-U05-STD-HEL-04 This document provides release notes for Zebra Android 13, version 13-29-10.00-TG-U05-STD-HEL-04, detailing new features, resolved issues, and usage notes for various Zebra device families.
	Zebra Voice Assistant 1.3.1 Release Notes - August 2025 Release notes for Zebra Voice Assistant version 1.3.1, detailing new features, device support, installation requirements, usage notes, resolved issues, and known limitations for front-line workers using Zebra devices.
	Zebra TC52 Touch Computer Product Reference Guide for Android 10 Comprehensive guide for Zebra TC52 Touch Computer users, covering setup, features, accessories, and troubleshooting for Android 10.
	Zebra Android 13 Release Notes (13-34-31.00-TG-U00-STD-HEL-04 GMS) Release notes for Zebra Android 13 GMS version 13-34-31.00-TG-U00-STD-HEL-04, detailing highlights, software packages, conversion information, security updates, new features, resolved issues, and device compatibility for Zebra enterprise mobile devices.

	Zebra Conversion Package HE_FULL_UPDATE_11-99-99.00-RG-U510-STD-HEL-04 Release Notes Release notes for the Zebra Conversion Package HE_FULL_UPDATE_11-99-99.00-RG-U510-STD-HEL-04 (GMS), detailing software packages, supported devices, migration to Android 13, and version information.
---	--

Documents - Symbol – TC52



[\[pdf\]](#) User Manual Guide Warranty

TC52 Touch Computer Integrator Guide for Android™ 8 1 0 Oreo en MN 003222 01 Rev A Zebra Technologies Corporation This manual contains proprietary information of and its subsidiaries It is intended solely the integrator guide ptmobile barcode scanners hardware zebra tc52 tc57

TC52 Touch Computer Integrator Guide for Android TM 8.1.0 Oreo MN-003222-01 Copyright 2018 ZIH Corp. and/or its affiliates. All rights reserved. ZEBRA and the stylized Zebra head are trademarks of ZIH Corp., registered in many jurisdictions worldwide. Google, Android, Google Play and other marks ...

lang:en score:37 filesize: 14.83 M page_count: 192 document date: 2018-10-12



[Zebra TC52 Touch Computer Product Reference Guide for Android 10](#)

Comprehensive guide for Zebra TC52 Touch Computer users, covering setup, features, accessories, and troubleshooting for Android 10.

lang:en score:35 filesize: 15.46 M page_count: 198 document date: 2021-07-26



[\[pdf\]](#) User Manual Guide Warranty

TC52 Touch Computer User Guide for Android™ 8 1 0 Oreo en MN 003221 05EN Rev A Zebra Technologies Corporation tc52 android 810 ug zebra content dam new ia us manuals mobile computers |||

TC52 Touch Computer User Guide for Android TM 8.1.0 Oreo MN-003221-05EN Copyright ZEBRA and the stylized Zebra head are trademarks of Zebra Technologies Corporation, registered in many jurisdictions worldwide. Google, Android, Google Play and other marks are trademarks of Google LLC; Oreo is a tra...

lang:en score:35 filesize: 26.4 M page_count: 195 document date: 2021-07-19



[\[pdf\]](#) User Manual Guide Warranty

TC52 Touch Computer Integrator Guide for Android™ 8 1 0 Oreo MN 003222 05EN Rev A Zebra Technologies Corporation tc52 android 810 ig en zebra content dam new ia us manuals mobile computers |||

TC52 Touch Computer Integrator Guide for Android™ 8.1.0 Oreo MN-003222-05EN Copyright ZEBRA and the stylized Zebra head are trademarks of Zebra Technologies Corporation, registered in many jurisdictions worldwide. Google, Android, Google Play and other marks are trademarks of Google LLC; Oreo is...

lang:en **score:35** filesize: 11.09 M page_count: 193 document date: 2021-07-26




[\[pdf\]](#) User Manual Reference Guide Specifications Guide Warranty

TC52 Touch Computer Product Reference Guide for Android™ 10 en MN 003834 01EN Rev A Zebra Technologies Corporation A10 EN bsisysteme de fileadmin documents bsi manuals |||

TC52 Touch Computer Product Reference Guide for Android™ 10 MN-003834-01EN Rev. A ZEBRA and the s ... technical specifications, go to www.zebra.com/us/en/products/spec-sheets/mobile-computers/handheld/tc52-tc57.html. Table 24 Data Capture Supported Symbolologies Item 1D Bar Codes 2D Bar Codes Descri...

lang:en **score:35** filesize: 16.71 M page_count: 198 document date: 2020-07-07



[\[pdf\]](#) User Manual Reference Guide Guide Warranty

TC52 Touch Computer Product Reference Guide for Android™ 9 0 Pie en MN 003642 03EN Rev A Zebra Technologies Corporation tc52 android 900 prg zebra content dam new ia us manuals mobile computers |||

TC52 Touch Computer Product Reference Guide for Android™ 9.0 Pie MN-003642-03EN Copyright ZEBRA and the stylized Zebra head are trademarks of Zebra Technologies Corporation, registered in many jurisdictions worldwide. Google, Android, Google Play and other marks are trademarks of Google LLC. All...

lang:en **score:34** filesize: 18.93 M page_count: 208 document date: 2021-07-23

[\[pdf\]](#) Guide

Guide de réglementations du TC52 fr MN 003216 02FR Rév A Zebra Technologies Corporation tc52 rg zebra content dam new ia en us manuals mobile computers |||

TC52 Guide de rglementations Get Info MN-003216-02FR Rv. A Zebra Technologies 3 Overlook Point L ... C52, reportez-vous au Guide de l'utilisateur du **TC52** disponible l'adresse suivante : www.zebra.com/tc52info. Informations rglementaires Ce terminal est agr par Zebra Technologies Corporation. Ce guid...

lang:fr **score:34** filesize: 836.48 K page_count: 2 document date: 2018-10-17





[\[pdf\]](#) User Manual Guide Warranty

TC52 Touch Computer User Guide for Android™ 8.1.0 Oreo en MN 003221 01 Rev A Zebra Technologies Corporation END USER LICENSE AGREEMENT For complete EULA information go to zebra eula This manual contains proprietary of and its remote monitoring devices connect the device Front Camera Proprietary Statement subsidiaries mode mutes so that it does not make sounds or vibrate user guide tc52 ptsmobile barcode scanners hardware tc57 barcodescannerdeals

TC52 Touch Computer User Guide for Android TM 8.1.0 Oreo MN-003221-01
Copyright 2018 ZIH Corp. and/or its affiliates. All rights reserved. ZEBRA and the stylized Zebra head are trademarks of ZIH Corp., registered in many jurisdictions worldwide. Google, Android, Google Play and other marks are tr...

lang:en **score:33** filesize: 24.8 M page_count: 195 document date: 2018-10-08



[\[pdf\]](#) User Manual Guide Warranty

TC52 Touch Computer Integrator Guide for Android™ 8.1.0 Oreo en MN 003222 01 Rev A Zebra Technologies Corporation integrator guideptsmobile barcode scanners hardware zebra tc52 tc57 guide srsltid AfmBOoqTZcdE9dYBG2gnDSE7pSVkGlavfv1GLp1 9wmbwWCtYGg7kKSX guideintegrator 9wmbwWCtYGg7kKSXptsmobile AfmBOor5jZBuNUXQCckc5s9uyXsCGx4l cB6XaPg623goZl3cVP gD5l |||

TC52 Touch Computer Integrator Guide for Android TM 8.1.0 Oreo MN-003222-01
Copyright 2018 ZIH Corp. and/or its affiliates. All rights reserved. ZEBRA and the stylized Zebra head are trademarks of ZIH Corp., registered in many jurisdictions worldwide. Google, Android, Google Play and other marks ...

lang:en **score:31** filesize: 14.83 M page_count: 192 document date: 2018-10-12




[\[pdf\]](#) User Manual Guide Warranty

TC52 Touch Computer User Guide for Android™ 8.1.0 Oreo en MN 003221 04EN Rev A Zebra Technologies Corporation tc52 android 1oreo user guide 2020 adivo nl media product attachments t c Handleiding Android TC57 PDA of Handcomputer Koop direct online Adivo |||

TC52 Touch Computer User Guide for Android TM 8.1.0 Oreo MN-003221-04EN
Copyright ZEBRA and the stylized Zebra head are trademarks of Zebra Technologies Corporation, registered in many jurisdictions worldwide. Google, Android, Google Play and other marks are trademarks of Google LLC; Oreo is a tra...

lang:en **score:31** filesize: 31 M page_count: 195 document date: 2020-04-14




[\[pdf\]](#) User Manual Reference Guide Specifications Guide Warranty

TC52 Product Reference Guide MN 004224 01EN Rev A Zebra Technologies Corporation This manual contains proprietary information of and its subsidiaries It is intended solely for the use parties operating takes steps to ensure that published Engineering specifications manuals are correct however errors do occur tc52 android 11 prg en zebra content dam new ia us mobile computers |||

TC52 Touch Computer Product Reference Guide for AndroidTM 11 MN-004224-01EN Rev A Copyright ZEBRA ... ice technical specifications, go to zebra.com/us/en/products/spec-sheets/mobile-computers/ handheld/tc52-tc57.html. SE4710 Decode Distances The following table provide the decode distances for the SE4...

lang:en **score:30** filesize: 8.71 M page_count: 221 document date: 2021-11-15



[\[pdf\]](#) User Manual Reference Guide Guide Warranty

TC52 Touch Computer Product Reference Guide for Android™ 9.0 Pie en MN 003642 02EN Rev A
Zebra Technologies Corporation Integrator Android TC57 PDA of Handcomputer Koop direct online Adivo
tc52 android pie integrator guide 2019 adivo nl media product attachments t c |||

TC52 Touch Computer Product Reference Guide for Android™ 9.0 Pie MN-003642-02EN Copyright ZEBRA and the stylized Zebra head are trademarks of Zebra Technologies Corporation, registered in many jurisdictions worldwide. Google, Android, Google Play and other marks are trademarks of Google LLC. All...
lang:en **score:30** filesize: 21.3 M page_count: 207 document date: 2020-04-15



[\[pdf\]](#) User Manual Troubleshooting Guide Guide Warranty Accessories

TC52 Touch Computer Integrator Guide for Android™ 8.1.0 Oreo MN 003222 04EN Rev A Zebra Technologies Corporation This manual contains proprietary information of and its Correct battery charging temperature in Troubleshooting section To achieve the best fast results use only accessories batteries Charge at room tem perature with device sleep tc52 android 810 ig en postorg ua published file 997394

TC52 Touch Computer Integrator Guide for Android™ 8.1.0 Oreo MN-003222-04EN Copyright ZEBRA and the stylized Zebra head are trademarks of Zebra Technologies Corporation, registered in many jurisdictions worldwide. Google, Android, Google Play and other marks are trademarks of Google LLC; Oreo is...
lang:en **score:29** filesize: 12.13 M page_count: 193 document date: 2020-04-14



[\[pdf\]](#) User Manual Instructions Troubleshooting Guide Specifications Diagram

ma425 fm wth02 SERVICE MANUAL MA425 200812SERVICE This service manual does not describe SPECIFIC INSTRUCTIONS KTC2020D C213 0 01uF KD AV7100 diagramas diagramasde autoradio potencias radios

SERVICE MANUAL DVD RECEIVER WITH MONITOR M21S02EA0R482V5IC EReMvA.0N0U1 AL KD-AV7100JW, KD-AV7100EU, ... -0805 AMP_GND ANALOG_GND C159 1uF/25V ANALOG_GND 4 5 C41 C39 C158 1uF/25V 6 TC54 TC53 **TC52** TC51 75R 1 R150 75R 1 R149 7 0.33uF/50V 0.33uF/50V 0.33uF/50V 0.33uF/50V 160P 150P ...


lang:en **score:29** filesize: 5.93 M page_count: 55 document date: 2009-09-11



[\[pdf\]](#) User Manual Guide Warranty

TC52 Touch Computer User Guide for Android™ 8.1.0 Oreo en MN 003221 03 Rev A Zebra Technologies Corporation 9 giu 2020 — tc52 android 810 ug visionid ie images

TC52 Touch Computer User Guide for Android™ 8.1.0 Oreo MN-003221-03 Copyright ZEBRA and the stylized Zebra head are trademarks of Zebra Technologies Corporation, registered in many jurisdictions worldwide. Google, Android, Google Play and other marks are trademarks of Google LLC; Oreo is a trade...
lang:en **score:28** filesize: 30.28 M page_count: 193 document date: 2020-02-25



[\[pdf\]](#) User Manual Reference Guide Documentation Guide Warranty

TC52 Product Reference Guide MN 004224 02EN Rev A Zebra Technologies Corporation May 23 2024

This section lists the features of touch computer Figure 1 52 Rugged Charge USB Cable Connecting USB tc52 android 11 prg en zebra content dam support documentation unrestricted guide product |||

TC52 Touch Computer Product Reference Guide MN-004224-02EN Rev A Copyright 2024/05/23 ZEBRA and th ... ice technical specifications, go to

zebra.com/us/en/products/spec-sheets/mobile-computers/ handheld/**tc52**-tc57.html.

SE4710 Decode Distances The following table provide the decode distances for the SE4...

lang:en **score:27** filesize: 11.77 M page_count: 226 document date: 2024-05-23



[\[pdf\]](#) Quick Start Guide Documentation Guide Warranty

RS6100 Quick Start Guide de MN 004625 01DE Rev A Zebra Technologies Corporation rs6100 qsg

zebra content dam support documentation unrestricted guide product |||

RS6100 Tragbarer Scanner Kurzanleitung MN-004625-01DE Rev. A Urheberrecht

2023/04/03 ZEBRA und d ... rstzt die Bluetooth-Tap-to-Pair-Funktion. Um eine

Verbindung mit einem Gert, wie z. B. WT6300 oder **TC52**, herzustellen: 1.

Vergewissern Sie sich, dass am Gert NFC aktiviert ist. 2. Richten Sie das NFC...

lang:de **score:26** filesize: 1.15 M page_count: 22 document date: 2024-02-27



[\[pdf\]](#) User Manual Specifications Guide Warranty

TC57 Touch Computer Integrator Guide for Android™ 8 1 Oreo en MN 003232 02 Rev A Zebra

Technologies Corporation takes steps to ensure that its published Engineering specifications and

manuals are correct however errors do occur Technologies tc57 integrator guideptsmobile barcode

scanners hardware zebra tc52 tc57 guide srsltid AfmBOoo9sPvf9RKRQDhEi5rF Eobmb

5K6MJ9EihXV510JpgR32cE3vt Technologies This manual contains proprietary information of

subsidiaries It is intended solely the tc57 guidetc57 5K6MJ9EihXV510JpgR32cE3vtptsmobile

AfmBOoqK3gp 4O1zudSWEWLTBndUXew4otliNLpFhNhMX0UevoJmzgO7 |||

TC57 Touch Computer Integrator Guide for Android TM 8.1.0 Oreo MN-003232-03

Rev. A Copyright 2019 ZIH Corp. and/or its affiliates. All rights reserved. ZEBRA and

the stylized Zebra head are trademarks of ZIH Corp., registered in many jurisdictions

worldwide. Google, Android, Google Play and other...

lang:en **score:26** filesize: 11.83 M page_count: 196 document date: 2019-08-21



[\[pdf\]](#) Declaration of Conformity

TC52 ko MN 003216 03KO A Zebra Technologies Corporation tc52 rg zebra content dam new ia

en us manuals mobile computers |||

TC52 Get Info MN-003216-03KO A Zebra Technologies 3 Overlook Point

Lincolnshire, IL 60069 USA ... / , , Zebra , , , , , . Zebra , , . : **TC52**

www.zebra.com/**tc52**-info **TC52** . Zebra Technologies Corporation . **TC520K** . Zebra .

....

lang:fr **score:26** filesize: 924.82 K page_count: 2 document date: 2019-04-16



[\[pdf\]](#) Declaration of Conformity

Нормативный справочник по TC52 ru MN 003216 02RU ред A Zebra Technologies Corporation tc52 rg zebra content dam new ia en us manuals mobile computers |||

TC52 Get Info MN-003216-02RU . A Zebra Technologies 3 Overlook Point Lincolnshire, IL 60069 US ... , , , , , Zebra. , , Zebra. **TC52** . **TC52** , - : www.zebra.com/tc52-info. Zebra Technologies Corporation. **TC520K**. Zebra , , , , , ... lang:fr **score:26** filesize: 856.89 K page_count: 2 document date: 2018-10-17



[\[pdf\]](#) Declaration of Conformity


TC52 jp MN 003216 02JA A Zebra Technologies Corporation tc52 rg ja zebra content dam new ia en us manuals mobile computers |||

TC52 Get Info MN-003216-02JA A Zebra Technologies 3 Overlook Point Lincolnshire, IL 60069 USA www.zebra.com 2018 ZIH Corp and/or its affiliates. Zebra Zebra ZIH Corp. Zebra Zebra Zebra Zebra **TC52 TC52** www.zebra.com/tc52-info. Zebra Technologies Corporation **TC520K** Z... lang:fr **score:25** filesize: 1018.58 K page_count: 2 document date: 2018-10-17




[\[pdf\]](#) Confidentiality Request Letter

Guide de démarrage rapide du RS6100 fr MN 004625 01FR Rév A Zebra Technologies Corporation rs6100 qsg zebra content dam support documentation unrestricted guide product ||| **RS6100** Lecteur porter Guide de dmarrage rapide MN-004625-01FR Rv. A Droits d auteur 2023/04/03 ZE ... coupler en anglais, Tap-to-Pair . Pour vous connecter un autre terminal, tel que le WT6300 ou le **TC52** : 1. Assurez-vous que la fonction NFC est active sur le terminal. 2. Alignez l icne NFC du RS61... lang:fr **score:25** filesize: 1.16 M page_count: 22 document date: 2024-02-26



[\[pdf\]](#) Datasheet Diagram

TC52 Datasheet s manuals Marking of electronic components SMD Codes N0 N00A N01 N03 N07 N0C* N0P* Datasheets BFR505T BZX384 B33 DDTC113TCA DDTC123TCA DDTC143TCA LM340MP 5 0 LM340MPX TC52N3027ECTTR TC52N4527ECTTR tc52 20150213 microchip datasheet t c ||| Obsolete Device **TC52** Dual-Channel Voltage Detector Features Two Independent Voltage Detectors in One Package Highly Accurate: 2 Low Power Consumption: 2.0 A, typical Channel 1 Detect Voltage: 3.0V, 4.5V Channel 2 Detect Voltage: 2.7V Operating Voltage: 1.5V to 10.0V Output Configuration: N... lang:en **score:25** filesize: 224.44 K page_count: 13 document date: 2016-12-16



[\[pdf\]](#) User Manual Guide Warranty

WorkForce Connect PTT Express V1 2 User Guide en MN000935A08EN Rev A Zebra Technologies Corporation This manual contains proprietary information of and its subsidiaries It is intended solely for the use parties operating maintaining equipment described herein Such may not be used reproduced wfc ptt express v1 ug zebra content dam new ia us manuals mobile computers

WorkForce Connect PTT Express User Guide MN000935A08EN Rev. A ZEBRA and the stylized Zebra head ... VH10 CC600, CC6000, EC30, L10A, MC33, MC33x, MC40, MC67, MC92, MC93, TC20, TC21, TC25, TC26, TC51, **TC52**, TC56, TC57, TC70, TC72, TC70x, TC75, TC75x, TC77, TC8000, TC8300, VC80x, VC8300, VC8300, WT600...

lang:en **score:24** filesize: 2.22 M page_count: 35 document date: 2020-12-16

[\[pdf\]](#) Declaration of Conformity

TC52 zh TW MN 003216 02ZHTW A Zebra Technologies Corporation tc52 rg zhtw zebra content dam new ia en us manuals mobile computers |||

TC52 Get Info MN-003216-02ZHTW A Zebra Technologies 3 Overlook Point Lincolnshire, IL 60069 USA www.zebra.com 2018 ZIH Corp /ZEBRA ZIH Corp Zebra Zebra Zebra Zebra **TC52 TC52** www.zebra.com/tc52-info Zebra Technologies Corporation **TC520K** Zebra zebra.com/support...

lang:fr **score:24** filesize: 1.08 M page_count: 2 document date: 2018-10-17



[\[pdf\]](#) Declaration of Conformity

TC52 CN MN 003216 02ZHCN A Zebra Technologies Corporation tc52 rg zhcn zebra content dam new ia en us manuals mobile computers |||

TC52 Get Info MN-003216-02ZHCN A Zebra Technologies 3 Overlook Point Lincolnshire, IL 60069 USA www.zebra.com 2018 ZIH /ZEBRA Zebra ZIH Zebra Zebra Zebra Zebra **TC52** www.zebra.com/tc52info **TC52** Zebra Technologies Corporation **TC520K** Zebra zebra.com/support Zebra Ze...

lang:fr **score:24** filesize: 1.03 M page_count: 2 document date: 2018-10-17



[\[pdf\]](#) Quick Start Guide Guide Warranty

RS6100 Quick Start Guide MN 004625 01DE Rev A Zebra Technologies Corporation RS6100 3 avr 2023 — HINWEIS Befolgen Sie die im Produktreferenzhandbuch für den beschriebenen Richtlinien zur Akkusicherheit Abbildung 6 Vierfach Ladestation 1 RS5100 rs6100 qsg de zebra content dam new ia en us manuals mobile computers |||

RS6100 Tragbarer Scanner Kurzanleitung MN-004625-01DE Rev. A Urheberrecht 2023/04/03 ZEBRA und d ... rstzt die Bluetooth-Tap-to-Pair-Funktion. Um eine Verbindung mit einem Gert, wie z. B. WT6300 oder **TC52**, herzustellen: 1. Vergewissern Sie sich, dass am Gert NFC aktiviert ist. 2. Richten Sie das NFC...

lang:de **score:24** filesize: 1.15 M page_count: 22 document date: 2023-04-03



[\[pdf\]](#) Warranty

TC52 Android™ 8 1 0 Oreo ja MN 003221 05JA A Zebra Technologies Corporation
tc52 android 810 ug zebra content dam new ia en us manuals mobile computers |||
TC52 Android TM 8.1.0 Oreo MN-003221-05JA 2020 ZIH Corp and/or its affiliates. All Rights Reserved. ZEBRA Zebra ZIH Corp : zebra.com/copyright : zebra.com/warranty : EULA zebra.com/eula Zebra Technologies Corporation Zebra Technologies Zebra Technologies Zebra T...
lang:i-klngon **score:24** filesize: 26.33 M page_count: 197 document date: 2021-07-27




[\[pdf\]](#) Warranty

TC52 Android™ 9 0 Pie ja MN 003642 03JA A Zebra Technologies Corporation
tc52 android 900 ug zebra content dam new ia en us manuals mobile computers |||
TC52 Android TM 9.0 Pie MN-00364203JA ZEBRA Zebra Zebra Technologies Corporation GoogleAndroidGoogle Play Google LLC 2019 Zebra Technologies Corporation / : www.zebra.com/copyright : www.zebra.com/warranty : EULA www.zebra.com/eula Zebra Technologies Corporation Zeb...
lang:i-klngon **score:23** filesize: 18.19 M page_count: 212 document date: 2021-07-27



[\[pdf\]](#)


TC52 Yasal Düzenleme Kılavuzu tr MN 003216 02TR Rev A Zebra Technologies Corporation tc52 rg
zebra content dam new ia en us manuals mobile computers |||
TC52 Yasal Dzenleme Kilavuzu Get Info MN-003216-02TR Rev. A Zebra Technologies 3 Overlook Point ... r iin sz konusudur. Ek Bilgi **TC52** cihazinin kullanimiyla ilgili daha fazla bilgi iin www.zebra.com/**tc52**-info adresinden eribleceiniz **TC52** Kullanici Kilavuzu na bavurun. Yasal Bilgiler Bu cihaz, Zeb...
lang:id **score:23** filesize: 821.46 K page_count: 2 document date: 2018-10-17



[\[pdf\]](#) Instructions Documentation Release Notes

Kathy Houchin Release Notes Zebra TC52 Android O LifeGuard Update documentation contains the details of OS release features instructions component part numbers supported and known issues limitations patches are cumulative include all previous fixes that earlier patch releases 01 13 20 LG v12 notes zebra content dam new ia en us software operating system helios
Release Notes - Zebra TC52 Android O LifeGuard Update 12 Release Contents
Introduction Description Component Version Info Device Compatibility Installation Instructions Requirements Downloadable Software included in this Release Known Issues and Limitations Introduction The **TC52/57** Touch Computer...
lang:en **score:23** filesize: 155.95 K page_count: 4 document date: 2019-03-20

[\[pdf\]](#)



Regulatorni priručnik za TC52 hr MN 003216 02HR prerađeno izdanje A Zebra Technologies Corporation
tc52 rg zebra content dam new ia en us manuals mobile computers |||

TC52 Regulatorni priručnik Get Info MN-003216-02HR prerađeno izdanje A Zebra Technologies 3 Overlook Point Lincolshire, IL 60069 USA www.zebra.com/tc52-info. Regulatorne informacije Ovaj uređaj odobrila je tvrtka Zebra Technologies Corporation. Ova...
lang:hr **score:23** filesize: 818.56 K page_count: 2 document date: 2018-10-17

[\[pdf\]](#) User Manual



TC52 Leitfaden zu Rechtsvorschriften de MN 003216 02DE Rev A Zebra Technologies Corporation tc52
rg zebra content dam new ia en us manuals mobile computers |||

TC52 Leitfaden zu Rechtsvorschriften Get Info MN-003216-02DE Rev. A Zebra Technologies 3 Overlook Point Lincolshire, IL 60069 USA www.zebra.com 2018 ZIH Corp und/oder Tochterunternehmen. Alle Rechte vorbehalten. ZEBRA und der stilisierte Zebrakopf sind in vielen Ländern eingetragene Marken von Z...
lang:de **score:22** filesize: 914.42 K page_count: 2 document date: 2018-10-17

[\[pdf\]](#)



Guía normativa de TC52 es la MN 003216 02ESLA Rev A Zebra Technologies Corporation tc52 rg esla
zebra content dam new ia en us manuals mobile computers |||

Gua normativa de **TC52** Get Info MN-003216-02ESLA Rev. A Zebra Technologies 3 Overlook Point Lincolshire, IL 60069, EE. UU. www.zebra.com 2018 ZIH Corp o sus empresas afiliadas. Todos los derechos reservados. ZEBRA y la cabeza de cebra estilizada son marcas comerciales de ZIH Corp. registradas en...
lang:es **score:22** filesize: 843.22 K page_count: 2 document date: 2018-10-17

[\[pdf\]](#)



Guia de Regulamentações do TC52 pt BR MN 003216 03PTBR Rev A Zebra Technologies Corporation
03PTBRa tc52 rg ptbr zebra content dam new ia en us manuals mobile computers |||


TC52 Guia de Regulamentaes Get Info MN-003216-03PTBR Rev. A Zebra Technologies 3 Overlook Point Lincolshire, IL 60069 USA www.zebra.com/tc52-info. Informaes o Guia do Usurio **TC52** disponvel em: www.zebra.com/tc52-info. Informaes Regulamentares Este dispositivo foi aprovado pela Zebra Technologies Corporatio...
lang:pt **score:22** filesize: 768.33 K page_count: 2 document date: 2019-02-11

[\[pdf\]](#)



Guida alle normative del TC52 it MN 003216 02IT Rev A Zebra Technologies Corporation tc52 rg zebra
content dam new ia en us manuals mobile computers |||

TC52 Guida alle normative Get Info MN-003216-02IT Rev. A Zebra Technologies 3 Overlook Point Lincolshire, IL 60069 USA www.zebra.com/tc52-info. Informazioni sulle normative Questo dispositivo approvato da Zebra Technologies Corporat...
lang:it **score:22** filesize: 843.78 K page_count: 2 document date: 2018-10-17



[\[pdf\]](#) Warranty

TC52 MN 004224 01JA A Zebra Technologies Corporation tc52 android 11
prg ja zebra content dam new ia en us manuals mobile computers |||

TC52 Android™ 11 MN-004224-01JA A ZEBRA Zebra Zebra Technologies Corporation GoogleAndr ... 5C 41F 40C 104F 218 zebra.com/us/en/products/spec-sheets/mobile-computers/ handheld/**tc52**-tc57.html SE4710 SE4710 33 SE4710 / 4 mil Code 39 8.4cm 3.3 22.4 cm 8.8 ...

lang:it **score:22** filesize: 9.08 M page_count: 227 document date: 2022-03-01



[\[pdf\]](#) User Manual Quick Start Guide Documentation Guide Warranty

Kurzanleitung zum Ringscanner RS5100 de MN 003559 03DE Rev A Zebra Technologies Corporation
prieß 9 valandas — Der ist NFC fähig und unterstützt die Bluetooth Tap to Pair Funktion Um eine Verbindung mit einem Gerät wie z B WT6000 oder TC52 herzustellen 1 rs5100 qsg zebra content dam support documentation unrestricted guide product |||

RS5100 Ringscanner Kurzbersicht MN-003559-03DE Rev. A RS5100 Kurzbersicht Copyright ZEBRA und der ... rstzt die Bluetooth-Tap-to-Pair-Funktion. Um eine Verbindung mit einem Gert, wie z. B. WT6000 oder **TC52**, herzustellen: 1. Stellen Sie sicher, dass NFC auf dem Gert aktiviert ist. 2. Richten Sie das N...

lang:de **score:21** filesize: 3.31 M page_count: 17 document date: 2020-07-30



[\[pdf\]](#) User Manual Guide Warranty

TC57 Touch Computer Integrator Guide for Android™ 8 1 0 Oreo en MN 003232 05EN Rev A Zebra Technologies Corporation TC52 PDA of Handcomputer Koop direct online Adivo tc57 android oreo integrator guide 2019 adivo nl media product attachments t c |||

TC57 Touch Computer Integrator Guide for Android TM 8.1.0 Oreo MN-003232-05EN Copyright 2019 ZIH Corp. and/or its affiliates. All rights reserved. ZEBRA and the stylized Zebra head are trademarks of ZIH Corp., registered in many jurisdictions worldwide. Google, Android, Google Play and other mark...

lang:en **score:21** filesize: 12.52 M page_count: 194 document date: 2020-04-15




[\[pdf\]](#) User Manual Guide Warranty

TC57 Touch Computer Integrator Guide for Android™ 8.1.0 Oreo en MN 003232 02 Rev A Zebra Technologies Corporation 47 Establishing Ethernet Connection 4 Slot Battery Charger DataWedge has built in feedback functionality the barcode scanner to issue tc57 integrator guide ptsmobile scanners hardware zebra tc52

TC57 Touch Computer Integrator Guide for Android TM 8.1.0 Oreo MN-003232-03 Rev. A Copyright 2019 ZIH Corp. and/or its affiliates. All rights reserved. ZEBRA and the stylized Zebra head are trademarks of ZIH Corp., registered in many jurisdictions worldwide. Google, Android, Google Play and other...

lang:en score:20 filesize: 11.83 M page_count: 196 document date: 2019-08-21




[\[pdf\]](#) User Manual Guide Warranty

WorkForce Connect PTT Express V1 2 User Guide en MN000935A08EN Rev A Zebra Technologies Corporation Additional 5 1069621969 JR2588 ASCS content etilize |||

WorkForce Connect PTT Express User Guide MN000935A08EN Rev. A ZEBRA and the stylized Zebra head ... VH10 CC600, CC6000, EC30, L10A, MC33, MC33x, MC40, MC67, MC92, MC93, TC20, TC21, TC25, TC26, TC51, **TC52**, TC56, TC57, TC70, TC72, TC70x, TC75, TC75x, TC77, TC8000, TC8300, VC80x, VC8300, VC8300, WT600...

lang:en score:20 filesize: 2.23 M page_count: 35 document date: 2023-09-15




[\[pdf\]](#) User Manual Guide Warranty

WorkForce Connect PTT Express V1 2 User Guide en MN000935A08EN Rev A Zebra Technologies Corporation Additional 5 1069621978 9GM460 ASCS content etilize |||

WorkForce Connect PTT Express User Guide MN000935A08EN Rev. A ZEBRA and the stylized Zebra head ... VH10 CC600, CC6000, EC30, L10A, MC33, MC33x, MC40, MC67, MC92, MC93, TC20, TC21, TC25, TC26, TC51, **TC52**, TC56, TC57, TC70, TC72, TC70x, TC75, TC75x, TC77, TC8000, TC8300, VC80x, VC8300, VC8300, WT600...

lang:en score:20 filesize: 2.23 M page_count: 35 document date: 2023-09-15




[\[pdf\]](#) User Manual Guide Warranty

TC57 Touch Computer User Guide for Android™ 8.1.0 Oreo MN 003233 02 Rev A Zebra Technologies Corporation NOTE You must connect the device to internet in order set up a Google™ account Connected 1x RTT Verizon network WWAN only tc57 user guide ptsmobile barcode scanners hardware zebra tc52

TC57 Touch Computer User Guide for Android TM 8.1.0 Oreo MN-003233-02 Copyright ZEBRA and the stylized Zebra head are trademarks of Zebra Technologies Corporation, registered in many jurisdictions worldwide. Google, Android, Google Play and other marks are trademarks of Google LLC; Oreo is a trade...

lang:en score:19 filesize: 39.13 M page_count: 228 document date: 2019-07-17



[pdf] Instructions Release Notes

Release Notes Zebra Android 11 24 gen 2023 — ro config device accelerometer 2052 Installation and setup instructions if the link does not work please copy It to browser try HE FULL UPDATE 30 00 RN U00 STD zebra content dam new ia en us software operating system helios |||

Release Notes Zebra Android 11 11-30-24.00-RN-U00-STD-HEL-04 Release NGMS Highlights This Android 11 NGMS release 11-30-24.00-RN-U00-STD-HEL-04 covers MC3300ax, **TC52AX**, **TC52AX** HC, EC30, EC50, EC55, ET51, ET56, L10A, MC2200, MC2700, MC3300x, MC3300xR, MC93, TC21, TC21 HC, TC26, TC26 HC, **TC52**, TC...

lang:en score:19 filesize: 345.17 K page_count: 12 document date: 2023-02-10




[pdf] User Manual Instructions

OI TC52 M en de fr es 111223 wika au upload |||

Operating instructions Betriebsanleitung Mode d'emploi Manual de instrucciones Magnetic surface thermocouple for high temperatures Model **TC52-M** EN Magnetisches Oberflächen-Thermoelement für hohe Temperaturen, Typ **TC52-M** DE Thermocouple de surface magnétique pour hautes températures, type **TC52-M** FR... Thermopar magnético de superficie para altas temperaturas Modelo **TC52-M**

lang:en score:18 filesize: 2.98 M page_count: 92 document date: 2021-12-13



[pdf] Instructions Release Notes

Release Notes Zebra Android 11 Technologies 24 gen 2023 — Added new MX feature to give admin complete control over the quick settings tiles Installation and setup instructions if link does not work 20 pagine HE FULL UPDATE 30 00 RG U00 STD zebra content dam ia en us software operating system helios |||

Release Notes Zebra Android 11 11-30-24.00-RG-U00-STD-HEL-04 Release GMS Highlights This Android 11 GMS release 11-30-24.00-RG-U00-STD-HEL-04 covers MC3300ax, EC30, EC50, EC55, ET51, ET56, L10A, MC2200, MC2700, MC3300x, MC3300xR, MC9300, TC21, TC21 HC, TC26, TC26 HC, **TC52**, **TC52** HC, **TC52x**, **TC52x** ...

lang:en score:18 filesize: 412.61 K page_count: 20 document date: 2023-04-26

Produkt Spezifikation

Artikel Nr.	FBSYMXTC5x
Kompatibel zu	ZEBRA SYMBOL TC50/ TC51/ TC52/ TC56/ TC57
Hersteller	Axcom
CEMA Nr.	8989 TC52-43MA1-01
Technologie	Li-Ion
Spannung	3,6V
Kapazität	4,05Ah
Abmessung (l* w* h*)	96 x 75 x 9mm
Gewicht (g)	90g

Service Hotline

Sie möchten eine Bestellung aufgeben oder haben Fragen an uns?

Unser qualifiziertes Verkaufsteam findet die beste Lösung für Ihre Anfrage

Telefon: +49 (0) 2214-4818-0 service@axcom.de (von 9 bis 17 Uhr)

Telefax: +49 (0) 2214-4818-444

E-Mail: info@axcom.de

axcom

BATTERY SOLUTIONS

Mehr Ladung und Entladungszyklen

Wir garantieren höchste Qualität und beste Leistung für Ihre Batterie

Wir garantieren höchste Qualität und beste Leistung für Ihre Batterie

Wichtige Hinweise

Sie erhalten die Batterie in der Originalverpackung

Die Batterie ist für den Einsatz in der Originalverpackung zu verwenden

Die Batterie ist für den Einsatz in der Originalverpackung zu verwenden

Hochleistungs-Verbindungen

Die Batterie ist für den Einsatz in der Originalverpackung zu verwenden

Die Batterie ist für den Einsatz in der Originalverpackung zu verwenden

Aktuelle Preise

12 Monate Axcom-Garantie

[pdf]

Simon Alexander Klute FBSYMXTC5x Datenblatt FBSYMXTC5xAkku für Zebra Symbol TC50 TC51

TC52 TC56 TC57 Axcom shop deFBSYMXTC5x FBSYMXTC5xaxcom de media 27 47 a1 |||

Produkt Spezifikation Artikel Nr. Kompatibel zu Hersteller OEM Nr. Technologie

Spannung Kapazität Abmessung l* w* h* Gewicht g FBSYMXTC5x ZEBRA SYMBOL

TC50/ TC51/ **TC52**/ TC56/ TC57 Axcom BTRY-TC51-43MA1-01 Li-Ion 3,6V 4,05Ah

96 x 75 x 9mm 90g Mehr Ladung und Entladungszyklen Wir messen die Batte...

lang:de **score:18** filesize: 211.44 K page_count: 1 document date: 2024-06-06

MICROCHIP

TC52

Dual Channel Voltage Detector

Features

- Two Independent Voltage Detectors in One Package
- Highly Accurate: 42%
- Low Power Consumption: 2.0A, Typ.
- Channel Voltage Range: 1.5V to 5.0V
- Operating Voltage: 1.5V to 10.0V
- Output Configuration: N-Channel Open-Drain
- Space Saving 5-Pin SOT-23A Package

Typical Applications

- Battery Life Monitors and Recharge Voltage Monitors
- Memory Battery Backup Circuitry
- Power-On Reset Circuit
- Power Failure Detection
- Energy Circuitry

Device Selection Table

Part Number	Package	Temp. Range
TC52	5-Pin SOT-23A	-40°C to +125°C

Package Type

General Description

The TC52 consists of two independent, low-power voltage detectors in a space-saving 5-pin SOT-23A package. Typical supply current consumption is only 2.0A at an input voltage of 2V. The voltage detector threshold voltage, an factory-programmed and guaranteed 4.2A accuracy. The TC52 is available with open-drain (NOD) configuration. Includes high-precision, low-drift current, and low threshold with built-in 100kA to 100kA voltage divider for a wide variety of voltage monitoring applications.

Functional Block Diagram

[pdf] Datasheet

Dual Channel Voltage Detector TC52 data sheet switching regulator Microchip Technology Inc 21430b

ww1 microchip 80 en DeviceDoc

M Dual Channel Voltage Detector **TC52** Features Two Independent Voltage Detectors

in One Package Highly Accurate: 2 Low Power Consumption: 2.0A, Typ. Detect

Voltage Range: 1.5V to 5.0V Operating Voltage: 1.5V to 10.0V Output Configuration:

N-Channel Open-Drain Space-Saving 5-Pin SOT-23A Pack...

lang:en **score:18** filesize: 530.78 K page_count: 10 document date: 2003-02-03

MICROCHIP

Obsolete Device

TC52

Dual-Channel Voltage Detector

Features

- Two Independent Voltage Detectors in One Package
- Highly Accurate: 42%
- Low Power Consumption: 2.0A, Typ.
- Channel Voltage Range: 1.5V to 5.0V
- Operating Voltage: 1.5V to 10.0V
- Output Configuration: N-Channel Open-Drain
- Space Saving 5-Pin SOT-23A Package

Typical Applications

- Battery Life Monitors and Recharge Voltage Monitors
- Memory Battery Backup Circuitry
- Power-On Reset Circuit
- Power Failure Detection
- Energy Circuitry

Package Type

Description

The TC52 consists of two independent, low-power voltage detectors in a space-saving 5-pin SOT-23A package. Typical supply current consumption is only 2.0A at an input voltage of 2V. The voltage detector threshold voltage, an factory-programmed and guaranteed 4.2A accuracy. The TC52 is available with open-drain (NOD) configuration. Includes high-precision, low-drift current, and low threshold with built-in 100kA to 100kA voltage divider for a wide variety of voltage monitoring applications.

Functional Block Diagram

[pdf] Diagram

TC52 Dual Channel Voltage Detector DS20001430E DS20001430 20001430E 20001430 Microchip

Technology Inc ww1 microchip en DeviceDoc

Obsolete Device **TC52** Dual-Channel Voltage Detector Features Two Independent

Voltage Detectors in One Package Highly Accurate: 2 Low Power Consumption: 2.0

A, typical Channel 1 Detect Voltage: 3.0V, 4.5V Channel 2 Detect Voltage: 2.7V

Operating Voltage: 1.5V to 10.0V Output Configuration: N...

lang:en **score:18** filesize: 215.31 K page_count: 12 document date: 2015-02-13

TC52

タッチ コンピュータ



ユーザーガイド
Android™ 8.1.0 Oreo 対応

MN-003221-01-JA

[\[pdf\]](#) Warranty

TC52 Android™ 8.1.0 Oreo ja MN-003221-01JA A Zebra Technologies Corporation

tc52 android 810 ug ja1 brain autoid 2018 2019 08 |||

TC52 Android TM 8.1.0 Oreo MN-003221-01JA 2018 ZIH Corp. / ZEBRA Zebra ZIH Corp. GoogleAndroid Google PlayGoogle LLC Oreo Mondelez International, Inc. :
www.zebra.com/copyright : www.zebra.com/warranty : EULA www.zebra.com/eula
Zebra Technologies Corporation Zebra Techno...

lang:i-klngon **score:17** filesize: 16.53 M page_count: 196 document date: 2019-08-09