

[manuals.plus](#) /

› [OLIGHT](#) /

› [OLIGHT Baldr Mini User Manual](#)

## OLIGHT Baldr Mini

# OLIGHT Baldr Mini User Manual

Pistol Light and Green Laser Combo

## 1. INTRODUCTION

Thank you for choosing the OLIGHT Baldr Mini. This ultra-compact white light and green beam combo is designed for optimal performance and versatility, integrating the compatibility of the PL-Mini 2 with the accuracy of the BALDR Pro. This manual provides detailed instructions for safe operation, installation, maintenance, and troubleshooting to ensure you get the most out of your device.

### Package Contents:

- BALDR Mini (battery built-in) x 1
- Picatinny (MIL-STD-1913) Rail Mount Adapter x 1
- HM2.5\*4.5 Socket Cap Screw x 2
- MCC (Magnetic Charging Cable) Special Edition x 1
- H1.5 Allen Wrench x 1
- Oval Point Set Screw x 1
- Cone Point Set Screw x 1
- User Manual x 1

## 2. IMPORTANT SAFETY WARNINGS

**Please read this section carefully before using the product. Failure to follow these instructions may result in serious injury or property damage.**

- **Laser Safety:** This product contains a Class IIIA laser with an output of <5mW. **DO NOT** stare directly into the laser beam. **DO NOT** point the laser at people or animals. Avoid direct eye exposure.
- **Eye Protection:** Always wear appropriate eye protection when operating or testing the laser in a controlled environment.

- **Children:** Keep out of reach of children. This is not a toy.
- **Heat:** The device may become warm during prolonged use. Avoid direct contact with hot surfaces.
- **Battery:** The built-in lithium polymer battery is not user-replaceable. Do not attempt to disassemble or modify the battery. Use only the provided Magnetic Charging Cable (MCC) for charging.
- **Water Resistance:** The device is designed to be water-resistant, but it is not intended for underwater use. Do not submerge.
- **Disassembly:** Do not disassemble the product. This will void the warranty and may cause damage.

## 3. SETUP AND INSTALLATION

### 3.1 Initial Charging

Before first use, fully charge the Baldr Mini. Connect the Magnetic Charging Cable (MCC) Special Edition to the magnetic charging port located at the bottom of the device. Connect the other end of the MCC to a USB power source. The indicator light on the MCC will turn red during charging and green when fully charged. A full charge typically takes approximately 1 hour.

The device features a low battery indicator. When the battery level is low, the indicator will alert you that it's time to recharge.

### 3.2 Rail Installation

The Baldr Mini comes with two types of rail adapters: one for Glock rails and one for Picatinny (MIL-STD-1913) rails. Select the appropriate adapter for your firearm.

1. **Attach Rail Adapter:** Secure the chosen rail adapter to the Baldr Mini using the provided HM2.5\*4.5 Socket Cap Screws and H1.5 Allen Wrench.
2. **Mount to Rail:** Open the quick attach/detach mount lever on the Baldr Mini. Align the device with the rail on your firearm. Close the lever firmly to secure the device.
3. **Adjust Sliding Rail:** The Baldr Mini features an adjustable sliding rail. Loosen the set screw (Oval Point or Cone Point, depending on preference) on the side of the device using the Allen wrench. Slide the light forward or backward along the rail to achieve the optimal position for your setup. Once positioned, tighten the set screw to lock it in place.



**Figure 1:** Placeholder image representing the OLIGHT Baldr Mini. This image would typically show the device being mounted onto a firearm rail, illustrating the quick attach/detach mechanism and the adjustable sliding rail feature. The actual product is a compact pistol light and green laser combo.

## 4. OPERATING INSTRUCTIONS

The Baldr Mini is equipped with dual rear switches for easy operation by either hand.

### 4.1 Powering On/Off

- **Momentary-On:** Press and hold either of the dual rear switches. The light/laser will remain on as long as the switch is held. Release to turn off.
- **Constant-On:** Quickly single-press either of the dual rear switches. The light/laser will remain on until pressed again.

## 4.2 Mode Selection

The Baldr Mini offers three modes: White Light Only, Green Beam Only, and Green Beam & White Light Combined.

- To cycle through modes, quickly double-press either of the dual rear switches while the device is on. The device will cycle through the available modes in sequence.
- The device will remember the last used mode when turned off and on again.

## 5. MAINTENANCE

### 5.1 Charging

Regularly charge your Baldr Mini to ensure optimal performance. Use only the provided Magnetic Charging Cable (MCC). The low battery indicator will signal when charging is required.

### 5.2 Cleaning

Keep the lens and laser aperture clean for clear output. Use a soft, clean cloth to wipe away dust or debris. For stubborn marks, a slightly damp cloth can be used, followed by immediate drying. Do not use harsh chemicals or abrasive materials.

### 5.3 Storage

Store the Baldr Mini in a cool, dry place away from direct sunlight and extreme temperatures. If storing for an extended period, ensure the battery is partially charged (around 50%) to prolong its lifespan.

## 6. TROUBLESHOOTING

If you encounter issues with your OLIGHT Baldr Mini, please refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Device does not turn on.	Battery is depleted.	Charge the device fully using the provided MCC.
Light or laser flickers/turns off unexpectedly.	Low battery; Loose connection to rail; Internal malfunction.	Ensure battery is fully charged. Check if the device is securely mounted to the rail. If the issue persists after charging and re-mounting, contact OLIGHT customer support.

Problem	Possible Cause	Solution
Magnetic charging cable does not connect or charge.	Charging port or cable is dirty; Cable is damaged; USB power source issue.	Clean the magnetic charging port and cable contacts. Try a different USB power source. Ensure the MCC is fully seated.
Cannot cycle through modes.	Incorrect operation; Software glitch.	Ensure you are performing a quick double-press of either switch. If the issue persists, try fully discharging and recharging the device.

If your issue is not listed or persists after attempting these solutions, please contact OLIGHT customer support for further assistance.

## 7. SPECIFICATIONS

Feature	Detail
<b>Model</b>	OLIGHT Baldr Mini
<b>Light Source</b>	High Performance Cool White LED and Green Laser Beam (Class IIIA <5mW Safe Laser Output)
<b>Brightness</b>	600 Lumens (White Light)
<b>Throw Distance</b>	Up to 130 meters
<b>Power Source</b>	Built-in 3.7V 230mAh Rechargeable Lithium Polymer Battery
<b>Charging Type</b>	Magnetic Charging (MCC Special Edition)
<b>Length</b>	2.24 inches (57 mm)
<b>Head Diameter</b>	1.29 inches (32.8 mm)
<b>Body Diameter</b>	1.41 inches (35.8 mm)
<b>Weight</b>	3.07 oz (87g) (including battery)
<b>Rail Compatibility</b>	Glock and Picatinny (MIL-STD-1913) rails


## 8. WARRANTY AND SUPPORT

OLIGHT stands behind the quality of its products. For detailed information regarding the warranty policy for your Baldr Mini, please visit the official OLIGHT website or contact their customer support directly.

© 2023 OLIGHT. All rights reserved.

This manual is subject to change without notice.

## Related Documents - Baldr Mini

	<p><a href="#">Olight Baldr Pro Tactical Weaponlight User Manual - Green Laser &amp; LED</a> Comprehensive user manual for the Olight Baldr Pro tactical weaponlight, featuring a green laser and LED. Learn about installation, operation, specifications, and safety warnings.</p>
	<p><a href="#">Olight Baldr S User Manual - Tactical Weaponlight with Green Laser</a> Comprehensive user manual for the Olight Baldr S tactical weaponlight. Learn about its features including 800 lumens white LED, green laser, magnetic USB charging, and compatibility with 1913 and GL rails. Includes installation, operation, specifications, warnings, and warranty information.</p>
	<p><a href="#">Olight BALDR Mini User Manual: Operation, Specifications, and Safety</a> Comprehensive user manual for the Olight BALDR Mini tactical flashlight, covering specifications, installation, operation modes, safety warnings, and warranty information.</p>
	<p><a href="#">Olight BALDR S BL User Manual - Tactical Weaponlight Instructions</a> Comprehensive user manual for the Olight BALDR S BL tactical weaponlight, covering installation, operation, specifications, and safety guidelines. Learn how to use your BALDR S BL effectively.</p>
	<p><a href="#">Olight Arkfeld Pro (Copper Bones) User Manual and Specifications</a> Comprehensive user manual and technical specifications for the Olight Arkfeld Pro flashlight in the unique Copper Bones finish. Learn about its features, operation, charging, maintenance, and safety guidelines.</p>
	<p><a href="#">Olight Seeker 4 Rechargeable LED Flashlight User Manual</a> Comprehensive user manual for the Olight Seeker 4 rechargeable LED flashlight, covering operation, specifications, charging, modes, and warranty information.</p>

## Documents - OLIGHT – Baldr Mini



### [Olight BALDR Mini User Manual: Operation, Specifications, and Safety](#)

Comprehensive user manual for the Olight BALDR Mini tactical flashlight, covering specifications, installation, operation modes, safety warnings, and warranty information.

lang:en score:45 filesize: 1.13 M page\_count: 1 document date: 2024-09-06

## [pdf] User Manual Specifications Label

BALDR Mini DLT Trading Connect the USB end of charging cable to an external power source then attach other magnetic port of OBALDRMINIBK1 dlttrading content manuals OBALDRMINIBK1 srsltid AfmBOoq tFv qMuhFQEduNYUuSJPNxz MkqFj0 fevPaINNXQY6 i7y TradingBALDR of THREE LIGHT SETTINGS AVAILABLE As mark shows push setting switch from left middle right select green beam only white LED combined dlttrading i7ydltrading

AfmBOooDPCLmaNY4nULBykjIq933ShjNODpOGhLM4ZDSz6iRjeTLa08n COMPATIBILITY CHECK The  
can be used on most Glock or Picatinny mil std 1913 type rails adapter labelled

AfmB0ooDPCLmaNY4nULBykjIq933ShjNOdpOGhLM4ZDSz6iRjeTLa08ndltradings

AfmBOop5rw2N9ErgkaYS4MtwE6kBBoHRVIFML10N2Uk85t9A28dyTe7M Thank you for purchasing this Olight Product Please read manual carefully before use and keep it future reference! USER MANUAL IN THE BOXdlttrading AfmBOop5rw2N9ErgkaYS4MtwE6kBBoHRVIFML10N2Uk85t9A28dyTe7Mdlttrading AfmBOooq4qOYDQsPNxd1m fQ03Kv2QTa LGW0N27gaYIMJyqvYxhLKC1 TradingUser ManualConnect BOXOLIGHT Baldr Tactical Flashlight 600 Lumens Magnetic Rechargeable with Green Light White

Combo Compact Mount Torch Adjustable Rail Amazon co uk DIY ToolsA10L16wzESLdlttrading  
LGW0N27gaYIMJyqvYxhLKC1m media amazon images | A10L16wzESL ref dp product quick view  
BOYThank Toolsdlttrading LGW0N27gaYIMJyqvYxhLKC1dlttrading AfmBOcrE

2e5c1Yx9l1RbnNkPVrEp3cAlg0Pi61z0PHHE0v3DA1efhZpm0Pi61z0PHHE0v3DA1efhZpdlttrading

AfmBOoqlB9AgKqdX ygKPVI sdo9aQinEER9MuUmQ9WQzB0 bluTMMoefBm bluTMMoefBdltrading

AfmBQooVgBHSWt7c\_ebmNI\_vPngBxR7BQul1b42fzh\_IdbzBmEX\_llgA7Nm\_llgA7Ndlttrading

AfmBQoekjXIs0T5XlrDx\_E\_DXiTzM\_l6DTz4QigNRAh9BSrD6tbyZbAXm\_III\_III\_USER MANUAL\_Thank you

USER MANUAL Thank you for purchasing this Olight Product. Please read this manual carefully before use and keep it for future reference IN THE BOX USB Magnetic BALDR Mini with Battery Charging Cable Wrench 1913 1913 and Screws NYLOK Oval Point Set Screw NYLOK Cone Point Set Screw SPECIFI...

lang:en score:42 filesize: 1.2 M page\_count: 1 document date: 2020-08-05

### [\[pdf\] User Manual Specifications](#)




BALDR Mini 3 0907 6010 9000 2020 07 24 IN THE BOX PRODUCT OVERVIEW BEFORE FIRST USE Slide the Thank you for purchasing this Olight Product Please read manual carefully before use and keep it future reference! USER MANUAL 2b79fc462f2e40b386ec9a35dbab1a9a cdn olightstore uk ||| USER MANUAL Thank you for purchasing this Olight Product. Please read this manual carefully before use and keep it for future reference IN THE BOX USB Magnetic BALDR Mini with Battery Charging Cable Wrench 1913 1913 and Screws NYLOK Oval Point Set Screw NYLOK Cone Point Set Screw SPECIFI... lang:en **score:40** filesize: 1.2 M page\_count: 1 document date: 2021-01-12

### [\[pdf\] User Manual Specifications](#)



BALDR Mini Connect the USB end of charging cable to an external power source then attach other magnetic port of User Manual olightworld index route product did 195 USER MANUAL Thank you for purchasing this Olight Product. Please read this manual carefully before use and keep it for future reference IN THE BOX USB Magnetic BALDR Mini with Battery Charging Cable Wrench 1913 1913 and Screws NYLOK Oval Point Set Screw NYLOK Cone Point Set Screw SPECIFI... lang:en **score:37** filesize: 1.2 M page\_count: 1 document date: 2020-08-05



### [\[pdf\] User Manual](#)

BALDR Mini Baldr User Manual drmemory Olight

[www.DrMemory.com/Olight ...](http://www.DrMemory.com/Olight ...)

lang:en **score:35** filesize: 3.53 M page\_count: 2 document date: 2020-08-21



### [\[pdf\] User Manual Accessories](#)

Olight product handbook 2023 cdr dell User Manual AAA Alkaline Battery Seeker 2 Included 0 5 Meter MCC1A Magnetic Charging Cable Lanyard olight compress olightstore fr file |||

OLIGHT ECOMMERCE TECHNOLOGY CO.,LTD. 5th Floor, Building A2, Fuhai Information Harbor, Qiaotou, Fuhai S ... 3-54 PL-MINI 2 VALKYRIE 55-56 VALKYRIE TURBO 57-58 PL-3 VALKYRIE 59-70 BALDR 59-60 BALDR PRO 61-62 **BALDR MINI** 63-64 BALDR RL MINI 65-66 BALDR S 67-68 BALDR PRO R 69-70 BALDR S BL PRODUCT HANDBOOK ...

lang:en **score:32** filesize: 63.42 M page\_count: 88 document date: 2023-08-09




### [\[pdf\] User Manual Specifications](#)

BALDR Mini 3 0907 6010 9000 2020 07 24 fe11428c91b944a1b4fe0adc5bea117 au olicdn text |||

USER MANUAL Thank you for purchasing this Olight Product. Please read this manual carefully before use and keep it for future reference IN THE BOX USB Magnetic BALDR Mini with Battery Charging Cable Wrench 1913 1913 and Screws NYLOK Oval Point Set Screw NYLOK Cone Point Set Screw SPECIFI... lang:en **score:29** filesize: 1.2 M page\_count: 1 document date: 2022-06-17

### [\[pdf\] User Manual Specifications](#)



BALDR Mini OlightStore Connect the USB end of charging cable to an external power source then

attach other magnetic port of 0bd4b088276c4384a8c5ee7a6748e45b cdn olightstore co za text |||

USER MANUAL Thank you for purchasing this Olight Product. Please read this manual carefully before use and keep it for future reference IN THE BOX USB Magnetic BALDR Mini with Battery Charging Cable Wrench 1913 1913 and Screws NYLOK Oval Point Set Screw NYLOK Cone Point Set Screw SPECIFI...

lang:en score:29 filesize: 951.34 K page\_count: 1 document date: 2020-08-08



### [Olight BALDR RL Mini: Compact Tactical Weapon Light with Red Dot](#)

Explore the Olight BALDR RL Mini, a precise, quick, and compact mini adjustable red dot WML. This tactical light offers 600 lumens, a red beam, and versatile mounting options for subcompact firearms. Features include a patented sliding rail mount, dual ambidextrous switches, and a built-in rechargeable battery. Details specifications, dimensions, warranty, and package contents.

lang:en score:27 filesize: 1.24 M page\_count: 3 document date: 2021-06-02



### [\[pdf\] User Manual Datasheet](#)

Master Copy Long Page 07 11 2022 LENNY Olight Flashlights Chart from Lenny Manual Datasheet

Library Version 31 drmemory |||

Model imini i1R 2 EOS Disclaimer: This chart is not endorsed or affiliated in any way by Dongguan ... ----- mm/ N Magnetic Charge MCC Special 600 1m -100 37m , Laser 11h 2.24x1.29x1.41in **Baldr Mini** GL Proprietary 230mAh 3.7V Laser Off 600 1m - 100 39m , Laser On 4225 130/426 57x32...

lang:en score:26 filesize: 217.18 K page\_count: 27 document date: 2022-07-09




### [\[pdf\] Accessories Catalog](#)

Olight product handbook 1017 cdr dell catalog ååã«ã¿ãã° OLIGHT åºã¼ã©ã¤ã ªå¼ jp olicdn file |||

OLIGHT ECOMMERCE TECHNOLOGY CO.,LTD. 5th Floor, Building A2, Fuhai Information Harbor, Qiaotou, Fuhai S ... 46 PL-PRO VALKYRIE 47-48 PL-MINI 2 VALKYRIE 49-50 VALKYRIE TURBO 51-62 BALDR 51-52 BALDR PRO 53-54 **BALDR MINI** 55-56 BALDR RL MINI 57-58 BALDR S 59-60 BALDR PRO R 61-62 BALDR S BL PRODUCT HANDBOOK ...

lang:en score:25 filesize: 13.74 M page\_count: 79 document date: 2023-08-10



### [\[pdf\] User Manual](#)

baldr mini user manual 4 olightstore media sebwite product b a Download BALDR Mini Tactical Light by

Olight Wright Arms manuel d utilisation fr |||


...

lang:en score:24 filesize: 1 M page\_count: 0 document date: 0000-00-00



### [pdf] User Manual Installation Guide

Baldr S EN POWER AND PRECISION Olightstore es DESCRIPTION MARKET APPLICATIONS Self defense Law Enforcement Tactical Black 697237812316 9 Desert Tan 697237812317 6 Gunmetal Grey 697237812318 3 Blue 697237812333 The S is one of the most powerful compact light green beam combos on market manual de usuario baldr s 1 olightstore media sebwite product m a ||| POWER AND PRECISION MAX OUTPUT MAX RUNTIME MAX THROW 800 lumens 140 minutes 130 meters \* This ... OWE R AND PRECISION FEATURES Max 800 lumens of white light output, 33 more light than the previous **Baldr Mini**, and a new 100-lumen low mode when needed indoors. Built-in 3.7V 380mAh lithium polymer b... lang:en score:23 filesize: 926.17 K page\_count: 3 document date: 2021-07-13



### [pdf] User Manual

baldr rl mini user manual olightstore media sebwite product b a Download BALDR Mini RL Tactical Light by Olight Wright Arms |||

...

lang:en score:23 filesize: 1 M page\_count: 0 document date: 0000-00-00



### [pdf] Brochure

Product Brochure en dell product brochure eng kr olicdn file |||


OLIGHT ECOMMERCE TECHNOLOGY CO.,LTD. 5th Floor, Building A2, Fuhai Information Harbor, Qiaotou, Fuhai S ... T TURBO VALKYRIE 31-32 PL-PRO VALKYRIE 33-34 PL-MINI 2 VALKYRIE 35-42 BALDR 35-36 BALDR PRO 37-38 **BALDR MINI** 39-40 BALDR RL 41-42 BALDR RL MINI PRODUCT HANDBOOK 43-48 ODIN 43-44 ODIN 45-46 ODIN M... lang:en score:20 filesize: 11.01 M page\_count: 40 document date: 2022-11-12



### [pdf]

Master Copy Long Page Report LENNY Olight Flashlights Chart drmemory |||

Model i1R 2 EOS Disclaimer: This chart is not endorsed or affiliated in any way by Dongguan Olight ... ----- mm/ N Magnetic Charge MCC 600 1m -100 37m , 2.24x1.29x1.41in Special Laser 11h **Baldr Mini GL** Proprietary 230mAh 3.7V Laser Off 600 1m - 100 39m , Laser On 4225 130/426 57x32... lang:en score:19 filesize: 195.34 K page\_count: 22 document date: 2022-02-11



### [pdf] User Manual Datasheet

Master Copy Long Page Report LENNY Olight Flashlights Chart from Lenny Manual Datasheet Library drmemory |||

Model i1R 2 EOS Disclaimer: This chart is not endorsed or affiliated in any way by Dongguan Olight ... ----- mm/ N Magnetic Charge MCC 600 1m -100 37m , 2.24x1.29x1.41in Special Laser 11h **Baldr Mini GL** Proprietary 230mAh 3.7V Laser Off 600 1m - 100 39m , Laser On 4225 130/426 57x32... lang:en score:18 filesize: 200.69 K page\_count: 23 document date: 2022-04-15

[pdf]

Master Copy Long Page Report LENNY Model i1R 2 EOS Disclaimer This chart is not endorsed or affiliated in any way by Dongguan Olight E-Commerce Technology Co Ltd or its partners subsidiaries Flashlights Chart Version 18 drmemory

Model i1R 2 EOS Disclaimer: This chart is not endorsed or affiliated in any way by Dongguan Olight ... .8x35.8 ----- ----- N mm/2.24x1.29x1.41in N 91/3.21 4 109.95 BK 119.95 DT **Baldr Mini** GL Proprietary 230mAh 3.7V Laser Off 600 1m - 100 39m . Laser On 4225 130/426 57x32...

lang:en score:18 filesize: 162.57 K page count: 15 document date: 2021-09-10

Valvo South Africa vs TorchSA					
Valvo FLASHLIGHTS & QUOTATION SHEET					
Model	Picture	Output/Routine (Watt/RunTime)	Battery	Size	Price (Rands)
(Valvo L1)		10W/10000mAH	18650	100mm x 35mm	R 1 990.00
(Valvo E1)		800Lumens	18650	100mm x 35mm	R 1 990.00
Green laser		1000mW	18650	100mm x 35mm	R 1 990.00
(Valvo L2)		800Lumens	18650	100mm x 35mm	R 1 990.00
Red laser		1000mW	18650	100mm x 35mm	R 1 990.00
Flame		400 Lumen 1000 Lumen 10000 Lumen	18650 18650 18650	100mm x 35mm 100mm x 35mm 100mm x 35mm	R 4 990.00
Spy		1000 Lumen	18650	100mm x 35mm	R 1 990.00
		1000 Lumen	18650	100mm x 35mm	R 1 990.00
LP2		Estimated life - 8000 hours Working time - 1 hour Waterproof IP68	18650	100mm x 35mm	R 4 990.00
Bulbeye		1000 Lumen 2000 Lumen 3000 Lumen 4000 Lumen 5000 Lumen 7000 Lumen 10000 Lumen	18650 18650 18650 18650 18650 18650 18650	100mm x 35mm 100mm x 35mm 100mm x 35mm 100mm x 35mm 100mm x 35mm 100mm x 35mm 100mm x 35mm	R 4 990.00 R 4 990.00 R 4 990.00 R 4 990.00 R 4 990.00 R 4 990.00 R 4 990.00
T20 Pressure switch		Pressure switch (T20)			R 1 990.00
T20		Pressure switch (T20)			R 1 990.00
1465 OSRAM 95mm		95 Lumens			R 1 990.00

[Velvo, ThruNite, WOWTAC, Brinyte Flashlights & Accessories Quotation Sheet](#)

Explore the comprehensive quotation sheet featuring a wide range of high-performance flashlights, headlamps, and essential accessories from leading brands like Velvo, ThruNite, WOTAC, and Brinyte. This document provides detailed specifications, output, runtime, battery information, and pricing for various models, including tactical lights, hunting lights, and specialized IR/UV options.

lang:en score:16 filesize: 13.27 M page\_count: 82 document date: 2023-09-28

Report No.: 162708C001469105

OUTASK OUTER FLASHLIGHT QUOTATION SHEET		Velvo South Africa & Torchka Web: www.velvo.co.za   Tel: +27 11 456 1234   Email: info@velvo.co.za		
Model	Picture	Base Spec Information		
Outask Glass		Output/Routine Lighting Function	Battery	Size
Outask Glass		500Lumen 21000mAh battery Type-C USB Charging	-12000mAh battery	A series
Outask Grey		500Lumen 21000mAh battery Type-C USB Charging	-12000mAh battery	A series
Outask Silver		500Lumen 21000mAh battery Type-C USB Charging	-12000mAh battery	A series

## Comprehensive Flashlight, Knife, and Outdoor Gear Catalog

Discover a vast selection of high-performance flashlights, tactical lights, camping equipment, knives, multi-tools, batteries, and accessories from leading brands including Olight, ThruNite, XTAR, Wuben, Ganzo, and many others. This catalog offers detailed product specifications and pricing for outdoor enthusiasts, professionals, and everyday carry needs.

lang:en score:13 filesize: 4.29 M page count: 86 document date: 2025-04-03

OUTASK OUTER FLASHLIGHTS QUOTATION SHEET		Volvo South Africa v/s TorkSA			
		www.volvo-sa.com   Tel: +27 11 540 1000   info@volvo-sa.com			
Model	Picture	Base Spec Information	Base Spec Information	Base Spec Information	Base Spec Information
		Output/Rearward Angle/Beam Width	Output/Rearward Angle/Beam Width	Output/Rearward Angle/Beam Width	Output/Rearward Angle/Beam Width
Outtask Classic		500lm/min 2100mAh battery Type-C USB Charging	500lm/min 1700mAh battery Type-C USB Charging	500lm/min 1700mAh battery	500lm/min 1700mAh battery
Outtask Grey		500lm/min 1700mAh battery Type-C USB Charging	500lm/min 1700mAh battery Type-C USB Charging	500lm/min 1700mAh battery	500lm/min 1700mAh battery
Outtask Blue		500lm/min 2100mAh battery Type-C USB Charging	500lm/min 2100mAh battery Type-C USB Charging	500lm/min 1700mAh battery	500lm/min 1700mAh battery

## Flashlights and Portable Lighting Accessories Quotation Sheet

Explore the comprehensive quotation sheet from Velvo South Africa t/a TorchSA, featuring a wide range of flashlights, headlamps, and accessories from leading brands like Outask, Velvo, ThruNite, WOWTAC, XTAR, and Brinyte. This document provides detailed specifications, runtimes, battery information, and pricing for various portable lighting solutions and related charging and mounting accessories.

lang:en score:13 filesize: 4.29 M page\_count: 86 document date: 2025-04-03



## [pdf] Test Report

Product Name Weaponlight Model Number BALDR Mini Report No ES200525002E Page 1 of 67 Ver 0 \$  
\$ TEST REPORT Shenzhen Guangdong China Weaponlight BALDR Prepared for Dongguan Olight E  
Commerce Technology Co Ltd 0L REP CE EMC MINI 2 olightworld index route product did 194 |||

lang:en score:10 filesize: 4.57 M page\_count: 67 document\_date: 2020-06-11



## Velvo, ThruNite, Wowtac, and Brinyte Flashlights & Accessories Quotation Sheet

Explore a comprehensive quotation sheet featuring a wide range of flashlights and lighting accessories from leading brands like Velvo, ThruNite, Wowtac, and Brinyte. This document provides detailed specifications, output, runtime, battery information, sizes, and pricing for various models, including tactical flashlights, headlamps, and essential accessories such as batteries, chargers, and mounts.

lang:en score:10 filesize: 14.06 M page\_count: 85 document date: 2023-06-24

## [\[pdf\]](#) Catalog

TorchSA 1 Jul 2022 Buyers Email Download Latest Catalog TrustFire torchsa img cms 12 juin — 25 4mm diameter Flashlight Laser sight tube Brinyte PT18 PT28 T18 T28 compatible R 199 00 3 6 Operating voltage 2 8V 15Ω in 5s |||

MOQ Model Flame Spy LP2 Bullseye T20 Pressure switch 1508 T20 1405 OSRAM  
IR 850nm Zoom T67 Pressur ... 1 PL-MINI 2 Valkyrie Desert tan Baldr RL Mini Baldr  
RL Mini Tan **Baldr Mini** **Baldr Mini** S Tan **Baldr Mini** S Black **Baldr Mini** Tan Baldr  
Pro Black Baldr Pro Desert Tan ...

lang:en score:10 filesize: 12.17 M page\_count: 76 document date: 2022-06-08

[pdf] Catalog

TorchSA 25 Oct 2021 Buyers EMAIL Velvo FLASHLIGHTS QUOTATION SHEET Replace dry battery perfectly Energy saving and durable up to 1000 recharge cycles Equipped with Micro USB charge port Handy Multi Tool Kit 16cm Opened 10 5cm Closed R 299.00 Other UPC Universal Phone Cable END OF RANGE iPhone Lightning Type C torchsa img cms Catalog

MOQ Model Flame LP2 Bullseye T20 Pressure switch 1508 T20 1405 OSRAM IR 850nm Zoom T67 Pressure sw ... mm 1 Baldr RL Mini Tan **Baldr Mini** **Baldr Mini S** Tan **Baldr Mini S** Black **Baldr Mini** Tan Baldr Pro Black Baldr Pro Desert Tan B...