

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Traxxas](#) /
- › [Traxxas Hoss 4x4 VXL 1/10 Scale Monster Truck Instruction Manual](#)

## Traxxas 90076-4

# Traxxas Hoss 4x4 VXL 1/10 Scale Monster Truck Instruction Manual

Model: 90076-4

## 1. INTRODUCTION

This manual provides essential instructions for the setup, operation, maintenance, and troubleshooting of your Traxxas Hoss 4x4 VXL 1/10 Scale Monster Truck. Please read this manual thoroughly before operating your vehicle to ensure safe and optimal performance.



Front view of the Traxxas Hoss 4x4 VXL Monster Truck, showcasing its aggressive stance and large tires.

## 2. SAFETY INFORMATION

**WARNING: Failure to operate this product in a safe manner could result in injury or damage to the vehicle or other property.**

- Always operate your RC vehicle in an open area away from people, pets, and obstacles.
- Never operate near streets, traffic, or bodies of water.
- Keep hands, face, and loose clothing away from moving parts.
- Always disconnect the battery when not in use and before performing maintenance.

- Adult supervision is recommended for users under 14 years of age.
- Ensure proper ventilation when charging batteries.

### 3. PACKAGE CONTENTS

---

Your Traxxas Hoss 4x4 VXL package should include the following items:

- Traxxas Hoss 4x4 VXL 1/10 Scale Monster Truck (Model 90076-4)
- TQi 2.4GHz Radio System (Transmitter)
- Quick Start Guide
- Tools and accessories (e.g., wrench, spare parts)

*Note: Batteries and charger are sold separately.*



Angled front view of the Traxxas Hoss 4x4 VXL, highlighting the suspension and tire tread.

## 4. SETUP

---

### 4.1 Battery Installation

1. Ensure the vehicle and transmitter are turned off.
2. Remove the body clips and lift the truck body.
3. Open the battery compartment latch.
4. Insert a fully charged Traxxas Power Cell LiPo or NiMH battery into the compartment.
5. Secure the battery latch and reattach the truck body.

### 4.2 Transmitter Setup

1. Install four AA batteries into the TQi transmitter.
2. Turn on the transmitter. The status LED should glow solid green.

### 4.3 Initial Checks

- Verify that all wheels are securely attached.
- Check for any loose wires or connections.
- Ensure the steering trim on the transmitter is centered.



Top-down view of the Traxxas Hoss 4x4 VXL chassis with the body removed, showing the motor, ESC, and battery tray.

## 5. OPERATING YOUR VEHICLE

### 5.1 Basic Controls

- **Throttle:** Pull the trigger on the transmitter to accelerate forward. Push the trigger forward to brake or reverse.
- **Steering:** Turn the steering wheel on the transmitter left or right to steer the vehicle.

### 5.2 Driving Tips

- Start with slow speeds to familiarize yourself with the controls.
- Avoid sudden turns at high speeds to prevent rollovers.
- The Hoss 4x4 VXL is designed for off-road use. Exercise caution on paved surfaces.
- The vehicle is waterproof. However, prolonged submersion is not recommended. Always clean and dry the vehicle thoroughly after wet operation.



The Traxxas Hoss 4x4 VXL in action, mid-air over a dirt jump, demonstrating its off-road capabilities.



Close-up view of the integrated wheelie bar on the Traxxas Hoss 4x4 VXL, designed to prevent backward flips during acceleration.

## 6. MAINTENANCE

### 6.1 Cleaning

- After each use, especially in dirty or wet conditions, clean the vehicle with a soft brush or compressed air.
- Avoid using harsh chemicals or solvents.

## 6.2 Lubrication

- Periodically lubricate moving parts such as universal joints and bearings with a light silicone lubricant.

## 6.3 Tire Care

- Inspect tires for wear and tear. Replace if necessary.
- Ensure tires are properly inflated for optimal traction.

## 6.4 Battery Care

- Always store batteries in a cool, dry place.
- Follow the manufacturer's instructions for charging and discharging LiPo and NiMH batteries.




Side profile of the Traxxas Hoss 4x4 VXL, showing the body design and wheelie bar.

## 7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Vehicle does not respond to transmitter.	Low battery in vehicle or transmitter; not properly bound.	Charge/replace batteries; re-bind transmitter to receiver.
Motor runs but wheels do not turn.	Stripped gears; loose driveshaft.	Inspect and replace gears; secure driveshaft.
Reduced power or short run time.	Battery not fully charged; worn battery.	Ensure battery is fully charged; consider replacing old batteries.
Steering is erratic or unresponsive.	Loose servo connection; damaged servo; incorrect trim.	Check servo connections; replace servo if damaged; adjust steering trim.

## 8. SPECIFICATIONS

Feature	Detail
Model Number	90076-4
Brand	Traxxas
Scale	1/10
Power Source	Battery Powered (Batteries not included)
Material Type	Alloy Steel
Dimensions (L x W x H)	23 x 10.3 x 13.5 inches (approximate)
Assembly Required	No
Recommended Age	Kid (Adult supervision recommended)
UPC	020334900814



Bottom view of the Traxxas Hoss 4x4 VXL chassis, showing the undercarriage and suspension components.

## 9. WARRANTY AND SUPPORT

Traxxas products are backed by a limited warranty against defects in materials and workmanship. For detailed warranty information, please refer to the official Traxxas website or contact their customer support directly.

For technical assistance, replacement parts, or further inquiries, please visit the [Traxxas Support Page](#) or contact their customer service department.

*Always use genuine Traxxas replacement parts to maintain performance and warranty validity.*

