Manuals+

Q & A | Deep Search | Upload

manuals.plus /

- Aqua Joe /
- Aqua Joe AJ-SPXN 2-in-1 Hose-Powered Sprayer and Foam Cannon Instruction Manual

Aqua Joe AJ-SPXN

Aqua Joe AJ-SPXN 2-in-1 Hose-Powered Sprayer and Foam Cannon Instruction Manual

INTRODUCTION

This manual provides essential information for the safe and effective operation, maintenance, and troubleshooting of your Aqua Joe AJ-SPXN 2-in-1 Hose-Powered Sprayer and Foam Cannon. Please read these instructions carefully before use and retain them for future reference.

SAFETY INFORMATION

- Always wear appropriate personal protective equipment, such as eye protection, when operating the sprayer.
- Ensure all connections are secure before turning on water supply to prevent leaks.
- Do not point the sprayer at people, pets, or electrical outlets.
- Use only recommended cleaning solutions and follow their specific safety instructions.
- · Keep out of reach of children.
- Do not leave the sprayer unattended with the water supply on.

PACKAGE CONTENTS

Carefully remove all items from the packaging. Ensure all components are present and undamaged. If any items are missing or broken, do not operate the product.

- Hose-Powered Sprayer Handle
- Foam Cannon Attachment with Detergent Tank
- Quick-Connect Sprayer Nozzle (adjustable)



Figure 1: Aqua Joe AJ-SPXN 2-in-1 Hose-Powered Sprayer and Foam Cannon components.

SETUP

1. Connecting the Sprayer to a Garden Hose

- 1. Ensure your garden hose is turned off.
- 2. Attach the sprayer handle to the end of your standard garden hose. Twist clockwise until secure.



Figure 2: Connecting the sprayer to a garden hose.

2. Assembling the Foam Cannon

- 1. Unscrew the detergent tank from the foam cannon attachment.
- 2. Fill the detergent tank with your preferred cleaning solution. The tank holds up to 23 fl oz. A mixing ratio of 1:10 for foam is recommended.
- 3. Screw the detergent tank back onto the foam cannon attachment securely.
- 4. Attach the foam cannon assembly to the sprayer handle using the quick-connect mechanism.



Figure 3: Assembled sprayer with foam cannon.

OPERATING INSTRUCTIONS

1. Switching Between Spray and Foam Modes

- For Foam Mode: Ensure the foam cannon attachment is connected to the sprayer handle. The foam cannon nozzle sprays at a 25° angle.
- For Rinse Mode: Detach the foam cannon attachment. Connect the adjustable Quick-Connect sprayer nozzle directly to the sprayer handle.



Figure 4: Sprayer in rinse mode.



Figure 5: Sprayer in foam mode.

2. Adjusting Water Flow

The sprayer features a thumb control dial on the handle to adjust water flow. Rotate the dial to select between a light rinse and a heavy soak, depending on your cleaning needs.





Figure 6: Thumb control dial for water flow.

3. Adjusting Spray Pattern (Rinse Mode)

When using the Quick-Connect sprayer nozzle for rinsing, you can adjust the spray pattern from 0° (pinpoint jet) to 65° (gentle fan spray) by twisting the nozzle head.



Figure 7: Adjustable spray pattern in rinse mode.

4. General Operation

Once connected and set to your desired mode, squeeze the trigger on the handle to activate the water flow. Release the trigger to stop the flow.

Video 1: Demonstration of the Aqua Joe AJ-SPXN sprayer and foam cannon in various cleaning applications.

MAINTENANCE

1. Cleaning the Sprayer and Foam Cannon

- After each use, especially when using the foam cannon, rinse the detergent tank and all attachments thoroughly with clean water.
- Ensure no detergent residue remains in the tank or nozzles to prevent clogging.
- Periodically check the quick-connect fittings for debris and clean as needed.

2. Storage

- Drain all water from the sprayer and attachments before storing.
- Store the unit in a cool, dry place, away from direct sunlight and freezing temperatures.

TROUBLESHOOTING

Problem	Possible Cause	Solution
No water flow	Hose not connected; water supply off; clogged nozzle	Ensure hose is securely connected and water is on; check for and clear any blockages in the nozzle.
Weak spray/foam	Low water pressure; clogged nozzle/foam cannon; incorrect detergent mixing ratio	Check household water pressure; clean nozzles and foam cannon; adjust detergent concentration.
Leaks from connections	Loose connections; worn O-rings/washers	Tighten all connections; inspect and replace Orings or washers if damaged.
No foam produced	Detergent tank empty; incorrect detergent type; clogged foam nozzle	Refill detergent tank; use a foaming-specific detergent; clean foam cannon nozzle.

SPECIFICATIONS

Feature	Detail
Model Number	AJ-SPXN
Brand	Aqua Joe
Material	Foam (referring to exterior finish)
Product Dimensions (L x W x H)	17 x 5 x 14 inches
Item Weight	14.4 ounces

Feature	Detail
Detergent Tank Capacity	23 fl oz
Foam Cannon Spray Angle	25°
Quick-Connect Nozzle Adjustment	0° to 65°
Inlet Connection Type	Barb (standard garden hose)
Outlet Connection Type	Quick Connect
UPC	842470122772

WARRANTY AND SUPPORT

Warranty Information

The Aqua Joe AJ-SPXN 2-in-1 Hose-Powered Sprayer and Foam Cannon is backed by a complete two-year warranty. Please refer to the warranty card included in your product packaging for full terms and conditions.

Customer Support

For technical assistance, replacement parts, or any questions regarding your product, please contact Aqua Joe customer support. Contact information can typically be found on the manufacturer's website or on the product packaging.

Related Documents - AJ-SPXN



Aqua Joe AJ-SPXN Foam Cannon + Sprayer User Manual and Safety Guide

Comprehensive guide for the Aqua Joe AJ-SPXN hose-powered foam cannon and sprayer, covering setup, operation, safety precautions, and maintenance for effective car washing.



Aqua Joe AJ-SPXN-PRO Foam Cannon + Sprayer User Manual

Comprehensive guide for the Aqua Joe AJ-SPXN-PRO hose-powered foam cannon and sprayer, covering setup, operation, cleaning, maintenance, and warranty information.



Aqua Joe Garden Hose-Powered Spray Gun - Model AJ-MSG-TND User Manual

This manual provides instructions and safety information for the Aqua Joe Garden Hose-Powered Spray Gun, Model AJ-MSG-TND. Learn about its features, operation, cleaning, maintenance, and warranty.





1-866-SNOWJOE (1-866-766-6662)

8-83 hybrid (2-8)
Coptions (1-9)

Aqua Joe Stainless Steel Garden Hose AJSGH75-MAX - User Guide and Specifications

User guide and specifications for the Aqua Joe Stainless Steel Garden Hose, model AJSGH75-MAX. Includes assembly, storage, safety warnings, and warranty information from Snow Joe + Sun Joe.





1-665-500-30E (1-666-766-66E3)

int, is a Commission.

Aqua Joe AJSGH100-MAX Stainless Steel Garden Hose Manual and Specifications

Official guide for the Aqua Joe AJSGH100-MAX Stainless Steel Garden Hose. Includes technical data, assembly, storage, safety warnings, and warranty details from Snow Joe + Sun Joe.





1-666-SNOWLOE (1-666-766-656

DAY BEST RETRICTION

Aqua Joe FiberJacket Hose 100 ft: Kink-Free, Superlight Garden Hose Guide

Learn about the Aqua Joe FiberJacket Hose, a 100 ft, 1/2 inch kink-free and superlight garden hose. Includes technical specifications, assembly, storage, safety warnings, and warranty information from Snow Joe + Sun Joe.