

Teka EWH 50 C

Teka EWH 50 C Electric Water Heater: User Manual

Model: EWH 50 C | Capacity: 50 Liters | Installation: Vertical

1. INTRODUCTION

This manual provides comprehensive instructions for the safe and efficient installation, operation, and maintenance of your Teka EWH 50 C electric water heater. Please read all instructions carefully before installation and use, and retain this manual for future reference.

2. SAFETY WARNINGS

Failure to follow these safety instructions could result in electric shock, fire, property damage, or personal injury.

- **Electrical Safety:** Ensure the water heater is properly grounded. Disconnect power before performing any maintenance or installation. All electrical connections must comply with local codes and regulations.
- **Water Pressure:** The unit contains air pressure. Do not strike or puncture the container.
- **Placement:** Keep the water heater away from direct natural light and sources of extreme heat or cold.
- **Professional Installation:** Installation and initial setup should be performed by a qualified technician to ensure safety and proper function.
- **Children and Vulnerable Persons:** This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.

3. PRODUCT FEATURES

The Teka EWH 50 C electric water heater is designed for efficient hot water supply in residential settings. Key features include:

- **Capacity:** 50 liters, suitable for average hot water consumption for 2 to 3 people.
- **Installation:** Vertical mounting for space-saving integration.
- **Temperature Control:** Integrated thermometer and adjustable thermostat (30°C - 75°C).
- **Safety Mechanisms:** Equipped with a safety valve, overheating protection, and dry heating protection with an automatic shut-off system.

- **Corrosion Protection:** Features a magnesium anode to prevent corrosion of metallic components in contact with water.
- **Durability:** Stainless steel heating elements coated with three layers of sapphire enamel for extended lifespan.
- **Humidity Protection:** IPX4 rating ensures durability in humid environments.



Mayor protección, mayor seguridad

Dry Heating Protection

Control de humedad

Overheating Protection

Image 1: The Teka EWH 50 C water heater, illustrating its advanced protection features including dry heating protection, humidity control, and overheating protection.

TEKA



Acabados

Parrillas esmaltadas

Protección

Grado de protección humedad IPX4

Potencia

Potencia: 1.500 W

Image 2: The Teka EWH 50 C water heater, detailing its enameled finishes, IPX4 protection rating, and 1500 W power output.

4. SETUP AND INSTALLATION

Proper installation is crucial for the safe and efficient operation of your water heater. It is highly recommended that installation be carried out by a certified professional.

4.1. Unpacking

Carefully remove the water heater from its packaging. Inspect for any signs of damage. Ensure all components, including the safety valve, anchors, and anti-electrolysis sleeves (if not pre-installed), are present.

4.2. Mounting Location

The Teka EWH 50 C is designed for vertical installation. Choose a location that is:

- Structurally sound to support the weight of the unit when full (approx. 67 kg).
- Protected from freezing temperatures.
- Easily accessible for maintenance.
- Close to the main hot water demand points to minimize heat loss.

4.3. Dimensions and Mounting

Refer to the dimension diagram for precise measurements and mounting hole distances. The unit has a product height of 770 mm, width of 385 mm, and depth of 385 mm. The distance between the wall mounting screws is 200 mm.




Image 3: Technical drawing illustrating the dimensions (in millimeters) of the Teka EWH 50 C electric water heater for vertical installation.

4.4. Plumbing Connections

Connect the cold water inlet and hot water outlet pipes. Install the provided safety valve on the cold water inlet. Ensure all connections are watertight. Anti-electrolysis sleeves are recommended to prevent galvanic corrosion.

4.5. Electrical Connection

Connect the water heater to a dedicated electrical circuit as per local electrical codes. Ensure the power

supply matches the unit's requirements (1500 Watts, 1000 Volts as per specifications, though typical household voltage is 230V). A qualified electrician must perform this step.

5. OPERATING INSTRUCTIONS

5.1. Filling the Tank

Before switching on the power, ensure the water heater tank is completely filled with water. Open a hot water tap in your home to allow air to escape until water flows steadily.

5.2. Power On

Once the tank is full, switch on the electrical power to the water heater.

5.3. Temperature Adjustment

The water heater features an adjustable thermostat with a temperature range of 30°C to 75°C. Use the control knob, typically located at the bottom or front of the unit, to set your desired water temperature. The integrated thermometer will indicate the current water temperature.

5.4. Automatic Operation

The water heater will automatically heat the water to the set temperature and maintain it. The unit includes protection against overheating and dry heating, automatically shutting off if these conditions are detected.

6. MAINTENANCE

Regular maintenance ensures the longevity and efficiency of your Teka EWH 50 C water heater.

- **Magnesium Anode Inspection:** The magnesium anode protects the tank from corrosion. It should be inspected and replaced periodically (typically every 1-2 years, depending on water quality) by a qualified technician.
- **Drainage:** If the water heater will not be used for an extended period or if there is a risk of freezing, drain the tank completely.
- **External Cleaning:** Clean the exterior of the unit with a soft, damp cloth. Do not use abrasive cleaners or solvents.
- **Safety Valve Check:** Periodically check the safety valve to ensure it is not blocked and functions correctly.

7. TROUBLESHOOTING

If you encounter issues with your water heater, refer to the following common problems and solutions. For complex issues, contact a qualified technician.

- **No Hot Water:**
 - Check if the power supply is on.
 - Verify the thermostat setting. Ensure it is not set too low.
 - Check if the circuit breaker has tripped.
 - Ensure the tank is full of water.
- **Insufficient Hot Water:**
 - The thermostat setting might be too low.
 - High hot water demand exceeding the unit's recovery rate.

- Sediment buildup in the tank (requires professional cleaning).
- **Water Leaks:**
 - Check pipe connections for tightness.
 - The safety valve may be discharging due to excessive pressure (normal operation, but if continuous, check water pressure).
 - For leaks from the tank itself, immediately turn off power and water supply and contact a technician.
- **Unusual Noises:**
 - Hissing or popping sounds can indicate sediment buildup on the heating element. This requires professional descaling.

8. SPECIFICATIONS

Feature	Specification
Brand	Teka
Model Number	EWH 50 C
Capacity	50 Liters
Installation Method	Vertical
Power	1500 Watts
Voltage	1000 Volts (Please verify local electrical standards, typically 230V for household appliances)
Temperature Range	30°C - 75°C
Dimensions (L x W x H)	45 x 45 x 57.9 cm
Weight	16.85 Kilograms
Outer Casing Material	Plastic
Humidity Protection	IPX4





15 dB

1418 **0**
kWh/annum GJ/annum


2015

812/2013

Image 4: EU Energy Label for a similar Teka water heater (EWH 50 H), indicating an energy efficiency class of C and annual energy consumption.

TEKA**EASY EWH 50 C**

Termo eléctrico de 50 litros con instalación vertical

Dry
Heating
ProtectionControl de
humedadOverheating
Protection**REFERENCIA**

REF: 111720002

EAN: 8434778012965

CARACTERÍSTICAS

Capacidad: 50 litros
Tanque esmaltado en Zafire
Ánodo de magnesio
Termostato temperatura: 30° - 75°
Válvula de presión > 7,5 bar
Presión máxima: 0,75 Mpa
Termómetro
Válvula de seguridad
Protección sobrecalentamiento
Protección calentamiento en seco
Grado de protección humedad IPX4
Potencia: 1.500 W
Grosor aislamiento: 22,5 mm
Conexión G ½
Consumo medio: 2-3 personas

DIMENSIONES

Altura del producto (mm): 770
Anchura del producto (mm): 385
Profundidad del producto (mm): 385
Longitud del producto (mm):
Peso neto (kg): 17,8

COLORES

111720002 Blanco

Image 5: Comprehensive overview of the Teka EWH 50 C, including reference number, characteristics like capacity, thermostat range, safety features, power, insulation thickness, and detailed dimensions.

9. WARRANTY AND SUPPORT

9.1. Warranty Information

Teka offers a warranty of up to 5 years on the tank of this electric water heater, demonstrating confidence in its product quality and durability. Please refer to your purchase documentation for specific warranty terms and conditions.

9.2. Customer Support

For technical assistance, warranty claims, or spare parts, please contact your retailer or the official Teka customer service. Ensure you have your product model number (EWH 50 C) and purchase details available when contacting support.


© 2023 Teka. All rights reserved. Information in this manual is subject to change without notice.

Related Documents - EWH 50 C

 User Manual DBB / CMB1 / DCB / DB8 / DBH / MDB ES CA DE GB FR IT NL GR TR PL HU RO UA SK CZ RO BG AR	Manual de Usuario Teka DBB / CMB1 / DCB / DB8 / DBH / MDB Manual de usuario completo para campanas extractoras Teka (modelos DBB, CMB1, DCB, DB8, DBH, MDB). Incluye guías detalladas de instalación, uso, mantenimiento, limpieza, solución de problemas y especificaciones técnicas. Diseñado para un uso seguro y eficiente en cocinas domésticas.
 User Manual MWE FS20 G WH ES PT GR FR SK	Manual de Usuario Teka MWE FS20 G WH: Guía Completa y Seguridad Descubra cómo usar su horno microondas Teka MWE FS20 G WH con este manual de usuario detallado. Incluye instrucciones de seguridad, operación y mantenimiento.
 User Manual HMWE FS23 GC BK ES PT GR FR SK	Manual de Usuario Horno Microondas Teka HMWE FS23 GC BK Manual de usuario completo para el horno microondas Teka modelo HMWE FS23 GC BK. Incluye instrucciones de seguridad, funcionamiento, limpieza y solución de problemas en varios idiomas.
 User Manual ES FR SK PT TR RO GR PL IT DE CS NL	Teka Vitroceramic Touch Control Hot Plates User Manual Comprehensive user manual for Teka vitroceramic hot plates with touch control, covering installation, usage, maintenance, and safety guidelines.

	Manual de Usuario Teka MW FS20 G BK - Horno Microondas Descubra cómo operar de forma segura y eficiente su horno microondas Teka MW FS20 G BK. Este manual incluye instrucciones detalladas de uso, mantenimiento y seguridad.
	Teka MLC 844 / MLC 8440 Oven User Manual Comprehensive user manual for Teka MLC 844 and MLC 8440 ovens, covering operation, functions, safety, and technical specifications for optimal appliance use.

Documents - Teka – EWH 50 C



[\[pdf\]](#) User Manual

TEKA D30-15FB7- 0715 eng teka manu EWHC cache tradeinn images manuales

User Manual EWH 15 C / EWH 30 C /**EWH 50 C** EWH 80 C / EWH 100 C ES PT EN

www.teka.com Manual de Instrucciones Calentador de agua elctrico de tanque sellado EWH 15 C EWH 30 C **EWH 50 C** EWH 80 C EWH 100 C Lea atentamente este manual antes del uso y la instalacin Gracias por seleccionar nuestro cal...

lang:es score:30 filesize: 19.06 M page_count: 53 document date: 2020-06-12




[\[pdf\]](#) Specifications Dimension Guide

Teka en GB EWH 50 C teka lt wp json functions v1 71872 |||

EWH 50 C Water heater with vertical installation and 50L capacity Dry Heating Protection Humidity Control Overheating Protection DESCRIPTION LIFE STYLE COLOURS REFERENCE Water heater with vertical installation and 50L capacity Easy REF. 111720002 EAN. 8434778012965 **EWH 50 C** FEATURES Vertical...


lang:en score:27 filesize: 255.47 K page_count: 5 document date: 2022-12-24



[pdf] Datasheet

Teka es ES EWH 50 C teka wp json functions v1 datasheet 86135 |||

EASY EWH 50 C Termo elctrico de 50 litros con instalacin vertical REFERENCIA REF: 111720002 EAN: 8434778012965 Dry Heating Protection Control de Overheating humedad Protection CARACTERSTICAS Capacidad: 50 litros Tanque esmaltado en Zafire nodo de magnesio Termostato temperatura: 30 75 Vlvula ... lang:es score:25 filesize: 222.38 K page_count: 1 document date: 2022-12-24



[pdf]

Microsoft Corporation Documentación del producto Teka EWH 50 C Termo Eléctrico Capacidad L Instalación Vertical con Termómetro y Válvula de Seguridad Color Blanco Amazon es Bricolaje herramientas 61dndT030GL m media amazon images I |||

TERMO ELCTRICO EWH 50 C Dibujo tcnico Caractersticas Instalacin vertical Capacidad: 50 litros Tanque esmaltado en Zafire nodo de magnesio Termostato temperatura: 30 - 75 Vlvula de presin 7,5 bar Presin mxima: 0,75 Mpa Termmetro Vlvula de seguridad Proteccin sobrecalentamiento Proteccin... lang:es score:19 filesize: 109.21 K page_count: 1 document date: 2021-04-13



[pdf] Catalog

Water Heaters teka WATER HEATERS Comfort and reliability Warm showers always Teka electric water heaters are ready to cover your home needs from 15 100 litres vertical horizontal installation catalogue 2022 global sites 3 2019 07 |||

Water Heaters Your warm shower will embrace you SCAN AND DISCOVER WATER HEATERS Comfort and reliab ... Humidity protection Dry-heating protection Power rate: 1500 W Isolation thickness: 20 mm **EASY EWH 50 C** Vertical installation Capacity: 50 litres Average number of users: 2-3 Enamelled heatin... lang:en score:19 filesize: 790.91 K page_count: 9 document date: 2022-09-09



[pdf] User Manual Accessories Catalog

Home Appliances 2023 02 — Manual versions available Safety is one of our main goals and because Operating pilot light Anti return valve included Outlet reduction Teka Marka katalogu teka tr sites 16 01 ||| teka.com Home Appliances 2023 Home Appliances Global Catalogue 2023 We believe in the magic tha ... Humidity protection Dry-heating protection Power rate: 1500 W Isolation thickness: 20 mm **EASY EWH 50 C** Vertical installation Capacity: 50 litres Average number of users: 2-3 Enamelled heatin... lang:en score:18 filesize: 37.75 M page_count: 502 document date: 2023-01-27



[pdf] Catalog

09 CATALOGO TEKA 2023 Termos cemevisa files fabricantes |||

TERMOS TERMOS Control electrónico inteligente El termo incorpora un ajuste de temperatura continuo y ... to y calentamiento en seco Termostato temperatura: 30-75C Potencia: 1.500 W/Clasificación C EASY **EWH 50 C** Ref. 111720002 EAN: 8434778012965 PRECIO 235,00 Capacidad: 50 litros Consumo medio: 2-... lang:es score:18 filesize: 234.28 K page_count: 2 document date: 2023-06-01



[pdf]

8 Teka Termos Septiembre 2022 Cemevisa Distribución de electrodomésticos cemevisa files fabricantes

|||


TERMOS TERMOS Control electrónico inteligente El termo incorpora un ajuste de temperatura continuo y ... to y calentamiento en seco Termostato temperatura: 30-75C Potencia: 1.500 W/Clasificación C EASY **EWH 50 C** Ref. 111720002 EAN: 8434778012965 PRECIO 235,00 Capacidad: 50 litros Consumo medio: 2-... lang:es score:17 filesize: 427.11 K page_count: 2 document date: 2022-10-21



[pdf] Catalog

termos Teka Apr 30 2021 — Los son conocidos por sus materiales de alta calidad Con tanques resistencia que han mejorado incluso la protección para aumentar su CATALOGO GENERAL ABRIL BAJA 229 238 teka es sites 2 2018 07 |||

Imagina ms all de las posibilidades TERMOS TERMOS Control electrónico inteligente El termo incorpo ... Grosor aislamiento: 20 mm Conexin G Consumo medio: 2-4 personas Clasificación energética C EASY **EWH 50 C** Instalación vertical Capacidad: 50 litros Tanque esmaltado Zafire nodo de magnesio Term... lang:es score:17 filesize: 1.04 M page_count: 10 document date: 2021-05-07



[pdf]


Ficha técnica enTermo eléctrico para instalación vertical de 50 litros EWH30C TekaTeka es ES EWH
Celectrohogar net Teka C |||

EWH 50 C Termo el ctrico de 50 litros con instalaci n vertical Dry Heating Protection
Control de humedad Overheating Protection DESCRIPCI N GAMA COLORES
REFERENCIA Termo el ctrico de 50 litros con instalaci n vertical Easy REF.
111720002 EAN. 8434778012965 **EWH 50 C** CARACTER STICAS Capa...
lang:es score:14 filesize: 503.65 K page_count: 5 document date: 2021-05-14



[pdf] Catalog

CatÃ;logo Teka teka âº sites 2024 04 Catalogo Marzo ES es 2 |||
Catlogo Marzo 2024 Teka Electrodomsticos de Cocina 100 AOS DE MOMENTOS
INOLVIDABLES 02 ENTRA EN ... o y calentamiento en seco Termostato
temperatura: 30-75 C Potencia: 1.500 W/Clasificacin C EASY **EWH 50 C** Ref.
111720002 EAN: 8434778012965 PRECIO 235,00 Capacidad: 50 litros Consumo
medio: 2-...
lang:es score:14 filesize: 33.58 M page_count: 154 document date: 2024-04-16



[pdf]

TARIFA PRECIOS TEKA 2020 indb tarifa teka 2021 numero 47 funnatic es data eshop docs |||
TARIFA N 47 Novedades Julio 2020 Los precios no incluyen instalacin, puesta en
funcionamiento. Pre ... lentamiento y calentamiento en seco Termostato temperatura:
30-75C Potencia: 1.500 W NUEVO EASY **EWH 50 C** Ref. 111720002 EAN:
8434778012965 PRECIO 165,00 Capacidad: 50 litros Consumo medio: 2-...
lang:es score:14 filesize: 7.49 M page_count: 115 document date: 2020-08-07



[pdf] Catalog

Catálogo Teka ABR25 indb Catálogo Sistema de limpieza ss ECO Multifunción SurroundTemp Micro 11
ML 8210 BIS NEO MS 6200 BIH MB BI 380 382 392 CATALOGO TEKA MAYO2025 teka es sites 2 2022
03 |||
Teka Electrodomsticos de Cocina 100 AOS DE MOMENTOS INOLVIDABLES 02
INFINITY DESIGN G1 06 VAN ... to y calentamiento en seco Termostato
temperatura: 30-75 C Potencia: 1.500 W/Clasificacin C EASY **EWH 50 C** Ref.
111720002 EAN: 8434778012965 PRECIO 220,00 Capacidad: 50 litros Consumo
medio: 2-...
lang:es score:13 filesize: 53.78 M page_count: 164 document date: 2025-06-04



[\[pdf\]](#)

NOVEDADES Teka 15 nov 2022 — Group comprende diferentes marcas internacionales líderes en el mercado como Küppersbusch Intra o Thor El grupo con más de TARIFA52 NOVIEMBRE2022 TEKA SP teka es sites 2 03 |||

NOVEDADES Noviembre 2022 TARIFA N 52 Los precios no incluyen instalacin, puesta en funcionamiento. ... to y calentamiento en seco Termostato temperatura: 30-75C Potencia: 1.500 W/Clasificacin C EASY **EWH 50 C** Ref. 111720002 EAN: 8434778012965 PRECIO 235,00 Capacidad: 50 litros Consumo medio: 2-... lang:es **score:13** filesize: 46.55 M page_count: 152 document date: 2022-12-07



[\[pdf\]](#) Catalog

Diseñadas para tu tranquilidad CemevisaTOTAL LI6 1481 Ref 114000011 EAN 8434778031584 PRECIO 850 00 € Capacidad 8 kg lavado Selector de centrifugado 1 400 rpm Motor T Inverter07 Catalogo Teka 2024 Lavadoras y termoscevevisa files fabricantes 07 termos |||

LAVADORAS LAVADORAS Diseñadas para tu tranquilidad HIGIENIZA Y ESTERILIZA Elimina el 99,9 de bacter ... o y calentamiento en seco Termostato temperatura: 30-75 C Potencia: 1.500 W/Clasificacin C EASY **EWH 50 C** Ref. 111720002 EAN: 8434778012965 PRECIO 235,00 Capacidad: 50 litros Consumo medio: 2-... lang:es **score:13** filesize: 1.84 M page_count: 6 document date: 2024-04-18



[\[pdf\]](#)

TARIFA N 51 MAYO 2022 Teka 6 giu — Group pertenece al grupo de empresas alemán con una sección consumo especialista en electrodomésticos cocina y baño teka es sites 2 03 |||

TARIFA N 51 Los precios no incluyen instalacin, puesta en funcionamiento. Precios vlidos salvo erro ... to y calentamiento en seco Termostato temperatura: 30-75C Potencia: 1.500 W/Clasificacin C EASY **EWH 50 C** Ref. 111720002 EAN: 8434778012965 PRECIO 225,00 Capacidad: 50 litros Consumo medio: 2-... lang:es **score:13** filesize: 32.68 M page_count: 148 document date: 2022-06-06



[\[pdf\]](#)

TARIFA no50 ENERO 2022 teka es sites 2 01 |||

Teka Electrodomsticos de Cocina TEKA GROUP CREANDO MOMENTOS

INOLVIDABLES BIENVENIDO AL INFINITY DE ... to y calentamiento en seco

Termostato temperatura: 30-75C Potencia: 1.500 W/Clasificacin C EASY **EWB 50 C**

Ref. 111720002 EAN: 8434778012965 PRECIO 200,00 Capacidad: 50 litros

Consumo medio: 2-...

lang:es score:13 filesize: 27.9 M page_count: 130 document date: 2022-01-12



[\[pdf\]](#)

Septiembre 2022 Teka 09 — Group pertenece al grupo de empresas alemán con una sección consumo

especialista en electrodomésticos cocina y baño TARIFA No 52 SEPTIEMBRE 1 teka es sites 2 03 |||

CATLOGO Septiembre 2022 Teka Electrodomsticos de Cocina TEKA GROUP 02

CREANDO MOMENTOS INOLVIDA ... to y calentamiento en seco Termostato

temperatura: 30-75C Potencia: 1.500 W/Clasificacin C EASY **EWB 50 C** Ref.

111720002 EAN: 8434778012965 PRECIO 235,00 Capacidad: 50 litros Consumo

medio: 2-...

lang:es score:13 filesize: 34.21 M page_count: 146 document date: 2022-09-08



[\[pdf\]](#) Catalog

Abril 2023 Teka 04 21 — Group comprende diferentes marcas internacionales líderes en el mercado

como Küppersbusch Intra o Thor El grupo con más de 156 puslapiai CATALOGO ABRIL TARIFA No 53

teka es sites 2 2022 03 |||

CATLOGO Abril 2023 TARIFA N 53 Los precios no incluyen instalacin, puesta en

funcionamiento ni imp ... to y calentamiento en seco Termostato temperatura: 30-75C

Potencia: 1.500 W/Clasificacin C EASY **EWB 50 C** Ref. 111720002 EAN:

8434778012965 PRECIO 235,00 Capacidad: 50 litros Consumo medio: 2-...

lang:es score:12 filesize: 41.77 M page_count: 156 document date: 2023-04-11



[pdf] Catalog

9 CATALOGO TERMOS indd 08 Termos Catálogo Mayo 2022 Cemevisa Distribución de electrodomésticos cemevisa files fabricantes |||

TERMOS TERMOS Control electrónico inteligente El termo incorpora un ajuste de temperatura continuo y ... to y calentamiento en seco Termostato temperatura: 30-75C Potencia: 1.500 W/Clasificacin C EASY **EWH 50 C** Ref. 111720002 EAN: 8434778012965 PRECIO 225,00 Capacidad: 50 litros Consumo medio: 2-... lang:es score:12 filesize: 671.87 K page_count: 2 document date: 2022-05-09

[pdf]

NOVEDADES 2020 15 Correspondencia de modelos teka es sites 2 12 |||

HORNOS Piroltico cristal STEAKMASTER 111000037 Piroltico STEAKMASTER 111000035 HCB 6535 P SS 1110200 ... 060002 Sustituye a Desaparece Desaparece TRMOS ELCTRICOS EWH 100 C 111720004 EWH 80 C 111720003 **EWH 50 C** 111720002 EWH 30 C 111720001 EWH 15 C 111720000 FREGADEROS Desaparece Sustituye a Sustituy... lang:es score:12 filesize: 255.91 K page_count: 2 document date: 2020-10-21



[pdf]

leaflet AT SECADORA BOMBA CALOR TEKA SHK 70840 114060008 8KG A BCA comercialprieto WebRoot Store Shops ComercialPrieto 6700 0A07 8661 C993 4E68 0A6E 2802 C203 DOCS ||| Catlogo Septiembre 2024 TARIFA N 54 Los precios no incluyen instalacin, puesta en funcionamiento n ... to y calentamiento en seco Termostato temperatura: 30-75 C Potencia: 1.500 W/Clasificacin C EASY **EWH 50 C** Ref. 111720002 EAN: 8434778012965 PRECIO 235,00 Capacidad: 50 litros Consumo medio: 2-... lang:es score:12 filesize: 51.13 M page_count: 155 document date: 2024-10-22



[pdf]

10 Teka Accesorios y Planos Septiembre 2022 Cemevisa Distribución de electrodomésticos cemevisa files fabricantes |||

HORNOS COMPLEMENTOS Y ACCESORIOS KIT STEAMBOX Ref. 41599012

EAN: 84211522150184 PRECIO 170,00 ... 30 VE-D SMART EWH 15 VE-D EWH 100 C EWH 80 C 385 340 200 200 570 470 770 605 900 860 396 **EWH 50 C** 134 100 351 EWH 30 C 100 300 470 250 380 EWH 80 D SLIM EWH 50 D SLIM FREGADEROS... lang:es score:12 filesize: 6.82 M page_count: 27 document date: 2022-10-21



[pdf]

Teka Cocina y Electrodomésticos Hornos Microondas Cafeteras Placas Campanas Lavavajillas Frigoríficos Lavadoras Termos Fregaderos Grifos Catálogo Tarifa General Mayo 2022 Catálogos tarifas Teclisa mediafire file 7tjpei5p33rvr61 |||

TARIFA N 51 Los precios no incluyen instalacin, puesta en funcionamiento. Precios vlidos salvo erro ... to y calentamiento en seco Termostato temperatura: 30-75C Potencia: 1.500 W/Clasificacin C EASY **EWH 50 C** Ref. 111720002 EAN: 8434778012965 PRECIO 225,00 Capacidad: 50 litros Consumo medio: 2-... lang:es score:12 filesize: 31.21 M page_count: 148 document date: 2022-05-09



[pdf]

Teka Cocina y Electrodomésticos Hornos Microondas Cafeteras Placas Campanas Lavavajillas Frigoríficos Lavadoras Termos Fregaderos Grifos Tarifa General Septiembre 2022 Catálogos tarifas Nº 52 mediafire file c048bo6kygqd4xl ||| T A R I F A N 52 INFINITY DESIGN G1 HORNO PIROLTICO DUALCLEAN HLB 85-G1 P BM REF. 111000056 EA ... 421152131954 EWH 100 C REF. 111720004 EAN 8434778012989 EWH 80 C REF. 111720003 EAN 8434778012972 **EWH 50 C** REF. 111720002 EAN 8434778012965 EWH 30 C REF. 111720001 EAN 8434778012958 EWH 15 C REF. ... lang:es score:11 filesize: 10.85 M page_count: 40 document date: 2022-07-27



[Catálogo de Fregaderos y Grifos Teka | Diseño, Calidad y Durabilidad](#)

Descubra la innovadora colección de fregaderos y grifos de cocina de Teka, diseñados para combinar estética, funcionalidad y durabilidad. Explore modelos con características avanzadas como la garantía de por vida, tecnología SilentSmart para un funcionamiento silencioso, y acabados de alta resistencia como Fortinox y Metallic Edition.

lang:es score:11 filesize: 18.92 M page_count: 59 document date: 2023-06-01



[\[pdf\] Catalog](#)

CONTRACT Cemevisa PRECIO 125 00 € Bandeja de fundición antiadherente máxima resistencia a las rayaduras con recubrimiento Quantanium® 09 Catalogo Teka 2024 Accesorios y esquemas cemevisa files fabricantes |||

CONTRACT CONTRACT 122 CONTRACT HORNOS PLACAS EASY HBB 435 Ref. 41560011 EAN: 8421152157626 PRE ... EWH 15 VE-D 461 EWH 100 C 450 200 100 461 EWH 80 C 450 200 100 143 DIBUJOS DE ENCASTRE 396 **EWH 50 C** 770 605 395 1090 385 200 100 351 EWH 30 C 340 200 100 351 EWH 15 C 340 570 200 ...

lang:es score:10 filesize: 16.51 M page_count: 32 document date: 2024-04-18



[\[pdf\]](#)

RESUMEN TARIFA 53 190x280 V4 indd DE PRECIOS Nº Enero 2023 15 gen — Infinity G1 Design Motor ecopower aspiración dual A 726m3 47dB 3 1 velocidades perimetral Fresh air apertura frontal teka tarifa nº enero globaluserfiles media 4078 d11114d625caa8b760bfd66dd48e3c60f3320473 o |||

TARIFA N 53 TARIFA DE PRECIOS N 53 Enero 2023 TARIFA N 53 INFINITY DESIGN G1 HORNO PIROLTICO DUA ... 8421152131954 EWH 100 C REF. 111720004 EAN 8434778012989 EWH 80 C REF. 111720003 EAN 8434778012972 **EWH 50 C** REF. 111720002 EAN 8434778012965 EWH 30 C REF. 111720001 EAN 8434778012958 EWH 15 C REF. 11...

lang:es score:10 filesize: 4.31 M page_count: 64 document date: 2023-02-02



[\[pdf\]](#)

TARIFA Nº 49 Octubre 2021 Funnatic es Hornos Pirolíticos DualClean CRISTAL STEAKMASTER
111000037 8434778012583 1 350 00 € CristalColor STEAKGRILL parrilla fundición CARNES BRASA
TFT 4 39 Piro Hydroclean Pro 12f 2 guías full plus 20 recetas mandos TEKA OCTUBRE t 1631087322
funnnatic data eshop docs |||

TARIFA N 49 Octubre 2021 Hornos Pirolíticos DualClean CRISTAL STEAKMASTER
STEAKMASTER CRISTAL MAES ... BLANCO EWH 80 D SLIM BLANCO EWH 50 D
SLIM BLANCO EWH 80 H BLANCO EWH 50 H BLANCO EWH 100 C EWH 80 C
EWH 50 C EWH 30 C 42080340 8421152149256 265,00 Tarjeta Smat Control
Display digital, B, 100 lt,...

lang:es score:9 filesize: 657.92 K page_count: 27 document date: 2021-09-08