

Airpulse A80

Airpulse A80 Hi-Res Audio Certified Active Speaker System User Manual

Model: A80

1. INTRODUCTION

The Airpulse A80 is a Hi-Res Audio Certified active speaker system designed to deliver exceptional sound quality. Featuring a built-in amplifier and multiple input options, including Optical, Sub Out, Bluetooth 5.0 aptX, AUX, PC, and USB, these speakers offer versatile connectivity for various audio sources. The system incorporates a unique horn-loaded aluminum ribbon tweeter and a proprietary-designed 4.5-inch aluminum cone mid-woofer driver, ensuring a full and three-dimensional sound experience with precise detail.



Figure 1.1: Airpulse A80 Active Speaker System with included remote control.

2. SAFETY INFORMATION

Please read these instructions carefully before operating the unit. Retain this manual for future reference. Adhere to all warnings and follow all instructions.

- Do not use this apparatus near water.
- Clean only with a dry cloth.
- Do not block any ventilation openings. Install in accordance with the manufacturer's instructions.
- Do not install near any heat sources such as radiators, heat registers, stoves, or other apparatus (including amplifiers) that produce heat.
- Do not defeat the safety purpose of the polarized or grounding-type plug. A polarized plug has two blades with one wider than the other. A grounding type plug has two blades and a third grounding prong. The wide blade or the third prong are provided for your safety. If the provided plug does not fit into your outlet, consult an electrician for replacement of the obsolete outlet.
- Protect the power cord from being walked on or pinched, particularly at plugs, convenience receptacles, and the point where they exit from the apparatus.
- Only use attachments/accessories specified by the manufacturer.
- Unplug this apparatus during lightning storms or when unused for long periods of time.
- Refer all servicing to qualified service personnel. Servicing is required when the apparatus has been damaged in any way,

such as power-supply cord or plug is damaged, liquid has been spilled or objects have fallen into the apparatus, the apparatus has been exposed to rain or moisture, does not operate normally, or has been dropped.

3. PACKAGE CONTENTS

Upon opening the package, please ensure all items listed below are present and in good condition:

- Airpulse A80 Active Speaker System (Pair)
- Remote Control
- Power Cable
- Speaker Connection Cable (Transparent internal wiring cable)
- USB Cable
- RCA to RCA Audio Cable
- 3.5mm to RCA Audio Cable
- Optical Audio Cable
- User Manual (this document)

4. SETUP

4.1 Speaker Placement

For optimal sound performance, place the speakers on a stable, flat surface. Consider using isolation pads or stands to minimize vibrations and improve audio clarity. Position the speakers to form an equilateral triangle with your listening position, with the tweeters at ear level.



Figure 4.1: Recommended speaker placement on stands for optimal audio.

4.2 Connecting the Speakers

Connect the active (right) speaker to the passive (left) speaker using the provided speaker connection cable. Ensure the connectors are firmly seated.



Figure 4.2: Rear panel connections of the Airpulse A80 active speaker.



Figure 4.3: Detailed view of the volume/input, bass, treble controls, and various input ports.

4.3 Audio Input Connections

The Airpulse A80 offers multiple input options:

- **AUX Input:** Connect devices using the RCA to RCA or 3.5mm to RCA audio cable.
- **PC Input:** Connect your computer using the RCA to RCA audio cable.
- **USB Input:** For high-resolution audio playback from a computer, connect via the USB-B port using the provided USB cable.
- **Optical Input:** Connect digital audio sources like TVs or game consoles using the optical cable.
- **Bluetooth 5.0 with aptX:** Pair your Bluetooth-enabled device wirelessly.
- **Sub Out:** Connect an external subwoofer for enhanced bass response.

4.4 Power Connection

Once all audio connections are made, connect the power cable to the active speaker and then to a wall outlet. Turn on the power switch located on the rear panel.

4.5 Setup Video Guide

Your browser does not support the video tag.

Video 4.1: Official product video demonstrating the features and setup of the Airpulse A80 speaker system.

5. OPERATING INSTRUCTIONS

5.1 Power On/Off

Use the power switch on the rear panel of the active speaker to turn the system on or off.

5.2 Volume and Input Selection

The large knob on the rear panel of the active speaker controls the volume. Pressing this knob cycles through the available input

modes (AUX, PC, USB, Optical, Bluetooth). The selected input will be indicated by the LED display on the front of the active speaker.

5.3 Tone Controls

Adjust the Bass and Treble levels using the dedicated knobs on the rear panel. These controls allow for fine-tuning the sound to your preference, with a range of +/- 3dB.

5.4 Remote Control Functions

The included remote control provides convenient access to various functions:

- **Power:** Turn the speakers on/off.
- **Volume Up/Down:** Adjust the master volume.
- **Mute:** Mute or unmute the audio.
- **Input Selection:** Dedicated buttons for AUX, PC, USB, Optical, and Bluetooth inputs.
- **Playback Controls (Bluetooth/USB):** Play/Pause, Next Track, Previous Track.

6. MAINTENANCE

Proper maintenance ensures the longevity and performance of your Airpulse A80 speakers.

- **Cleaning:** Use a soft, dry cloth to wipe the speaker cabinets. Avoid using abrasive cleaners, waxes, or solvents as they may damage the finish.
- **Dust:** Regularly dust the speaker grilles and drivers with a soft brush or vacuum cleaner with a brush attachment.
- **Environment:** Keep the speakers away from direct sunlight, excessive heat, humidity, and strong magnetic fields. Ensure adequate ventilation around the speakers.
- **Handling:** Avoid touching the speaker cones or tweeters directly, as this can cause damage.

7. TROUBLESHOOTING

If you encounter issues with your Airpulse A80 speakers, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
No sound	Power not connected or switched off. Incorrect input selected. Volume too low or muted. Cables not properly connected.	Ensure power cable is connected and switch is ON. Press the volume/input knob or use remote to select correct input. Increase volume or unmute. Check all audio and speaker connection cables.
Distorted sound	Volume too high. Source audio quality is poor. Cables are loose or damaged.	Reduce volume. Try a different audio source or file. Check and re-secure all cables.
Bluetooth connection issues	Speakers not in pairing mode. Device too far from speakers. Interference from other devices.	Select Bluetooth input and ensure LED is blinking. Move device closer to speakers (within 10 meters). Turn off other Bluetooth devices nearby.
Remote control not working	Batteries are dead or incorrectly inserted. Obstruction between remote and speaker.	Replace batteries and check polarity. Ensure clear line of sight to the speaker's IR receiver.

8. SPECIFICATIONS

Detailed technical specifications for the Airpulse A80 Active Speaker System:

Feature	Detail
Model Name	A80
Speaker Type	Bookshelf, Active Speaker System
Mounting Type	Plug Mount
Audio Driver Type	Horn-loaded aluminum ribbon tweeter, 4.5-inch aluminum cone mid-woofer
Speaker Maximum Output Power	100 Watts (Total)
Frequency Response	52Hz - 40KHz
Input Sample Rate	Up to 192 kHz
Connectivity Technology	Auxiliary, PC, USB, Optical, Bluetooth 5.0 with aptX
Bluetooth Range	10 Meters
Audio Output Mode	Digital Audio, Sub Out
Impedance	8 Ohm
Color	Brown
Product Dimensions	5.5 x 10 x 8.7 inches (per speaker)
Item Weight	25.9 pounds (total for pair)
Included Components	Transparent internal wiring cable, High-strength MDF cabinet
Manufacturer	Airpulse

9. WARRANTY AND SUPPORT

9.1 Product Warranty


The Airpulse A80 Active Speaker System comes with a **2-year hassle-free parts and labor warranty** in the USA and Canada, ensuring high quality and reliability.
Extended protection plans may also be available for purchase:

- 2-Year Protection Plan
- 3-Year Protection Plan
- Complete Protect (monthly plan)

9.2 Customer Support

For further assistance, technical support, or warranty claims, please contact the manufacturer or visit the official Airpulse store:
[Visit the Airpulse Store on Amazon](#)





EDIFFER

Alrpulse A80

haut-parleurs actifs Hi-Rear avec Bluetooth® et connexions multiples

Alrpulse utilise son tweeter à large bande d'ultrason chargé de corriger et de stabiliser le médium basse à côté d'un médium basse à bande étroite de 4,5 kHz.

La sensibilité élevée, une gamme de fréquences étendue et une résonance bien contrôlée, un boîtier de 18 mm d'épaisseur pour une belle finition en acier et doublé de laine minérale absorbent pour minimiser la coloration du son et offrir une pureté et clarté.

Les enceintes A80 sont câblées avec des câbles Bluetooth®/AUX afin de garantir une transmission signal minimale et disposent d'un amplificateur de classe D très efficace avec une efficacité énergétique du signal (RMS), alimenté par une alimentation tout-terrain efficace et fiable.

Le Bluetooth® 5.0 vous permet de diffuser votre musique préférée sans fil via un smartphone, une tablette ou un ordinateur.

Avec la télécommande incluse, vous pouvez contrôler à distance le volume, sélectionner des pistes et diffuser ou éteindre les haut-parleurs.



[\[pdf\]](#) User Manual Installation Guide Instructions

A80 Manual EN FR User ManualAirpulse 100W Active Bookshelf Speakers with Bluetooth K B

Audioairpulse a80 user manualcdn shopify s files 1 0055 9906 8206 airpulse manual v 1653492758 |||
AUX PC OPT USB Dongguan Platinum Audio Systems Co., LTD No. 2 East Industry
Road, Songshan Lake ... r connecting cable included to connect 2. Connect to
subwoofer cable not included Connecting the **A80** to subwoofer will improve low
frequency effect from the system Using RCA audio cable D E S IG N...
lang:en score:39 filesize: 6.45 M page_count: 20 document date: 2020-05-12

[\[pdf\]](#) User Manual Installation Guide Instructions

A80 Manual EN FR 2 giorni fa — Please read the following contents carefully before turning on your equipment and follow instructions below Keep this information around for future ENFR edifier my stagingsite 2024 06 AUXUSB Insert RCA audio cable into PC input port rear panel of active speaker pay atention to L R matching then connect source devices with 3 5mm output jack or music player mobile phone Mac User Manuals Edifier Malaysia |||

AUX PC OPT USB Dongguan Platinum Audio Systems Co., LTD No. 2 East Industry Road, Songshan Lake ... r connecting cable included to connect 2. Connect to subwoofer cable not included Connecting the **A80** to subwoofer will improve low frequency effect from the system Using RCA audio cable D E S IG N...

lang:en score:34 filesize: 6.44 M page_count: 20 document date: 2020-06-16

[\[pdf\]](#)

Microsoft Word Airpulse A80 FR.docx Brack prodimex ch â° edifier airpulse a80 bleu blau 136313 fr |||

Airpulse **A80** Haut-parleurs actifs Hi-Res avec Bluetooth et connexions multiples


Edifier utilise son tweeter ruban d aluminium chargé de cornes et son haut-parleur médium/basse en aluminium de 4,5 pouces pour offrir un son riche et puissant avec une sensibilité élevée, une gamme de fréquences tendue ...

lang:fr score:34 filesize: 449.11 K page_count: 1 document date: 2021-10-29

[\[pdf\]](#) User Manual Installation Guide Instructions

A80 Manual EN FR AUXUSB edifier online Ventmere Ltd ManualEN Edifier User manual Mode d 39
emploi 1 2 Please read the following contents carefully before turning on your equipment and follow
instructions below Keep this information around for future reference it in safe place Heed all warnings
Speaker connecting cable Fiber optic input audio RCA Power USB Volume control selection 16 refer to
trouble shooting section owner s common operation errors determine possible malfunction 17 do not
speakers places where they can be easily hit by falling objects or dropping splashing liquid Do any lit fire
such as candle top of speaker may Important safety instruction Pinlestarsuetrieoands tbheelofwol lowing
C T AUX Active System Dongguan Platinum Audio Systems Co LTD No East Industry Road Songshan
Lake National High tech Industrial Development Zone 523808 China 30 июн 2020 г — giu ByX1cujnL
HysG4qkNP 2021043017035516197734351519 cn zh 09 cdn ventmere airpulse 06 usa oss Uploads
images 2021 04 static ru user

AUX PC OPT USB Dongguan Platinum Audio Systems Co., LTD No. 2 East Industry
Road, Songshan Lake ... r connecting cable included to connect 2. Connect to
subwoofer cable not included Connecting the **A80** to subwoofer will improve low
frequency effect from the system Using RCA audio cable D E S IG N...
lang:en score:32 filesize: 6.45 M page_count: 20 document date: 2020-05-12



[\[pdf\]](#)

Edifier Airpulse A80 PL docId 9902CAA7C7BBC180DE2AA42C84E806FA 2874023 0 prilohy patro cz
000 002 874 |||


AUX PC OPT USB Reproduktry Edifier 2.0 A 80 NVOD K POUZIT Dlezit
bezpecnostn pokyny Ped zapnutm p ... kter je soust balen 2.Pipojte reproduktry k
subwooferu kabel nen soust dodvky Pipojen modelu **A80** k subwooferu zleps cinek
nzkch frekvenc systmu. Pouzijte audio kabel RCA D E S IG N O V N P O...
lang:hr score:29 filesize: 2.45 M page_count: 29 document date: 2024-04-09



[\[pdf\]](#)

AIRPULSE A80 Active Speaker System Edifier Ventmere Product overview The continues to use s
unique horn loaded aluminum ribbon tweeter and a propriety designed 4.5inch cone mid woofer driver
39 Introduction FINAL HyC2qtX2U static edifier airpulse 2020 06 cdn ventmere
AIRPULSE **A80** Active Speaker System Product overview The **A80** continues to use
AIRPULSE s unique horn-loaded aluminum ribbon tweeter and a propriety-
designed 4.5inch aluminum cone mid-woofer driver. They are housed in an 18-mm
thick high-strength MDF cabinet with beautiful walnut finish. The well...
lang:en score:29 filesize: 1.55 M page_count: 8 document date: 2020-05-19





[pdf]

Edifier Airpulse A80 PL Instrukcja obsługi pol hangszórók barna 49942 31898

6155890b0d4f1be50f03779a9e9476ff puputeve hu media wysiwyg attachments |||

AUX PC OPT USB Głoniki 2.0 Edifier A 80 INSTRUKCJA OBSŁUGI Wane wskazzwiki dotyczce bezpieczestw ... gloniki dolczonego do opakowania 2.Polcz gloniki do subwoofera brak kabla w zestawie Podlczenie **A80** do subwoofera poprawi efekt niskich czstotliwoci z systemu Uyj kabla audio RCA DE S IGNE D BY P...

lang:pl score:28 filesize: 2.55 M page_count: 28 document date: 2024-04-09



[pdf] Quick Start Guide Dimension Guide Guide

A80 ACTIVE SPEAKER New Audio The is AIRPULSE introduction to plug play Hifi Designed appeal a younger audience through its ease of use multiple connection and functionality Sell Sheet BROWN newaudio it a80 |||

ACTIVE SPEAKER The **A80** is AIRPULSE introduction to plug play Hifi. Designed to appeal to a younger audience through its ease of use, multiple connection and functionality. This beautiful walnut finish speaker boasts high end hifi components at affordable pricing The **A80** active speaker is the ide...

lang:en score:28 filesize: 543.47 K page_count: 1 document date: 2020-04-29




[pdf]

Edifier Airpulse A80 PL Használati utasítás hun hangszórók barna 57942 31898

45b35dce7d43eda646cd950c9da5c6db puputeve hu media wysiwyg attachments |||

AUX PC OPT USB Edifier 2.0 hangszrk A 80 HASZNLATI TMUTAT Fontos biztonsgi tmutatk Krjk, hogy ... hangszrk sszeksre szolgl kbelt 2. Csatlakoztassa a hangszrkat a mlynyomhoz kbel nem tartozk Az **A80** mlynyomhoz val csatlakoztatsa javtja a mly frekvencik hatst a rendszerbl Hasznljon RCA audio kbe...

lang:no score:28 filesize: 2.08 M page_count: 32 document date: 2024-07-30




[pdf]

Használati Utasítás hun Edifier Airpulse A80 hangszórók 2 0 kék 56619 32908

7c18bc9fb9c46a217fdb36d04b9b0ba0 puputeve hu media wysiwyg attachments |||

Edifier 2.0 hangszórók A 80 HASZNÁLATI ÚTMUTATÓ Fontos biztonsági utasítások A készülék bekapcsolása előtt olvassa el a mellékelt használati útmutatót. 2. Csatlakoztassa a hangszórókat a mellékelt kábel nem tartozik az **A80**-as melléklethez, hanem csatlakoztatásához szükséges. RCA audiókabel használata ...
lang:hu score:28 filesize: 2.06 M page_count: 31 document date: 2024-07-11



[pdf]

Használati Utasítás hun Edifier Airpulse A80 hangszórók 2 0 barna 56616 21392

ef4a1e2f7479d4cc84e8c5e71338e076 puputeve hu media wysiwyg attachments |||

Edifier 2.0 hangszórók A 80 HASZNÁLATI ÚTMUTATÓ Fontos biztonsági utasítások A készülék bekapcsolása előtt olvassa el a mellékelt használati útmutatót. 2. Csatlakoztassa a hangszórókat a mellékelt kábel nem tartozik az **A80**-as melléklethez, hanem csatlakoztatásához szükséges. RCA audiókabel használata ...
lang:hu score:28 filesize: 2.07 M page_count: 31 document date: 2024-07-11



[pdf]

A80 21


2

A80 Hy pxEWBY cdn ventmere airpulse 2021

10 |||

: 2 400-810-5526 : 523808 AIRPULSE **A80** 1. 2. 3. 4. 5. 6. 7. 8. 9. * * 10. 11. 20cm 12. 13. 14. 15. 16. 22 cm 17. 18. 19. 20. CLASS II 1 AUX PC USB 1. 2. 3. Bluetooth / 3 4 5 6 7 7 7 8 8 ...

lang:zh score:27 filesize: 5.17 M page_count: 10 document date: 2021-08-07



[pdf]

Edifier Airpulse A80 PL Pobierz Kolumny głośnikowe EDIFIER Niebieski 2 szt cena opinie dane

techniczne sklep internetowy Electro pl 15322938 1 electro products files 59 5988364 |||

AUX PC OPT USB Głośniki 2.0 Edifier A 80 INSTRUKCJA OBSŁUGI Wskazówki dotyczące bezpieczeństwa: 1. Głośniki dołączone do opakowania. 2. Podłącz głośniki do subwoofera. Brak kabla w zestawie. Podłączenie **A80** do subwoofera poprawi efekt niskich częstotliwości z systemu. Użyj kabla audio RCA DE S IGNE D BY P...

lang:pl score:27 filesize: 2.77 M page_count: 28 document date: 2023-04-28

EU DECLARATION OF CONFORMITY

WITH BELOW LISTED COMMUNITY LEGISLATION AND HARMONIZED STANDARDS TO SATISFY THE SAFETY, QUALITY AND REGULATORY REQUIREMENTS OF THE BELOW SPECIFIED PRODUCT

Name of the manufacturer	Edifier International Limited
Address	P.O. Box 6284 General Post Office Hong Kong

We, Edifier International Limited, declare under our sole responsibility that following products:

Trademark	Product Name	Model Name
AIRPULSE	Active Speaker System	A100, A100S, A80

has been tested and complies with the European Standard herein specified:

Radio Equipment Directive	2014/53/EU
Article 3.1a Health	EN 62479:2010
Article 3.1a Safety	EN 62368-2:2014+A11 EN 60529:2014+A11 EN 60335-1:2014 EN 61000-3-2:2014 EN 61000-3-3:2013 EN 300340-1 V2.2.2:2015 EN 301489-17 V2.2.4:2020
Article 3.1a EMC	
Article 3.2 Radio Spectrum	EN 300328 V2.2.2:2019

Signature: 

Printed name: Li Lanyang

Position: Certification Center manager

Date and date of issue: DongGuan 2022.5.5

[pdf] Decleration of Conformity

EC Declaration of Conformity Jerry A100 EU DECLARATION OF CONFORMITY Edifier

2022101213042516655510659210 usa oss edifier Uploads images 2022 10 12 |||

EU DECLARATION OF CONFORMITY WITH BELOW LISTED COMMUNITY LEGISLATION AND HARMONIZED STANDARDS TO SAT ... lowing products

Trademark Product Name Model Name AIRPULSE Active Speaker System A100, A100S, **A80** has been tested and complies with the European Standard herein specified: Radio Equipment Direc...

lang:en score:15 filesize: 85.02 K page_count: 1 document date: 2022-05-05

Specification

Model Name: A80

Product Name: AIRPULSE Active Speaker System

Trademark: AIRPULSE

Manufacturer: Edifier International Limited

Address: P.O. Box 6284 General Post Office Hong Kong

Phone: +86 755 2600 8888

Fax: +86 755 2600 8888

Email: info@edifier.com

Website: www.edifier.com

Notes: For the need of declaration of conformity, the user should read the user manual carefully. The user should read the user manual carefully. The user should read the user manual carefully.

[pdf] User Manual Specifications

A80 Manual EN FR DM PRAPON SoundDD shop%7 5 * 012 12 3 4 56 7 8 49785 \$ 2 @ A @@ B CD 4D

E F I0 GH IJ6KIJ6L F6 *J6K*J6 M 5ND5 6 O9 P5 Q R5*JS R 37P AIRPULSE SPECsoundddd shop

Specification AIRPULSE SPEC srsltid AfmBOoqFHp7YM ErI0tctWkzuaTOB159DVyB l4XYejjweizowfs vs0 |||

9D5tZ 4D 5 I A .. - j= = 107 .#00- . j=0 x2= - 00- =Y01 . .b =1 42wE_LvAw ; 1- -= x1- 1- Y 01 2 xJ J- ..JJj#7- . . # -.j7- - j- - L=/0_A w7/ J .-= 70 z -z -A0x 2y101 j-=012 . . -b - 4wY0E01j_v A0 . 1j-L= . .K=E5 017 . - j =2 Q = 6w

lang:i-klinton score:15 filesize: 204.95 K page_count: 1 document date: 2021-02-06



[pdf]

Hi Fi Choice A K SR25 MKII review June 2022 armourhome co uk s3 amazonaws Astell Kern Ranges norma Products SR25MKII Press |||

Pocket rocket: Astell Kern s Sheer luxury: Mark A Norma SR25 MKII Levinson s No 5909 portable dig75 Activate your desktop with We wave a fond farewell to Cyrus Audio s i9-XR amplifier AirPulse s **A80** speakers top pop-proggers Genesis heralds next-gen separates june 2022 PRINTED IN THE UK Revi...

lang:en score:14 filesize: 2.58 M page_count: 2 document date: 2022-05-10



[pdf]

PANASONIC JZ2000 VGP Bose QuietComfort® Earbuds

CLUB PRO TWS JVC HA XC90T LYPERTEK PUREPLAY Z7 JABRA Elite Active 75t

magazine vgp2021summer vgp phileweb vgp2021 summer

4KEL PANASONIC JZ2000 OPEN65V55V SPEC BS 4K110CS 4K2 3BS110CS3 EL 3,840,160 125W HDMI4 1448W 916 ... Wireless II 1525 AIRPULSE A300 PRO 1015

KEF LSX 10 AIRPULSE A100 BT 5.0 AIRPULSE **A80** 3050 DENON PMA-A110

MARANTZ PM-12 OSE LUXMAN L-507uX LUXMAN L-550AX DENON PMA...

lang:sw score:13 filesize: 12.2 M page_count: 48 document date: 2021-07-12



VGP 2022

VGP 2022

EAH-AZ60

lang:sw score:13 filesize: 7.54 M page_count: 56 document date: 2021-12-01



[pdf]

vgp2020summer vgp phileweb vgp2020 summer

VGP

25 sept 2020 —

VGP

TECHNICS 24 2021

50ms

MPOW Duolink ||| VGP 2020 0 TAKE FREE VGP TECHNICS Bluetooth/ 33.5 EAH-AZ70W OPEN

SPEC BluetoothVer.5.0 SBAAAC 10mm 6.519.5 NC/AAC S/M/L/XL VGP PEEK 1 0 m m E A H TZ700

VGP2020 SUMMER S/N32bitDAC

VGP 2020 0 TAKE FREE VGP TECHNICS Bluetooth/ 33.5 EAH-AZ70W OPEN SPEC

... YAMAHA A-S320022001200 Hi-Fi CAROT ONE ERNESTOLO 50k LIMITED

AMBIVALENCE and alone AIRPULSE **A80** ROGERS WE416 Limited WE416

FOSTEX T500A Mk VIENNA ACOUSTICS New Beethoven series 250 E...

lang:sw score:13 filesize: 25.95 M page_count: 40 document date: 2020-07-15



VGP 2021 Awarded Products Shopping Guide - Winter 2020 Edition

Discover the best audio-visual products of 2021, as selected by industry professionals and retailers. This guide features award-winning TVs, sound systems, headphones, and more, highlighting top-tier technology and performance.

lang:sw **score:13** filesize: 14.31 M page_count: 47 document date: 2020-12-16

Hi-Fi Audio 2025年2月									
順位	製品名	メーカー	価格	特徴	順位	製品名	メーカー	価格	特徴
1	Hi-Fi CC20	indd	¥1,200,000	高音質、高音域	1	PHILE WEB 2	4	WIIM Ultra 3	Pro Plus
2	DELTA N100	5			2	CAVIN OSAKAYA 11	Lumina 1	22	KEF Q Concerto Meta 11
3	OBERON1	4	5	...	3	JBL STAGE A190	1	2-	ECLIPSE TD307MK3
4	Lumina 52				4	AIRPULSE A80	1-	JBL L82 Classic	1
5	Bowers Wilkins 702S3	11	31	Bowers Wilkins 702S3 S...					

[pdf]

KIP01 06 1 HiFi CC20 indd Hi Fi Audio 1 2025 2 PHILE WEB 2 4 WIIM Ultra 3 Pro Plus DELA N100 5 N1 phileweb senka 202504 |||

CAVIN OSAKAYA 11 Lumina 1 22 KEF Q Concerto Meta 11 3- OBERON1 4 5 ... 1 JBL STAGE A190 1 2- ECLIPSE TD307MK3 11 3- OBERON1 4- Lumina 52 AIRPULSE **A80** 1- JBL L82 Classic 1 2-Bowers Wilkins 702S3 11 31Bowers Wilkins 702S3 S...

lang:it **score:10** filesize: 3.7 M page_count: 6 document date: 2025-03-19

Hi-Fi Audio 2025年1月									
順位	製品名	メーカー	価格	特徴	順位	製品名	メーカー	価格	特徴
1	Hi-Fi CC20	indd	¥1,200,000	高音質、高音域	1	PHILE WEB 3	WIIM Pro Plus	4	Ultra 5
2	DELTA N100	5			2	CAVIN OSAKAYA 11	Lumina 1	2-	KEF Q Concerto Meta 11
3	OBERON1	4	5	...	3	JBL STAGE A190	2-	ECLIPSE TD307MK3	11
4	Lumina 52				4	AIRPULSE A80	3-	ELAC Debut ConneX DCB41	4-
5	Bowers Wilkins 702S3	11	31	Bowers Wilkins 702S3 Signatu...					

[pdf]

KIP01 06 1 HiFi CC20 indd Hi Fi Audio 1 2025 1 PHILE WEB 3 WIIM Pro Plus 4 Ultra 5 iFi ZEN STREAM SB C600 2 JBL 4309 KEF phileweb senka 202503 |||

CAVIN OSAKAYA 11 Lumina 1 2- KEF Q Concerto Meta 11 3 4 5 11 JBL ... NE 33 ATOLL MS120 44 DENON HOME AMP 5 Hi-Fi Audio 5 20251 1- JBL STAGE A190 2- AIRPULSE **A80** 3- ELAC Debut ConneX DCB41 4-Bowers Wilkins 607S3 5- NS-F500 11Bowers Wilkins 702S3 Signatu...

lang:it **score:10** filesize: 3.67 M page_count: 6 document date: 2025-02-19

Hi-Fi Audio 2025年3月									
品名	価格	品名	価格	品名	価格	品名	価格	品名	価格
1. JBL 4309	¥11,000	2. KEF Q Concerto Meta	¥11,000	3. JBL 4309	¥11,000	4. KEF Q Concerto Meta	¥11,000	5. JBL 4309	¥11,000
6. KEF Q Concerto Meta	¥11,000	7. JBL 4309	¥11,000	8. KEF Q Concerto Meta	¥11,000	9. JBL 4309	¥11,000	10. KEF Q Concerto Meta	¥11,000
11. JBL 4309	¥11,000	12. KEF Q Concerto Meta	¥11,000	13. JBL 4309	¥11,000	14. KEF Q Concerto Meta	¥11,000	15. JBL 4309	¥11,000
16. KEF Q Concerto Meta	¥11,000	17. JBL 4309	¥11,000	18. KEF Q Concerto Meta	¥11,000	19. JBL 4309	¥11,000	20. KEF Q Concerto Meta	¥11,000
21. JBL 4309	¥11,000	22. KEF Q Concerto Meta	¥11,000	23. JBL 4309	¥11,000	24. KEF Q Concerto Meta	¥11,000	25. JBL 4309	¥11,000
26. KEF Q Concerto Meta	¥11,000	27. JBL 4309	¥11,000	28. KEF Q Concerto Meta	¥11,000	29. JBL 4309	¥11,000	30. KEF Q Concerto Meta	¥11,000
31. JBL 4309	¥11,000	32. KEF Q Concerto Meta	¥11,000	33. JBL 4309	¥11,000	34. KEF Q Concerto Meta	¥11,000	35. JBL 4309	¥11,000
36. KEF Q Concerto Meta	¥11,000	37. JBL 4309	¥11,000	38. KEF Q Concerto Meta	¥11,000	39. JBL 4309	¥11,000	40. KEF Q Concerto Meta	¥11,000
41. JBL 4309	¥11,000	42. KEF Q Concerto Meta	¥11,000	43. JBL 4309	¥11,000	44. KEF Q Concerto Meta	¥11,000	45. JBL 4309	¥11,000
46. KEF Q Concerto Meta	¥11,000	47. JBL 4309	¥11,000	48. KEF Q Concerto Meta	¥11,000	49. JBL 4309	¥11,000	50. KEF Q Concerto Meta	¥11,000
51. JBL 4309	¥11,000	52. KEF Q Concerto Meta	¥11,000	53. JBL 4309	¥11,000	54. KEF Q Concerto Meta	¥11,000	55. JBL 4309	¥11,000
56. KEF Q Concerto Meta	¥11,000	57. JBL 4309	¥11,000	58. KEF Q Concerto Meta	¥11,000	59. JBL 4309	¥11,000	60. KEF Q Concerto Meta	¥11,000
61. JBL 4309	¥11,000	62. KEF Q Concerto Meta	¥11,000	63. JBL 4309	¥11,000	64. KEF Q Concerto Meta	¥11,000	65. JBL 4309	¥11,000
66. KEF Q Concerto Meta	¥11,000	67. JBL 4309	¥11,000	68. KEF Q Concerto Meta	¥11,000	69. JBL 4309	¥11,000	70. KEF Q Concerto Meta	¥11,000
71. JBL 4309	¥11,000	72. KEF Q Concerto Meta	¥11,000	73. JBL 4309	¥11,000	74. KEF Q Concerto Meta	¥11,000	75. JBL 4309	¥11,000
76. KEF Q Concerto Meta	¥11,000	77. JBL 4309	¥11,000	78. KEF Q Concerto Meta	¥11,000	79. JBL 4309	¥11,000	80. KEF Q Concerto Meta	¥11,000
81. JBL 4309	¥11,000	82. KEF Q Concerto Meta	¥11,000	83. JBL 4309	¥11,000	84. KEF Q Concerto Meta	¥11,000	85. JBL 4309	¥11,000
86. KEF Q Concerto Meta	¥11,000	87. JBL 4309	¥11,000	88. KEF Q Concerto Meta	¥11,000	89. JBL 4309	¥11,000	90. KEF Q Concerto Meta	¥11,000
91. JBL 4309	¥11,000	92. KEF Q Concerto Meta	¥11,000	93. JBL 4309	¥11,000	94. KEF Q Concerto Meta	¥11,000	95. JBL 4309	¥11,000
96. KEF Q Concerto Meta	¥11,000	97. JBL 4309	¥11,000	98. KEF Q Concerto Meta	¥11,000	99. JBL 4309	¥11,000	100. KEF Q Concerto Meta	¥11,000

[pdf]

KIP01 06 1 HiFi CC20 indd Hi Fi Audio 1 2025 3 PHILE WEB Apr 21 2025 · EVERSOL DMP A10 2 A8 3 M CR612 4 Bluesound NODE 5 phileweb senka 202505 ||| CAVIN OSAKAYA 1- JBL 4309 1 22 KEF Q Concerto Meta 11 3 4 5 1- JBL ... 1- JBL L52 Classic 1 21 JBL STAGE A190 11 33 OBERON1 44 Lumina 55 AIRPULSE **A80** 11 JBL L82 Classic 1 2- NS-2000A 11 3- Paradigm Founder 40B 44 Lumina A... lang:it score:10 filesize: 3.7 M page_count: 6 document date: 2025-04-21



[pdf] User Manual

Hifi Pig Quarterly Summer 2019 stuar hifi pig chats with mascara quartet CB My professional background is in manual medicine To become a good practitioner you need to understand the anatomy physiology and pathology of 20192 hifipig 08 EDITORIAL Editor and Publisher: Stuart Smith Advertising Director: Linette Smith FREELANCE REVIEW ... es emotionally. It s recorded live and fully analogue directly to a two-track stereo master Studer **A80** , from which the tape I have is taken again using a Studer **A80** . For the techy amongst you the ... lang:en score:9 filesize: 41.34 M page_count: 183 document date: 2019-08-23