GRIFEMA G951

GRIFEMA G951 D-Shape Toilet Seat Instruction Manual

Model: G951

Introduction

This manual provides detailed instructions for the installation, operation, and maintenance of your GRIFEMA G951 D-Shape toilet seat. Manufactured from Urea-Formaldehyde, this toilet seat offers a soft-close mechanism, quick-release functionality for easy cleaning, and antibacterial properties. Please read these instructions carefully before installation and retain them for future reference.

Setup and Installation

1. Check Compatibility and Measure

Before installation, ensure the toilet seat is compatible with your toilet bowl. This model is designed for D-shape toilet bowls. Measure your toilet bowl's dimensions to confirm a proper fit.



Image: Detailed diagram showing the dimensions of the D-shape toilet seat and compatible toilet bowl measurements. Icons indicate antibacterial properties, 150 kg load-bearing, scratch resistance, and compatibility with D-shape toilets.

2. Components Included

- 1 x GRIFEMA G951 D-Shape Toilet Seat
- Mounting hardware (hinges, expansion plugs, screws, washers)
- Installation instructions

3. Installation Steps

1. **Prepare the Toilet:** Ensure the toilet bowl's mounting holes are clean and free from debris.
2. **Insert Expansion Plugs:** Place the expansion plugs into the mounting holes on the toilet bowl.
3. **Position Hinges:** Place the hinge bases over the expansion plugs. The hinges are adjustable and can be rotated 360 degrees to align with the toilet seat's mounting points.
4. **Secure Hinges:** Insert the screws through the hinge bases and into the expansion plugs. Tighten the screws until the hinges are firmly secured. Do not overtighten.
5. **Attach Toilet Seat:** Align the toilet seat with the secured hinges. Gently press down until you hear a click, indicating the seat is locked into place.
6. **Test Stability:** Ensure the seat is stable and does not move laterally. Adjust hinge position or tighten screws if necessary.



Image: Diagram showing the installation process with adjustable hinges and expansion plugs, indicating 360-degree rotation for alignment.

Operating Instructions

Soft-Close Mechanism

The GRIFEMA G951 toilet seat features a soft-close mechanism for both the lid and the seat. To operate, simply push the lid or seat downwards gently. The mechanism will engage, allowing the lid and seat to close slowly and quietly without slamming. This prevents noise and reduces the risk of accidental finger pinching.



Image: Illustration of the soft-close mechanism in action, showing the slow, quiet closing of the toilet seat and lid. Inset images show cushion pads for stability.

Quick-Release Function

For thorough cleaning, the toilet seat can be easily removed using the one-touch quick-release function. Locate the release buttons on the hinges (often marked or integrated into the hinge design). Press these buttons simultaneously and lift the seat upwards to detach it from the hinge posts. To reattach, align the seat with the hinge posts and press down until it clicks into place.



Image: Demonstration of the one-touch quick release feature. A hand presses a button to detach the seat from the hinges, allowing for easy removal.

Maintenance and Cleaning

Cleaning Instructions

The GRIFEMA G951 toilet seat is made from Urea-Formaldehyde, a material known for its antibacterial properties and resistance to yellowing. To maintain its appearance and hygiene:

- Use a soft cloth and mild soap with water for regular cleaning.
- Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the surface and finish.
- For thorough cleaning, utilize the quick-release function to remove the seat and clean all surfaces of both the seat and the toilet bowl.
- Dry the seat and hinges completely after cleaning to prevent water spots or potential corrosion on metal components.

Material Properties




Image: Comparison of Urea-Formaldehyde material (ours) versus non-UF material (others), highlighting antibacterial and yellowing resistance.

The Urea-Formaldehyde material is designed to be scratch-resistant, antibacterial, and resistant to discoloration over time, ensuring long-lasting quality and hygiene.

Troubleshooting

- **Seat slides laterally or feels unstable:** This often indicates that the expansion plugs or screws are not sufficiently tightened. Remove the seat using the quick-release function, then re-tighten the screws securing the hinge bases to the toilet bowl. Ensure the expansion plugs are properly seated in the toilet holes.
- **Expansion plugs do not hold firmly:** Verify that the diameter of the expansion plugs matches the diameter of your toilet's mounting holes. If the holes are too large, the plugs may not expand sufficiently. If the holes are too small, the plugs may not insert correctly. Ensure the screws are tightened to expand the plugs securely.
- **Metal hinge covers show signs of rust:** While the product is designed for durability, exposure to harsh cleaning agents or prolonged moisture can affect metal components. Clean metal parts regularly with a mild, non-abrasive cleaner and dry thoroughly. If rust appears, use a specialized rust remover for chrome or stainless steel, following the product's instructions.
- **Soft-close mechanism not working correctly:** Check for any obstructions around the hinges. Ensure the seat is properly attached to the hinge posts. If the issue persists, the mechanism may require inspection by a

professional.

Product Specifications

Feature	Detail
Brand	GRIFEMA
Model Number	G951
Material	Urea-Formaldehyde
Color	White
Shape	D-Shape
Product Dimensions	45 x 36 x 2.51 cm (1.65 kg)
Weight	1.65 Kilograms
Special Features	Soft-Close, Quick-Release, Antibacterial, Scratch-Resistant, Non-Yellowing, Anti-Slip
Load Capacity	Up to 150 kg
Included Components	1 X Toilet Seat

Warranty Information

GRIFEMA products are manufactured to high-quality standards. For specific warranty terms and conditions, please refer to the documentation included with your purchase or contact GRIFEMA customer support. Keep your proof of purchase for any warranty claims.

Customer Support

If you have any questions, require assistance with installation, or encounter any issues not covered in this manual, please contact GRIFEMA customer support. Contact details can typically be found on the product packaging or the official GRIFEMA website.